

Scleria microcarpa

TROPICAL NUTRUSH

Cyperaceae

Common Synonyms: *Ophryoscleria microcarpa*

FLEPPC Category: -

FDACS Listed Noxious Weed: No



IFAS Assessment

North	Not Assessed
Central	Not Assessed
South	Not Assessed

USDA Hardiness Zone: N/A

Growth Habit: Graminoid

Origin: Tropical Americas



Alexandra Onisko

Description: Typical-looking wetland sedge up to 1.25 m tall with triangular stems and 3-ranked leaves. Leaf blades are linear, 5 - 20 cm long and 0.5 - 0.9 cm wide, with a scabrous margin. The leaf blade is decurrent at the base, with the sheath extending wing-like down the stem to the collar. The contraligule (flap of tissue at the top of the sheath opposite the leaf blade) is lanceolate. Achenes are unprotected (lacking surrounding bracts) which is diagnostic of this species in Florida. The hypogynium (located at the base of the achene) is cup-shaped with a ciliate margin.

Habitat: swamps and lake shores

Florida Introduction Date: 2007

Control Methods: .

Chemical: Foliar (2% glyphosate) is effective in central FL..

Useful Resources:

Comments: Specimen Identified in Florida in 2016 around Lake Hatchineha, Polk County. Little is known about invasiveness or control.