

Cited References

- Ackerman, J.D. and M.J. Castillo. 1994. The orchids of Puerto Rico and the Virgin Islands. University of Puerto Rico Press, San Juan.
- Adams, R.M. and W. J. Dress. 1982. Nodding *Lilium* species of eastern North America (Liliaceae). *Baileya* 21:165-188.
- Adams, R.M. and A.N. Lima. 1994. The natural history of the Florida keys tree cactus, *Pilosocereus robinii*. U.S. Fish and Wildlife Service, Jacksonville, FL.
- Adams, W.P. 1957. A revision of the genus *Ascyrum* (Hypericaceae). *Rhodora* 59(700): 73-95.
- Adams, W.P. and N. Robson. 1961. A re-evaluation of the generic status of *Ascyrum* and *Crookea* (Guttiferae). *Rhodora* 63(745): 10-16.
- Ahles, H.E. 1959. *Thalictrum cooleyi*, sp. nov. *Brittonia* 11: 68-70.
- Alcorn, P.W. 1990. Element stewardship abstract for *Opuntia spinosissima*, Florida semaphore cactus. The Nature Conservancy, Arlington, Virginia.
- Alford, J.D. 2000. Taxonomy, reproductive biology, and demography of *Macranthera flammea* (Bartram) Pennell. M.S. Thesis, Florida State University, Tallahassee, Florida.
- Allison, J. R. 1996a. Conservation strategy for gentian pinkroot (*Spigelia gentianoides* Chapm. ex A. DC.). Southeast Regional Office, The Nature Conservancy, Chapel Hill, North Carolina.
- Allison, J. R. 1996b. Status survey of *Matelea alabamensis* (Vail) Woodson: Alabama spiny pod. Georgia Department of Natural Resources, Georgia Natural Heritage Program, Social Circle, Georgia.
- Allison, J.R. 1996c. Technical/Agency draft recovery plan for fringed campion, *Silene polypetalata* (Walt.) Fern. & Schub. Southeast Region, U.S. Fish and Wildlife Service, Atlanta, Georgia.
- Allison, J.R. and T.E. Stevens. 2001. Vascular flora of Ketona dolomite outcrops in Bibb County, Alabama. *Castanea* 66(1-2): 154-205.
- Anderson, L.C. 1970. Studies on *Bigelowia* (Asteraceae), III. cytotaxonomy and biogeography. *Systematic Botany* 2(3): 209-218.
- Anderson, L.C. 1977. Studies on *Bigelowia* (Astereae, Compositae), I. morphology and taxonomy. *Sida* 3(7): 451-465.
- Anderson, L.C. 1985. *Forestiera godfreyi* (Oleaceae), a new species from Florida and South Carolina. *Sida* 11(1): 1-5.
- Anderson, L.C. 1986. Noteworthy plants from north Florida, II. *Sida* 11(4): 379-84.
- Anderson, L.C. 1988. Noteworthy plants from north Florida, III. *Sida* 13(1): 93-100.
- Anderson, L.C. 1991a. Noteworthy plants from north Florida, V. *Sida* 14(3): 467-74.
- Anderson, L.C. 1991b. *Paronychia chartacea* ssp. *minima* (Caryophyllaceae): a new subspecies of a rare Florida endemic. *Sida* 14 (3): 435-441.
- Anderson, L.C. 1994. A revision of the genus *Hasteola* (Asteraceae) in the New World. *Systematic Botany* 19(2): 211-219.
- Anderson, L.C. 1995a. New data on distribution and morphology for the rare *Hasteola robertiorum* (Asteraceae). *Phytologia* 78(4): 246-248.
- Anderson, L.C. 1995b. Noteworthy plants from north Florida, VI. *Sida* 16(3): 581.
- Anderson, L.C. 1996. New geographical and morphological data for *Sideroxylon thornei* (Sapotaceae). *Sida* 17(2): 343-348.
- Anderson, L.C. 1997. *Sideroxylon alachuense*, a new name for *Bumelia anomala* (Sapotaceae). *Sida* 17(3): 565-567.

- Anderson, L.C. 1999. Striking sexual dimorphism in *Lindera subcoriacea* (Lauraceae). *Sida* 18 (4): 1065-1070.
- Anderson, L.C. 2000. Status survey of silver buckthorn: report to the Georgia Department of Natural Resources. Georgia Natural Heritage Program, Social Circle, Georgia.
- Anderson, L.C. and G.L. Smith. 1994. Carpels and chromosomes of the endangered Harper's beauty (*Harperocallis flava*). *Assoc. of SE Biologists Bulletin* 41: 103.
- Argus, G.W. 1986. The genus *Salix* (Salicaceae) in the southeastern United States. *Systematic Botany Monographs* 9, 1-170.
- Atwood, J.T. 1993. A revision of the *Maxillaria neglecta* complex (Orchidaceae) in Mesoamerica. *Lindleyana* 8: 25-31.
- Austin, D.F. 1984a. Resume of the Florida taxa of *Cereus* (Cactaceae). *Florida Scientist* 47(1): 68-72.
- Austin, D.F. 1984b. Studies of the Florida Convolvulaceae—IV. *Ipomoea*. *Florida Scientist* 47(1): 81-87.
- Austin, D. F. 1997. Adaptations in Fakahatchee Plants. Published on the internet at <http://www.fau.edu/divdept/science/envsci/fakahatchee.htm>
- Austin, D. F. and Z. Huaman. 1996. A synopsis of *Ipomoea* (Convolvulaceae) in the Americas. *Taxon* 45: 3-38.
- Austin, D.F., D.M. Binninger, and D.J. Pinkava. 1998. Uniqueness of the endangered Florida semaphore cactus (*Opuntia corallicola*). *Sida* 18 (2): 527-534.
- Avery, G.N. 1982. *Cereus robinii* in Florida. Report in files of Florida Natural Areas Inventory, Tallahassee, Florida.
- Becker, H. 1999. New technique could boost taxol production. *Agricultural Research Magazine*: April 1999 (<http://www.ars.usda.gov/is/AR/archive/apr99/taxol0499>).
- Beckner, J. 1982. *Lupinus aridorum* J.B. McFarlin ex Beckner (Fabaceae), a new species from central Florida. *Phytologia* 50(3): 209-211.
- Bennett, B.C. 1982. Ecology and distribution of six species of the Bromeliaceae in southern Florida. *Florida Scientist* 45 (supplement 1): 22.
- Benson, L. 1982. The cacti of the United States and Canada. Stanford University Press, Stanford, California.
- Bolen, L.E. 1997. Growth dynamics of the seagrass *Halophila johnsonii* from a subtropical estuarine lagoon in southeastern Florida, USA. M.S. Thesis, Florida Atlantic University, Boca Raton, Florida.
- Boufford, D.E. 1982. Notes on *Peperomia* (Piperaceae) in the southeastern United States. *Journal of the Arnold Arboretum* 63: 317-325.
- Boyer, M. 1993. Agency draft recovery plan for Cooley's meadowrue (*Thalictrum cooleyi* Ahles). U.S. Fish and Wildlife Service, Atlanta, Georgia.
- Bradley, K.A. and G.D. Gann. 1995. Endangered species status survey: *Polygala smallii* Smith & Ward. U.S. Fish and Wildlife Service, Jacksonville, Florida.
- Bradley, K.A. and G.D. Gann. 1999. Status summaries of 12 rockland plant taxa in southern Florida. Institute for Regional Conservation, Miami, Florida.
- Britton, N.L. and J.N. Rose. 1937. The Cactaceae. Dover Publications, New York.
- Brown, P.M and S.N. Folsom. 2001. The wild orchids of Florida. University Presses of Florida, Gainesville, Florida.
- Bruner, J.L. 1987. Systematics of the *Schizachyrium scoparium* (Poaceae) complex in North America. Ph.D. dissertation, Ohio State University, Columbus, Ohio.
- Burch, D. 1966. Two new species of *Chamaesyce* (Euphorbiaceae), new combinations, and a key to the Caribbean members of the genus. *Annals of Missouri Botanical Garden* 53: 90-99.

- Burkhalter, J.R. 2000. Personal communication: status of *Potamogeton floridanus*.
- Burks, K.C. 2000. Personal communication: status of *Potamogeton floridanus*.
- Case, F.W. and R.B. Case. 1976. The *Sarracenia rubra* complex. *Rhodora* 78: 270-325.
- Channell, R.B. 1957. A revisional study of the genus *Marshallia* (Compositae). *Contributions of the Gray Herbarium* 181: 41-132.
- Channell, R.B. and C.E. Wood, Jr. 1962. The Leitneriaceae in the southeastern United States. *Journal of the Arnold Arboretum* 43: 435-38.
- Christman, S.P. and W.S. Judd. 1990. Notes on plants endemic to scrub. *Florida Scientist* 53: 52-73.
- Chrysler, M.A. 1941. Structure and development of *Ophioglossum palmatum*. *Bulletin Torrey Botanical Club* 68(1):1-19.
- CITES. 2000. Convention on International Trade in Endangered Species of Flora and Fauna. Available on the internet at <http://www.wcmc.org.uk/cites>.
- Clewell, A. F. 1985. Guide to the vascular plants of the Florida panhandle. University Presses of Florida, Florida State University Press, Tallahassee, Florida.
- Coile, N.C. 1992. Pinks, pinked, and pink! Botany Circular No. 26. Florida Department of Agriculture and Consumer Services, Division of Plant Industry, Gainesville, Florida.
- Coile, N.C. 1999. Key to *Asclepias* species in Florida. Florida Department of Agriculture and Consumer Services, Gainesville, Florida.
- Coile, N.C. 2000. Notes on Florida's endangered and threatened plants. Bureau of Entomology, Nematology, and Plant Pathology-Botany Section, No. 38, 4th ed. Florida Department of Agriculture and Consumer Services, Gainesville, Florida.
- Core, E.L. 1941. The North American species of *Paronychia*. *American Midland Naturalist* 26: 369-397.
- Correll, D.S. and H.B. Correll. 1982. Flora of the Bahama archipelago. Strauss & Cramer, Hirschberg, Germany.
- Coville, F.V. 1924. *Grossularia echinellum*, a spiny-fruited gooseberry from Florida. *Journal of Agricultural Research* 28 (1): 71-76.
- Cox, A. C. 1998. Comparative reproductive biology of two Florida pawpaws, *Asimina reticulata* Chapman and *Asimina tetramera* Small. Ph.D. dissertation, Florida International University, Miami, Florida.
- Cox, P.B. and L.E. Urbatsch. 1994. A taxonomic revision of *Rudbeckia* subgenus *Macrocline* (Asteraceae: Heliantheae: Rudbeckiinae). *Castanea* 59: 300-318.
- Creel, O.R. 2000. The evil weevil: what will Florida lose? *The Palmetto* 19(4):10-13.
- Cronquist, A. 1980. Vascular flora of the southeastern United States, Vol. 1: Asteraceae. University of North Carolina Press, Chapel Hill, North Carolina.
- Crook, R.W. 1998. Systematics of *Conradina* (Lamiaceae). Ph.D. Dissertation. University of Georgia, Athens, Georgia.
- D'arcy, W.G. 1987. Flora of Panama. *Annals of the Missouri Botanical Garden*, St. Louis, Missouri.
- Day, J.W. 1975. Autecology of *Leitneria floridana*. Ph.D. dissertation. Mississippi State University, Starkville, Mississippi.
- DeLaney, K.R. and R.P. Wunderlin. 1989. A new species of *Crotalaria* (Fabaceae) from the Florida Central Ridge. *Sida* 13: 315-324.
- DeLaney, K.R., R.P. Wunderlin, and B.F. Hansen. 1989. Rediscovery of *Ziziphus celata* (Rhamnaceae). *Sida* 13(3): 325-330.
- Determann, R., L.K. Kirkman, and H. Nourse. 1997. Plant conservation by propagation: the cases of *Macranthera* and *Schwalbea*. *Tipularia* 12:2-12.

- Dolan, R.W., R. Yahr, E.S. Menges, Matthew D. Halfhill. 1999. Conservation implications of genetic variation in three rare species endemic to Florida rosemary scrub. *American Journal of Botany* 86: 1556.
- Dress, W.J. 1954. Two new Floridan species of *Chrysopsis*, Ell. (Compositae). *Gentes Herbarium* 8(5): 404-409.
- Duncan, W.H. and L.E. Foote. 1975. *Wildflowers of the southeastern United States*. University of Georgia Press, Athens, Georgia.
- Duncan, W.H. and T.M. Pullen. 1962. The lepidote rhododendrons of the southeastern United States. *Brittonia* 14: 290-298.
- Durako, M. and F. Wettstein. 1994. Johnson's seagrass: the Rodney Dangerfield of seagrasses. *The Palmetto*, Winter 1994: 3-5.
- Eiseman, N.J. and C. McMillan. 1980. A new species of seagrass, *Halophila johnsonii*, from the Atlantic Coast of Florida. *Aquatic Botany* 9: 15-19.
- Eisner, T., K.D. McCormick, M. Sakaino, M. Eisner, S.R. Smedley, D.J. Aneshansley, M. Deyrup, R.L. Myers, J. Meinwald. 1990. Chemical defense of a rare mint plant. *Chemoecology* 1: 30-37.
- Elfers, S.C. 1989. A biosystematic study of *Chionanthus* in the southeastern United States. M.S. thesis, University of Central Florida, Orlando, Florida.
- Elias, T.E. 1987. *The complete trees of North America: a field guide and natural history*. Gramercy Publishing Company, New York.
- Epstein, M. 1994. Delicate balance: pygmy-pipes (*Monotropis reynoldsiae*). *Florida Wildlife*: July/Aug 1994: 80.
- Evans, A.M. 1969. Interspecific relationships in the *Polypodium pectinatum-plumula* complex. *Annals Missouri Botanical Garden* 55: 193-293.
- Evans, A.W. 1952. The Cladoniae of Florida. *Transactions of the Connecticut Academy of Arts and Sciences* 38: 249-336.
- Fantz, P.R. 1977. A monograph of the genus *Clitoria* (Leguminosae: Glycineae). Ph.D. dissertation. University of Florida, Gainesville, Florida.
- Federal Register. 1984. Endangered and threatened wildlife and plants; *Ribes echinellum* (Miccosukee gooseberry) proposed to be a threatened species. 50 CFR Part 17. Vol. 49 (171): 34535-34538.
- Federal Register. 1985. Endangered and threatened wildlife and plants; determination of threatened status for *Ribes echinellum* (Miccosukee gooseberry); final rule. 50 CFR Part 17. Vol. 50 (138): 29338-29341.
- Federal Register. 1991. Endangered and threatened wildlife and plants; proposed endangered status for *Schwalbea americana* (American chaffseed). 50 CFR Part 17. Vol. 56 (176): 46277-46281.
- Federal Register. 1992a. Endangered and threatened wildlife and plants; endangered status for *Schwalbea americana* (American chaffseed). 50 CFR Part 17. Vol. 57 (189): 44703-44708.
- Federal Register. 1992b. Endangered and threatened wildlife and plants; threatened status for three Florida plants, final rule, May 8, 1992. *Federal Register* 57 (90): 19813-19819.
- Federal Register. 2000. Designated critical habitat for Johnson's seagrass. *Federal Register* 65(66): 17786-17804.
- Fernald, M.L. 1945. *Ruellia* in the eastern United States. *Rhodora* 47 (553): 1-90.
- Fernando, E.S. and C.J. Quinn. 1995. Picramniaceae, a new family, and a recircumscription of Simaroubaceae. *Taxon* 44: 177-181.
- FNA (Flora of North America Editorial Committee). 1993. *Flora of North America north of Mexico*, Vol. 2: pteridophytes and gymnosperms. Oxford University

- Press, New York.
- FNA (Flora of North America Editorial Committee). 1997. Flora of North America north of Mexico, Vol. 3: Magnoliophyta: Magnoliidae and Hamamelidae. Oxford University Press, New York.
- FNA (Flora of North America Editorial Committee). 2000. Flora of North America north of Mexico. Available on the internet at <http://hua.huh.harvard.edu>.
- FNAI. 1992. Status survey for *Hymenocallis henryae*. Florida Natural Areas Inventory, Tallahassee, Florida.
- Folkerts, G.W. 1982. Gulf coast pitcherplant bogs. *American Scientist* 70: 260-267.
- Foote, L.E. and S.B. Jones Jr. 1989. Native shrubs and woody vines of the south-east. Timber Press, Portland, Oregon.
- Frank, J.H. 2000. Florida's native bromeliads imperilled by exotic evil weevil. *The Palmetto* 19(4): 6-10.
- Frank, J.H. and M.C. Thomas. 1996. Weevils that eat bromeliads. Published on the internet at <http://www.ifas.ufl.edu/~frank/wvbrom.htm>.
- Freeman, J.D. 1975. Revision of *Trillium* subgenus *Phyllantherum* (Liliaceae). *Brittonia* 27: 1-62.
- Fryxell, P.A. 1969. The genus *Cienfuegosia* Cav. (Malvaceae). *Annals of Missouri Botanical Garden* 56: 179-250.
- Fryxell, P.A. 1979. The natural history of the cotton tribe (Malvaceae, tribe Gossypieae). Texas A&M University Press, College Station, Texas.
- Garland, M.A. 1993. Distribution of *Pinguicula ionanatha* in the Apalachicola National Forest. Florida Natural Areas Inventory, Tallahassee, Florida.
- Gilbert, K.M., J.D. Tobe, R.W. Cantrell, M.E. Sweeley, and J.R. Cooper. 1995. The Florida Wetlands Delineation Manual. Florida Department of Environmental Protection, Tallahassee, Florida.
- Godfrey, R. K. 1961. *Liatrix provincialis*, sp. nov. (Compositae), in western Florida. *American Midland Naturalist* 66:466-470.
- Godfrey, R.K. 1988. Trees, shrubs, and woody vines of northern Florida and adjacent Georgia and Alabama. University of Georgia Press, Athens, Georgia.
- Godfrey, R.K. and A.F. Clewell. 1965. Polygamodioecious *Leitmeria floridana* (Leitneriaceae). *Sida* 2: 172-173.
- Godfrey, R.K. and R. Kral. 1958a. Observations on the Florida flora. *Brittonia* 10: 166-177.
- Godfrey, R.K. and R. Kral. 1958b. A new species of *Vicia* (Leguminosae) in Florida. *Rhodora* 60: 256-258.
- Godfrey, R.K. and H.L. Stripling. 1961. A synopsis of *Pinguicula* (Lentibulariaceae) in the southeastern United States. *American Midland Naturalist* 66(2): 395-409.
- Godfrey, R.K. and J. W. Wooten. 1979. Aquatic and wetland plants of southeastern United States: monocotyledons. University of Georgia Press, Athens, Georgia.
- Godfrey, R.K. and J. W. Wooten. 1981. Aquatic and wetland plants of southeastern United States: dicotyledons. University of Georgia Press, Athens, Georgia.
- Godt, M.J., T. Race, and J.L. Hamrick. 1996. A population genetic analysis of *Ziziphus celata*, an endangered Florida shrub. U.S. Fish and Wildlife Service, Jacksonville, Florida.
- Godt, M.J., J. Walker, and J.L. Hamrick. 1997. Genetic diversity in the endangered lily *Harperocallis flava* and a close relative, *Tofieldia racemosa*. *Conservation Biology* 11(2): 361-366.
- Goldblatt, P. 1975. Revision of the bulbous Iridaceae of North America. *Brittonia* 27: 373-385.

- Goldblatt, P. and J.E. Henrich. 1991. *Calydorea* Herbert (Iridaceae–Tigridieae): notes on this new world genus and reduction to synonymy of *Salpingostylis*, *Cardiostigma*, *Itysa*, and *Catila*. *Annals of the Missouri Botanical Garden* 78: 504-511.
- Gordon, D.R. 1993. Responses of two rare species to manipulation: effects of fire on *Matelea alabamensis* and effects of transplanting and shade on *Conradina glabra*. Final report to KOSE Grant K91SE11, The Nature Conservancy, Gainesville, Florida.
- Gordon, D.R. 1996a. Apalachicola rosemary (*Conradina glabra*) reintroduction. In, D.A. Falk, C.I. Millar, M. Olwell, Restoring diversity: strategies for reintroduction of endangered plants. Center for Plant Conservation, Washington, D.C.
- Gordon, D.R. 1996b. Experimental translocation of the endangered shrub *Conradina glabra* (Apalachicola rosemary) to the Apalachicola Bluffs and Ravines Preserve, Florida. *Biological Conservation* 77:19-26.
- Gordon, D.R. and T.L. Kubisiak. 1998. RAPD analysis of the last population of likely Florida Keys endemic cactus. *Florida Scientist* 61: 203-210.
- Gould, K. 1996. A new, disjunct variety of *Spigelia gentianoides* (Loganiaceae) from Bibb County, Alabama. *Sida* 17(2): 417-421.
- Graham, S.A. 1964. The genera of Lythraceae in the southeastern United States. *Journal of the Arnold Arboretum* 45: 235-250.
- Graham, S.A. 1975. Taxonomy of the Lythraceae of the southeastern United States. *Sida* 6:80-103.
- Guala, G. 1993. Element stewardship abstract: *Bigelowia nuttallii*. The Nature Conservancy, Arlington, Virginia.
- Guala, G. and D.R. Gordon. 1992. Element stewardship abstract for *Marshallia ramosa*, southern Barbara's buttons. The Nature Conservancy, Arlington, Va.
- Gupton, O.W. and F.C. Swope. 1986. Wild orchids of the Middle Atlantic states. University of Tennessee Press, Knoxville, Tennessee.
- Hall, D.W. 1978. The grasses of Florida. Ph.D. dissertation, University of Florida, Gainesville, Florida.
- Hammer, R.L. 1981. Finding new orchids: a contribution to the Orchidaceae of Florida. *Fairchild Tropical Garden Bulletin* 36: 16-18.
- Hammer, R.L. 1992. The strange case of Carter's orchid. *Fairchild Tropical Garden Bulletin* April 1992: 34-39.
- Hammer, R.L. 1997. Postcards from paradise: those confusing lantanas. *Wildland Weeds*, Winter: 4-5.
- Harper, R.M. 1911a. *Chondrophora virgata* [*Bigelowia nudata*] in West Florida. *Torreyia* 11(4): 92-98.
- Harper, R.M. 1911b. New plum from the Lake Region of Florida. *Torreyia* 11: 64-67.
- Harper, R.M. 1925. A botanically remarkable locality in the Tallahassee Red Hills of middle Florida. *Torreyia* 25 (3): 45-54.
- Harper, R.M. 1942. *Croomia* a member of the Appalachian flora. *Castanea* 7: 109.
- Hartnett, D.C. and D.R. Richardson. 1989. Population biology of *Bonamia grandiflora* (Convolvulaceae): effects of fire on plant and seed bank dynamics. *American Journal of Botany* 76(3): 361-369.
- Hawkes, C.V. and E.S. Menges. 1995. Density and seed production of a Florida endemic, *Polygonella basirama*, in relation to time since fire and open sand. *American Midland Naturalist* 133: 138-148.
- Hawkes, C.V. and E.S. Menges. 1996. The relationship between open space and fire for species in a xeric Florida shrubland. *Journal of the Torrey Botanical Society*

- 123(2): 81-92.
- Helkowski, J. and A. F. Johnson. 2000. Study of the effects of 1998 central Florida wildfires on Rugel's pawpaw (*Deeringothamnus rugelii*). Florida Natural Areas Inventory, Tallahassee, Florida.
- Helton, R.C., L.K. Kirkman, L.J. Musselman. 2000. Host preference of the federally endangered hemiparasite *Schwalbea americana* L. (Scrophulariaceae). Journal of the Torrey Botanical Society 127(4): 300-306.
- Henrickson, J. 1996. Notes on *Spigelia* (Loganiaceae). Sida 17(1): 89-103.
- Henry, M. G. 1946. A new lily from southern Alabama and northern Florida. *Bartonia* 24:1-4.
- Hermann, S.M. 1995. Status and management of Florida's carnivorous plant communities. Florida Game and Freshwater Fish Commission, Nongame Wildlife Program, Tallahassee, Florida.
- Herndon, A. 1981. *Galactia smallii*: a new name for *G. prostrata* Small. *Rhodora* 83: 471-472.
- Herndon, A. 1989. Revision of the *Chamaesyce garberi* complex of southern Florida, USA. *American Journal of Botany* 76 (6): 245.
- Herndon, A. 1993. Notes on *Chamaesyce* (Euphorbiaceae) in Florida. *Rhodora* 95 (883/884): 352-368.
- Herndon, A. 1999. Life history of *Liatris ohlingerae* (Asteraceae), an endangered plant endemic to the Lake Wales Ridge, Florida. Florida Fish and Wildlife Conservation Commission, Tallahassee, Florida.
- Hitchcock, A.S. and A. Chase. 1950. Manual of the grasses of the United States, 2nd edition. Dover Publications, New York.
- Huck, R.B. 1981. *Dicerandra cornutissima*, a new woody Labiatae from Florida. *Phytologia* 47(4): 313-315.
- Huck, R.B. 1987. Systematics and evolution of *Dicerandra* (Labiatae). Phanerogamarum monographiae XIX. Gebruder Borntraeger Verlagsbuchhandlung. Stuttgart, Germany.
- Huck, R.B., W.S. Judd, W.M. Whitten, J.D. Skee, R.P. Wunderlin, K.R. Delaney. 1989. A new *Dicerandra* (Labiatae) from the Lake Wales Ridge of Florida, with a cladistic analysis and discussion of endemism. *Systematic Botany* 14(2):197-213.
- IRC (Institute for Regional Conservation). 1999. Floristic inventory of southern Florida database. Presented by Fairchild Tropical Garden. Available on the internet at <http://www.regionalconservation.org>.
- IRC. 2000. Notes on three *Pectuma* species in southern Florida. On file at Florida Natural Areas Inventory. Institute for Regional Conservation, Miami, Florida.
- Isely, D. 1982. New combinations and one new variety among the genera *Indigofera*, *Robinia*, and *Tephrosia* (Leguminosae). *Brittonia* 34(3): 339-341.
- Isely, D. 1986a. Notes about *Psoralea* sensu auct., *Amorpha*, *Baptisia*, *Sesbania*, and *Chamaecrista* (Leguminosae) in the southeast United States. *Sida* 11(4):429-440.
- Isely, D. 1986b. Notes on Leguminosae: Papilionoideae of the southeastern United States. *Brittonia* 38(4): 352-59.
- Isely, D. 1990. Vascular flora of the southeastern United States, Vol. 3, Part 2 (Leguminosae-Fabaceae). University of North Carolina Press, Chapel Hill, NC.
- Johnson, A.F. 1993. Population status survey of *Chrysopsis godfreyi* Semple. Florida Natural Areas Inventory, Tallahassee, Florida.
- Johnson, A.F. 1996. Element stewardship abstract for *Rhododendron chapmanii*. Florida Natural Areas Inventory, Tallahassee, Florida.

- Johnson, A.F. 1998. A survey for the Etoniah rosemary (*Conradina etonia*) on Etoniah Creek State Forest, Putnam County, Florida. Florida Natural Areas Inventory, Tallahassee, Florida.
- Johnson, A. F. 1999. A survey for beautiful pawpaw (*Deeringothamnus pulchellus*) on Babcock-Webb Wildlife Management Area and Charlotte Harbor State Buffer Preserve, Charlotte and Lee Counties, Florida. Florida Natural Areas Inventory, Tallahassee, Florida.
- Johnson, A.F., S.A. Murray, and G.E. Schultz. 1997. Final report on the 1997 search for *Triphora latifolia*, a GH-ranked Florida orchid. Florida Natural Areas Inventory, Tallahassee, Florida.
- Johnson A. F. and D. J. Printiss. 1999. A re-survey of known sites for the panhandle lily (*Lilium iridollae*) in northwest Florida, exclusive of Eglin Air Force Base. Florida Natural Areas Inventory, Tallahassee, Florida.
- Johnson, A. F. and G. E. Schultz. 1999. Results of a survey for new populations of Rugel's pawpaw (*Deeringothamnus rugelii*) in Volusia County following wildfires in June 1998. Florida Natural Areas Inventory, Tallahassee, Florida.
- Johnson, R.T. 1993. *Schwalbea americana* element stewardship abstract. The Nature Conservancy, Arlington, Virginia.
- Johnson, R. T. and M.J. Russell. 1993. *Schwalbea americana* element global ranking form. The Nature Conservancy, Arlington, Virginia.
- Joiner, M.S. 1998. *Fothergilla gardenii*: rare jewel of the coastal plain. *Tipularia* 13(1): 17-22.S
- Judd, W.S. and D.W. Hall. 1984. A new species of *Ziziphus* (Rhamnaceae) from Florida. *Rhodora* 86: 381-387.
- Jue, S., C. Kindell, and J. Wojcik. 2001. Florida Conservation Lands. Florida Natural Areas Inventory, Tallahassee, Florida.
- Kass, H. 1990. Once a savior, moth (*Cactoblastus cactorum*) is now a scourge. *Plant Conservation* 5(2): 3.
- Keppner, E.J. and L.A. Keppner. 2001. Biology and conservation status of smooth-bark St. John's-wort. Bay County Audubon Society, Panama City, Florida.
- Kernan, K. 2000. Endangered species profile: semaphore cactus (*Opuntia corallicola*). Fairchild Tropical Garden (www.ftg.org/research/semaphorecactus.html).
- Kirkman, K.L., M.B. Drew, and D. Edwards. 1998. Effects of experimental fire regimes on the population dynamics of *Schwalbea americana* L. *Plant Ecology* 137: 115-137.
- Kral, R. 1960. A revision of *Asimina* and *Deeringothamnus* (Annonaceae). *Brittonia* 12: 233-78.
- Kral, R. 1966. The genus *Xyris* (Xyridaceae) in the southeastern United States and Canada. *Sida* 2: 177-260.
- Kral, R. 1983. A report on some rare, threatened, or endangered forest-related vascular plants of the south. Technical Publication R8-TP2. United States Department of Agriculture, Forest Service, Southern Region, Atlanta, Georgia.
- Kral, R. 1995. Status report on *Rhexia salicifolia*. U.S. Fish and Wildlife Service, Jackson, Mississippi.
- Kral, R. and P.E. Bostick. 1969. The genus *Rhexia* (Melastomataceae). *Sida* 3(6): 387-440.
- Kral, R. and R. B. McCartney. 1991. A new species of *Conradina* (Lamiaceae) from northeastern Florida. *Sida* 14: 391-398.
- Kwit, C., M.W. Schwartz, W.J. Platt, and J.P. Geaghan. 1998. Distribution of tree species in steepheads of the Apalachicola River bluffs, Florida. *Journal of the*

- Torrey Botanical Society 125(4): 309-318.
- Lakela, O. and R.K. Long. 1976. Ferns of Florida. Banyan Books, Miami, Florida.
- Lambert, B.B. and E.S. Menges. 1996. The effects of light, soil disturbance, and presence of organic litter on the field germination and survival of the Florida goldenaster, *Chrysopsis floridana* Small. Florida Scientist 59(2): 121-137.
- Landry, S. 1997. Monitoring plan for *Campanula robinsiae*: summary of current knowledge and 1995-1997 search attempts. Florida Natural Areas Inventory, Tallahassee, Florida.
- Langdon, K.R. 1976. *Illicium parviflorum*, correct name for the anisetree of the Florida nursery trade. Nematology/Botany Circular 19. Florida Department of Agriculture and Consumer Services, Division of Plant Industry, Gainesville, FL.
- Langdon, K.R. 1980. The bromeliad, *Guzmania monostachya*, an endangered plant in Florida. Nematology Circular 69 (Botany 12), Contribution 220, Bureau of Nematology. Florida Department of Agriculture and Consumer Services, Gainesville, Florida.
- Langdon, K.R. 1981a. Hand fern, *Ophioglossum palmatum*, endangered and becoming extremely rare in Florida. Nematology/Botany Circular 14, Contribution 231, Bureau of Nematology. Florida Department of Agriculture and Consumer Services, Gainesville, Florida.
- Langdon, K.R. 1981b. The seriously depleted cowhorn orchid, *Cyrtopodium punctatum*, endangered in Florida. Nematology/Botany Circular 74, Contribution 226, Bureau of Nematology. Florida Department of Agriculture and Consumer Services, Gainesville, Florida.
- Langdon, K.R. 1984. Pygmy fringe-tree, *Chionanthus pygmaeus*, endangered by loss of habitat. Botany Circular 21, Contribution 22, Office of Systematic Botany. Florida Department of Agriculture and Consumer Services, Gainesville, Florida.
- Langeland, K.A. and K.C. Burks, eds. 1998. Identification and biology of non-native plants in Florida's natural areas. IFAS Publications, Gainesville, Florida.
- Latimer, S.D. 1994. *Magnolia ashei* Weatherby (Magnoliaceae): biology and conservation of an endangered species. Ph.D. dissertation. Tulane University, New Orleans, Louisiana.
- Lee, J. 1999. Florida bonamia, our resilient scrub morning glory: will it survive? The Palmetto 19 (2): 16-17.
- Leenhouts, P.W. 1983. Notes on the extra-Australian species of *Dodonaea* (Sapindaceae). Blumea 28 (2):271-289.
- Lellinger, D.B. and A.M. Evans. 1985. A field manual of the ferns and fern-allies of the United States and Canada. Smithsonian Institution Press, Washington, D.C.
- Leonard, S.W. and W.W. Baker. 1983. Additional populations of *Harperocalis flava* McDaniel (Liliaceae). Castanea 48: 151-152.
- Lewis, P.O. and D.J. Crawford. 1995. Pleistocene refugium endemics exhibit greater allozymic diversity than widespread congeners in the genus *Polygonella* (Polygonaceae). American Journal of Botany 82: 141-149.
- Long, R.W. 1970. The genera of Acanthaceae in the southeastern United States. Journal of the Arnold Arboretum 51 (3): 257-309.
- Long, R.K. and O. Lakela. 1976. A flora of tropical Florida: a manual of the seed plants and ferns of southern peninsular Florida. Originally published by University of Miami Press. Banyan Books, Miami, Florida.
- Luer, C.A. 1966. Two new species of *Triphora* (Orchidaceae) from Florida. Brittonia 18:241-243.
- Luer, C.A. 1969. A new species of *Triphora* in Florida. American Orchid Society

Bulletin October: 878-880.

- Luer, C.A. 1972. The native orchids of Florida. New York Botanical Garden, NY.
- Luteyn, J.L., W.S. Judd, S.P. Vander Kloet, L.J. Dorr, G.D. Wallace, K.A. Dron, P.F. Stevens, and S.E. Clements. 1996. Ericaceae of the southeastern United States. *Castanea* 61:101-144.
- Luther, H.E. and G.K. Brown. 2000. Bromeliaceae and *Catopsis*. Flora of North America, Vol. 22. Published on the internet at <http://hua.huh.harvard.edu/cgi-bin>.
- Mackiernan, J.M. and E.M. Norman. 1979. Reproductive biology of *Nemastylis floridana* Small (Iridaceae). *Florida Scientist* 42(4): 229-236.
- Mathew, B., ed. 1994. CITES guide to plants in trade. Convention on International Trade in Endangered Species of Wild Fauna and Flora, Dept. of Environment.
- McCartney, C. 1985a. South Florida's epiphytic orchids: how healthy are they? *Palmetto*, Summer: 3-5.
- McCartney, C. 1985b. The orchids of Everglades National Park: part 1. *American Orchid Society Bulletin* 54(3): 265-276.
- McCartney, C. 1985c. The orchids of Everglades National Park: part 2. *American Orchid Society Bulletin* 54(4): 440-448.
- McCartney, C. 1991. Stalking the elusive *Basiphyllaea corallicola*, part 1. *The Florida Orchidist* 34 (3): 136-145, 156-157.
- McCartney, C. 1992a. Orchids of south Florida's pine rocklands. *Fairchild Tropical Garden Bulletin* 47 (April): 12-33.
- McCartney, C. 1992b. Stalking the elusive *Basiphyllaea corallicola*, part 2. *The Florida Orchidist* 34 (4): 195-211.
- McCartney, C. 1993. A new name for Florida's other *Maxillaria*. *The Florida Orchidist*, November: 25-29.
- McCartney, C. 1997. Mrs. Britton's shadow witch. *Palmetto*, Spring: 10-11.
- McCartney, R.B., K. Wurdack, and J. H. Moore. 1989. The genus *Lindera* in Florida. *The Palmetto*, Summer: 3-8.
- McDaniel, S. 1968. *Harperocallis*, a new genus of the Liliaceae from Florida. *Journal of Arnold Arboretum* 49: 35-40.
- McDaniel, S. 1971. The genus *Sarracenia* (Sarraceniaceae). *Bulletin Number 9*. Tall Timbers Research Station, Tallahassee, Florida.
- Medley, M.E. 1990. *Triphora* T. Nuttall—three birds orchids. Accepted for publication in *Flora of North America*, Vol 11, Liliopsida except Poaceae. Forthcoming.
- Menges, E.S. 1992. Habitat preferences and response to disturbance for *Dicerandra frutescens*, a Lake Wales Ridge, Florida, endemic plant. *Bulletin of the Torrey Botanical Club* 119(3): 303-313.
- Menges, E.S., D. Gordon, and R. Dolan. 1996. Demography, breeding system, and genetics of *Nolina brittoniana*. Florida Division of Forestry, Tallahassee, Fl.
- Menges, E.S. and N. Kohfeldt. 1995. Life history strategies of Florida scrub plants in relation to fire. *Bulletin of Torrey Botanical Club* 122: 282-297.
- Menges, E.S., and J. Kimmich. 1996. Microhabitat and time-since-fire: effects on demography of *Eryngium cuneifolium* (Apiaceae), a Florida scrub endemic plant. *American Journal of Botany* 83(2): 185-191.
- Menges, E.S., P.J. McIntyre, M.S. Finer, E Goss, and R. Yahr. 1999. Microhabitat of the narrow Florida scrub endemic *Dicerandra christmanii*, with comparisons to its congener *D. frutescens*. *Journal of the Torrey Botanical Society* 126(1): 24-31.
- Mesler, M.R. 1974. Natural history of *Ophioglossum palmatum* in south Florida. *American Fern Journal* 64(2): 33-39.
- Minno, M.C. 1997. Phenology, pollination, and distribution of the Okeechobee

- gourd (*Cucurbita okeechobeensis*) along the St. Johns River, Florida. U.S. Fish and Wildlife Service, Jacksonville, Florida.
- Minno, M.C. and M. Minno. 1995. Status and habitat requirements of the endangered Okeechobee gourd along the middle St. Johns River, Florida. U.S. Fish and Wildlife Service, Jacksonville, Florida.
- Monachino, J. and E.C. Leonard. 1959. A new species of *Justicia* from Florida. *Rhodora* 61(727): 183-187.
- Moore, B.J. 1968. The macrolichen flora of Florida. *The Bryologist* 71(3): 161-266.
- Muenchow, G. 1993. A survey of *Liatris provincialis*. Unpublished report to the Florida Natural Areas Inventory, Tallahassee, Florida.
- Musselman, L.J. 1972. Root parasitism of *Macranthera flammea* and *Tomanthera auriculata* (Scrophulariaceae). *Journal of Elisha Mitchell Scientific Society* 88(2): 58-60.
- Musselman, L.J. and W.F. Mann. 1977. Host plants of some *Rhinanthoideae* (Scrophulariaceae) of eastern North America. *Plant Systematics and Evolution* 127: 45-53.
- Musselman, L.J. and W.F. Mann. 1978. Root parasites of southern forests. U.S. Department of Agriculture, Forest Service, General Technical Report SO-20. Southern Forest Experiment Station, Alexandria, Louisiana.
- Nauman, C.E. 1986. The increasing rarity of Florida's ferns. *Florida Naturalist* 59(4): 2-4.
- NMFS (National Marine Fisheries Service). 2000. Recovery plan for Johnson's seagrass (*Halophila johnsonii*). Prepared by the Johnson's Seagrass Recovery Team, the National Marine Fisheries Service, Silver Springs, Maryland.
- Negron-Ortiz, V. 1998. Reproductive biology of a rare cactus, *Opuntia spinosissima* (Cactaceae), in the Florida Keys: why is seed set very low? *Sexual Plant Reproduction* 11: 208-212.
- Negron-Ortiz, V. and R.J. Hickey. 1996. The genus *Ernodea* in the Caribbean Basin, II, morphological analyses and systematics. *Systematic Botany* 21(3): 445-458.
- Nelson, G. 1994. The trees of Florida. Pineapple Press, Inc., Sarasota, Florida.
- Nelson, G. 1996. The shrubs and woody vines of Florida. Pineapple Press, Inc., Sarasota, Florida.
- Nelson, G. 2000. The ferns of Florida. Pineapple Press, Inc., Sarasota, Florida.
- Nesom, G.L. and V.M. Bates. 1984. Re-evaluations of intraspecific taxonomy in *Polygonella* (Polygonaceae). *Brittonia* 36: 37-44.
- Nesom, G.L. 1994 [1995]. Review of the taxonomy of *Aster* sensu lato (Asteraceae: Astereae), emphasizing the New World species. *Phytologia* 77(3):141-297.
- O'Brien, J.J. 1994. Research on south Florida *Galactia* (Fabaceae). *Plant Conservation* 8(1).
- Ogden, E.C. 1943. Broad-leaved species of *Potamogeton* of North America north of Mexico. *Rhodora* 45:192.
- Orzell, S.L. and E.L. Bridges. 1993. *Eriocaulon nigrobacteatum* (Eriocaulaceae), a new species from the Florida panhandle, with a characterization of its poor fen habitat. *Phytologia* 74(2): 104-124.
- Ostertag, R. and E.S. Menges. 1994. Patterns of reproductive effort with time since last fire in Florida scrub plants. *Journal of Vegetation Science* 5:303-310.
- Parker, E.S. and S.B. Jones, Jr. 1975. A systematic study of the genus *Balduina* (Compositae, Heliantheae). *Brittonia* 27: 355-361.
- Patrick, T.S. 1986. The trilliums of eastern North America: unpublished account. Georgia Natural Heritage Program, Social Circle, Georgia.

- Patrick, T.S., J.R. Allison, and G.A. Krakow. 1995. Protected plants of Georgia. Georgia Department of Natural Resources, Natural Heritage Program. Social Circle, Georgia.
- Patterson, J. and G. Stevenson. 1977. Native trees of the Bahamas. Published by the authors, Hope Town, Abaco, Bahamas.
- Pennington, T.D. 1990. Sapotaceae. *Flora Neotropica Monograph* 52: 1-770.
- Perdue, R.E., Jr. 1957. Synopsis of *Rudbeckia* subgenus *Rudbeckia*. *Rhodora* 59 (708): 293-299.
- Perdue, R.E., Jr. 1962. Two new varieties and a new combination in *Rudbeckia*. *Rhodora* 64: 328-29.
- Price, M.G. 1983. *Pechuma*, a new tropical American fern genus. *American Fern Journal* 73: 109-116.
- Quintana-Ascencio, P.F., and E.S. Menges. 1996. Inferring metapopulation dynamics from patch-level incidence of Florida scrub plants. *Conservation Biology* 10:1210-1219.
- Quintana-Ascencio, P.F. and E. S. Menges. 2000. Competitive abilities of three narrowly endemic plant species in experimental neighborhoods along a fire gradient. *American Journal of Botany* 87: 690-699.
- Quintana-Ascencio, P.F. and M. Morales-Hernández. 1997. Fire-mediated effects of shrubs, lichens and herbs on the demography of *Hypericum cumulicola* in patchy Florida scrub. *Oecologia* 112(2): 263-71.
- Quintana-Ascencio, P.F., R.W. Dolan, and E. S. Menges. 1998. *Hypericum cumulicola* demography in occupied and unoccupied Florida scrub patches with different time-since-fire. *Journal of Ecology* 86: 640-651.
- Race, T. 1998. Update on *Ziziphus celata*: the persistent species. *Plant Conservation* 8(2): 1.
- Radford, A.E., H.E. Ahles, and C.R. Bell. 1968. *Manual of the vascular flora of the Carolinas*. University of North Carolina Press, Chapel Hill, North Carolina.
- Rae, J.G. 1995. Aspects of the population and reproductive ecology of the endangered fragrant prickly-apple cactus [*Cereus eriophorus* var. *fragrans* (Small) L. Benson]. *Castanea* 60(3): 255-269.
- Reed, P.B. and A. Cruz. 1997. National list of vascular plant species that occur in wetlands. U.S. Fish and Wildlife Service, National Wetlands Inventory Center, St. Petersburg, Florida.
- Remus, J. 1979. Status of two endangered Florida species of *Chamaesyce* (Euphorbiaceae). *Florida Scientist* 42(3): 130-137.
- Robertson, K.R. 1971. The Linaceae in the southeastern United States. *Journal of the Arnold Arboretum* 52: 649 - 665.
- Rogers, C.M. 1963. Yellow flowered species of *Linum* in eastern North America. *Brittonia* 15: 97-122.
- Rogers, C.M. 1968. A reassessment of *Linum rigidum* and *L. carteri* (Linaceae) in Florida. *Sida* 3(4): 209-210.
- Rogers, G.K. 1982. The Stemonaceae in the southeastern United States. *Journal of the Arnold Arboretum* 63: 327-336.
- Rogers, G. 1988. *Spigelia gentianoides*—a species on the brink of extinction. *The Center for Plant Conservation* 3(3): 1,8.
- Sanders, R.W. 1987. Identity of *Lantana depressa* and *L. ovatifolia* (Verbenaceae) of Florida and the Bahamas. *Systematic Botany* 12(1): 44-60.
- Schnell, D.E. 1976. *Carnivorous plants of the United States and Canada*. John F. Blair, Winston-Salem, North Carolina.

- Schnell, D.E. 1977. Infra-specific variation in *Sarracenia rubra* Walt.: some observations. *Castanea* 42: 149-170.
- Schnell, D.E. 1979. *Sarracenia rubra* Walter ssp. *gulfensis*: a new subspecies. *Castanea* 44: 217-223.
- Schultz, G.E. and A.F. Johnson. 1997. *Rhododendron chapmanii*: 1997 census of populations in Gadsden, Gulf, and Liberty counties, Florida. Florida Natural Areas Inventory, Tallahassee, Florida.
- Schwartz, M.W. and S.M. Hermann. 1993a. The continuing population decline of *Torreya taxifolia* Arn. *Bulletin of the Torrey Botanical Club* 120(3): 275-286.
- Schwartz, M.W. and S.M. Hermann. 1993b. The population ecology of *Torreya taxifolia*: habitat evaluation, fire ecology, and genetic variability. Nongame Wildlife Program, Florida Game and Freshwater Fish Commission, Tallahassee.
- Semple, J.C. 1978. A new species endemic to west Florida: *Chrysopsis godfreyi* (Compositae-Asteraceae). *Canadian Journal of Botany* 56: 2092-2096.
- Semple, J.C. 1981. A revision of the goldenaster genus *Chrysopsis* (Nutt.) Ell. *Nom. Cons.* (Compositae-Asteraceae). *Rhodora* 83(835): 323-384.
- Shinner, L.H. 1962. Synopsis of *Conradina* (Labiatae). *Sida* 1:84-88.
- Small, J.K. 1917. The tree cacti of the Florida Keys. *Journal of the New York Botanical Garden* 18:199-203.
- Small, J.K. 1920. *Harrisia fragrans*. In: Britton, N.L. and J.N. Rose. *The Cactaceae*. pp. 149-150. Dover Publishing Company, Inc. New York.
- Small, J.K. 1926a. *Deeringothammus pulchellus*. *Addisonia* 11: 33-34.
- Small, J.K. 1926b. A new pawpaw from Florida. *Torreya* 26:56.
- Small, J.K. 1926c. A new butterfly pea from Florida (*Clitoria fragrans*). *Torreya* 26:56-57.
- Small, J.K. 1926d. A new bellflower from Florida. *Torreya* 26:35-36
- Small, J.K. 1930a. *Consoulea corallicola*, Florida semaphore cactus. *Addisonia* 15: 25.
- Small, J.K. 1930b. The Okeechobee gourd. *Journal of New York Botanical Garden* 31: 10-14.
- Small, J.K. 1931a. Bartram's *Ixia coelestina* rediscovered. *Journal of New York Botanical Garden* 32: 155-161.
- Small, J.K. 1931b. Celestial lilies. *Journal of the New York Botanical Garden* 32: 260-269.
- Small, J.K. 1931c. The wild pepper plants of continental United States. *Journal of New York Botanical Garden* 31: 210-217.
- Small, J.K. 1933. *Manual of the southeastern flora*. Publ. by the author, New York.
- Small, J.K. 1934. *Jacquemontia reclinata*: dune-jacquemontia, native of southern Florida and West Indies. *Addisonia* 18: 35-36.
- Small, J.K. 1935. Chronicle of the cacti of eastern North America. *Journal of the New York Botanical Garden* 36: 1-11, 25-36.
- Small, J.K. 1938. *Ferns of the southeastern United States*. Facsimile edition, 1964. Hafner Publishing Company, New York.
- Smith, E.B. 1976. A biosystematic survey of *Coreopsis* in eastern United States and Canada. *Sida* 6(3): 123-215.
- Smith, G.L. and M. Darst. 1994. A new species of *Hymenocallis* (Amaryllidaceae) in the Florida panhandle. *Novon* 4: 396-399.
- Smith, G.L. and W.S. Flory. 1989. (Abstract). Re-establishment of *Hymenocallis henryae* Traub. *ASB Bull.* 36: 126.
- Smith, G.L. and W.S. Flory. 1990. Studies on *Hymenocallis henryae* (Amaryllidaceae). *Brittonia* 42(3): 212-220.

- Smith, G.L. and W.S. Flory. 1995. Systematic treatment of *Hymenocallis* for "Flora of North America." Unpublished manuscript.
- Smith, G.L. and J. de N. Henry. 1999. *Hymenocallis henryae*, a rare endemic of the Florida Panhandle. *Herbertia* 54: 110-116.
- Smith, I. 1991. Element stewardship abstract: *Parnassia caroliniana*. North Carolina Department of Environment, Health, and Natural Resources, Division of Parks and Recreation. Raleigh, North Carolina.
- Smith, I. 1994. Element stewardship abstract: *Balduina atropurpurea*. North Carolina Department of Environment, Health, and Natural Resources, Division of Parks and Recreation. Raleigh, North Carolina.
- Smith, R.R. and D.B. Ward. 1976. Taxonomy of the genus *Polygala*, series Decurrentes (Polygalaceae). *Sida* 6(4): 284-310.
- Sorrie, B.A. 1992. *Lindera subcoriacea* element stewardship abstract. The Nature Conservancy, Arlington, Virginia.
- Sorrie, B.A. 1993. *Pteroglossaspis ecristata* element stewardship abstract. The Nature Conservancy, Arlington, Virginia.
- Stevenson, G.B. 1969. Trees of the Everglades National Park and the Florida Keys. Banyan Books, Miami, Florida.
- Tanner, G.W. and R.A. Miller. 1995. Ecology of Bartram's ixia (*Calydorea coelestina*). Department of Wildlife Ecology and Conservation, University of Florida, Gainesville, Florida.
- Tatje, B.E. 1980a. Status survey for *Rhipsalis baccifera*. U.S. Fish and Wildlife Service, Atlanta, Georgia.
- Tatje, B.E. 1980b. Status survey for *Spiranthes lanceolata* var. *paludicola*. U.S. Fish and Wildlife Service, Atlanta, Georgia.
- Taylor, W.K. 1998. Florida wildflowers in their natural communities. University Press of Florida, Gainesville, Florida.
- Taylor, W.K. 1992. The guide to Florida wildflowers. Taylor Publishing Company, Dallas, Texas.
- TNC. 1995. Element stewardship abstract for *Nolina brittoniana* - Britton's bear grass. The Nature Conservancy, Arlington, Virginia.
- Tobe, J.D., K.C. Burks, R.W. Cantrell, M.A. Garland, M.E. Sweeney, D.W. Hall, P. Wallace, G. Anglin, G. Nelson, J.R. Cooper, B. Bickner, K. Gilbert, N. Aymond, K. Greenwood, N. Raymond. 1998. Florida wetland plants: an identification manual. Department of Environmental Protection, Tallahassee, Fl.
- Tomlinson, P.B. 1980. The biology of trees native to tropical Florida. Harvard University Printing Office, Allston, Massachusetts.
- Tryon, R. 1960. A review of the genus *Dennstaedtia* in America. *Contributions, Gray Herbarium* 187: 23-52.
- Umber, R.E. 1979. The genus *Glandularia* (Verbenaceae) in North America. *Systematic Botany* 4(1): 72-102.
- USFWS. 1980. Status report on *Hartwrightia floridana*. U.S. Fish and Wildlife Service, Atlanta, Georgia.
- USFWS. 1983a. Harper's beauty recovery plan. U.S. Fish and Wildlife Service. Atlanta, Georgia.
- USFWS. 1983b. Recovery plan for Chapman's rhododendron, *Rhododendron chapmanii* A. Gray. U.S. Fish and Wildlife Service, Atlanta, Georgia.
- USFWS. 1983c. Status report on *Balduina atropurpurea*. U.S. Fish and Wildlife Service, Atlanta, Georgia.
- USFWS. 1986a. Florida torreyia (*Torreya taxifolia*) recovery plan. U.S. Fish and

- Wildlife Service, Atlanta, Georgia.
- USFWS. 1986b. Recovery plan for three Florida mints. U.S. Fish and Wildlife Service, Atlanta, Georgia.
- USFWS. 1988. Florida goldenaster recovery plan. U.S. Fish and Wildlife Service, Atlanta, Georgia.
- USFWS. 1993a. Endangered and threatened wildlife and plants: endangered or threatened status for five Florida plants [including *Pinguicula ionantha*]. *Federal Register* 58(131): 37422-37442.
- USFWS. 1993b. Recovery plan for Brooksville bellflower (*Campanula robinsiae*) and Cooley's water-willow (*Justicia cooleyi*). U.S. Fish and Wildlife Service, Jacksonville, Florida.
- USFWS. 1993c. *Warea amplexifolia* recovery plan. U.S. Fish and Wildlife Service, Atlanta, Georgia.
- USFWS. 1994a. Recovery plan for Apalachicola rosemary (*Conradina glabra*). U.S. Fish and Wildlife Service, Atlanta, Georgia.
- USFWS. 1994b. Recovery plan for Etonia rosemary (*Conradina etoniah*). U.S. Fish and Wildlife Service, Atlanta, Georgia.
- USFWS. 1994c. Recovery plan for four plants of the lower Apalachicola Region, Florida: *Euphorbia telephioides* (telephus spurge), *Macbridea alba* (white birds-in-a-nest), *Pinguicula ionantha* (Godfrey's butterwort), and *Scutellaria floridana* (Florida skullcap). U.S. Fish and Wildlife Service, Atlanta, Georgia.
- USFWS. 1995. American chaffseed (*Schwalbea americana*) recovery plan. U.S. Fish and Wildlife Service, Hadley, Massachusetts.
- USFWS. 1996. Recovery plan for nineteen Florida scrub species and high pineland plant species. U.S. Fish and Wildlife Service, Atlanta, Georgia.
- USFWS. 1998. Multi-species recovery plan for the threatened and endangered species of South Florida. Vol. 1: the species. Technical/Agency Draft, U.S. Fish and Wildlife Service, Vero Beach, Florida.
- Virnstein, R.W., L.J. Morris, J.D. Miller, and R. Miller-Myers. 1997. Distribution and abundance of *Halophila johnsonii* in the Indian River Lagoon. Technical Memorandum #24. St. John's River Water Management District, Palatka, Fl.
- Wagner, W.H., Jr. 1966. Two new species of ferns from the United States. *American Fern Journal* 56:3-17.
- Walters, T.W. and D.S. Decker-Walters. 1993. Systematics of the endangered Okeechobee gourd, *Cucurbita okeechobeensis* (Cucurbitaceae). *Systematic Botany* 18(2): 175-187.
- Ward, D.B. 1977. Keys to the flora of Florida—2, *Paronychia* (Caryophyllaceae). *Phytologia* 36: 414-418.
- Ward, D.B. 1978. Keys to the flora of Florida—7, Campanulaceae. Florida Agricultural Experiment Station Journal Series No. 964. Department of Botany, Agricultural Experiment Station, University of Florida, Gainesville, Florida.
- Ward, D.B. 1979. Rare and endangered biota of Florida: Vol. 5—plants. University Presses of Florida, Gainesville, Florida.
- Watson, L.E. and J.R. Estes. 1990. A biosystematic and phenetic analysis of morphological variation in *Marshallia* (Asteraceae). *Systematic Botany* 15: 403-414.
- WCMC. 1998. *Guaiacum sanctum*. Tree Conservation Database. Available on the internet at <http://www.wcmc.org.uk>. World Conservation Monitoring Centre, Cambridge, United Kingdom.
- Webster, G.L. 1967. The genera of Euphorbiaceae in the southeastern United States. *Journal of the Arnold Arboretum* 48: 303.

- Webster, G.L. 1970. A revision of *Phyllanthus* (Euphorbiaceae) in the continental United States. *Brittonia* 22: 44-76.
- Weekley, C., T. Race, and D. Hardin. 1999. Saving Florida ziziphus: recovery of a rare Lake Wales Ridge endemic. *The Palmetto* 19 (2): 9-10, 20.
- Whetstone, R.D. 1984. Notes on *Croomia pauciflora* (Stemonaceae). *Rhodora* 86: 131-137.
- Wiard, L.A. 1987. An introduction to the orchids of Mexico. Comstock Publishing Associates, Cornell University Press, Ithaca, New York.
- Wilbur, R.L. 1974. A new species of *Lechea* (Cistaceae) from peninsular Florida. *Rhodora*: 76: 478-482.
- Wilbur, R.L. and H.S. Daoud. 1961. The genus *Lechea* (Cistaceae) in the southeastern United States. *Rhodora* 63: 103-118.
- Wilhelm, G.S. and R.H. Mohlenbrock. 1986. The rediscovery of *Potamogeton floridanus* Small (Potamogetonaceae). *Sida* 11(3): 340-346.
- Williams, M.J. 1998. Search for *Campanula robinsiae* at Burns Prairie Site, Hernando County, Florida. Florida Natural Areas Inventory, Tallahassee, Florida.
- Wofford, B.E. 1983. A new *Lindera* (Lauraceae) from North America. *Journal of the Arnold Arboretum* 64: 325-331.
- Wunderlin, R.P. 1982. Endangered and threatened plant status survey: *Celtis pallida* Torrey. U.S. Fish and Wildlife Service, Atlanta, Georgia.
- Wunderlin, R.P. 1983. Endangered and threatened plant status survey: *Spigelia loganioides* (Torrey and Gray ex Endl) A. DC. U.S. Fish and Wildlife Service, Jacksonville, Florida.
- Wunderlin, R.P. 1998. Guide to the vascular plants of Florida. University Presses of Florida, Gainesville, Florida.
- Wunderlin, R.P. and B.F. Hansen. 2000a. Atlas of Florida Vascular Plants. Available on the internet at <http://www.plantatlas.usf.edu>. Institute for Systematic Botany. University of South Florida, Tampa, Florida.
- Wunderlin, R.P. and B.F. Hansen. 2000b. Flora of Florida, Vol. 1: Pteridophytes and Gymnosperms. University Presses of Florida, Gainesville, Florida.
- Wunderlin, R.P. and D. Richardson. 1981. Status report on *Eryngium cuneifolium*. U.S. Fish and Wildlife Service, Endangered Species Office, Region 4, Atlanta, Georgia.
- Wunderlin, R.P., D. Richardson, and B. Hansen. 1980a. Status report on *Illicium parviflorum*. U.S. Fish and Wildlife Service, Endangered Species Office, Region 4, Atlanta, Georgia.
- Wunderlin, R.P., D. Richardson, and B. Hansen. 1980b. Status report on *Vicia ocalensis*. U.S. Fish and Wildlife Service, Endangered Species Office, Region 4, Atlanta, Georgia.
- Wunderlin, R.P., D. Richardson, and B. Hansen. 1980c. Status report on *Monotropsis reynoldsiae*. U.S. Fish and Wildlife Service, Endangered Species Office, Region 4, Atlanta, Georgia.
- Wunderlin, R.P., D. Richardson, and B. Hansen. 1981a. Status report on *Chrysopsis floridana*. U.S. Fish and Wildlife Service, Jacksonville, Florida.
- Wunderlin, R.P., D. Richardson, and B. Hansen. 1981b. Status report on *Polygala lewtonii*. U.S. Fish and Wildlife Service, Endangered Species Office, Region 4, Atlanta, Georgia.
- Yahr, R. 1997. Recolonization and re-introduction of *Cladonia perforata* Evans, an endangered lichen at Eglin Air Force Base, Florida. Florida Division of Forestry, Tallahassee, Florida.