



FLORIDA NATURAL AREAS INVENTORY
 1018 Thomasville Road, Suite 200-C
 Tallahassee, FL 32303
 (850) 224-8207, FAX (850) 681-9364



10/11/2022

FNAI - ELEMENT TRACKING SUMMARY

Page 1

| SCIENTIFIC NAME | COMMON NAME | FNAI GLOBAL RANK | FNAI STATE RANK | FEDERAL STATUS | STATE STATUS |
|--|---------------------------------|------------------|-----------------|----------------|--------------|
| Plants and Lichens | | | | | |
| <i>Acrostichum aureum</i> | golden leather fern | G5 | S3 | N | T |
| <i>Actaea pachypoda</i> | white baneberry | G5 | S1 | N | E |
| <i>Adiantum melanoleucum</i> | fragrant maidenhair fern | G4 | S1 | N | E |
| <i>Adiantum tenerum</i> | brittle maidenhair fern | G5 | S3 | N | E |
| <i>Aeschynomene pratensis var. pratensis</i> | meadow jointvetch | G4T3 | S3 | N | E |
| <i>Agalinis flexicaulis</i> | Hampton false foxglove | G1G2 | S1S2 | N | N |
| <i>Agalinis georgiana</i> | pine barren false foxglove | G1 | S1 | N | E |
| <i>Ageratum maritimum</i> | Cape Sable whiteweed | G2G3 | S2 | N | E |
| <i>Agrimonia incisa</i> | incised groove-bur | G3 | S2 | N | T |
| <i>Aletris bracteata</i> | bracted colic-root | G2 | S2 | N | E |
| <i>Alvaradoa amorphoides</i> | Everglades leaf lace | G5 | S1 | N | E |
| <i>Amorpha herbacea var. crenulata</i> | crenulate lead-plant | G4T1 | S1 | E | E |
| <i>Amyris balsamifera</i> | balsam torchwood | G4 | SX | N | N |
| <i>Andersonglossum virginianum</i> | wild comfrey | G5T5 | S2 | N | E |
| <i>Andropogon arctatus</i> | pinewoods bluestem | G3 | S3 | N | T |
| <i>Anemia wrightii</i> | Wright's anemia | G2? | S1 | N | E |
| <i>Anemone americana</i> | roundlobed liverleaf | G5T5 | S2 | N | E |
| <i>Aquilegia canadensis</i> | wild columbine | G5 | S1 | N | E |
| <i>Argythamnia argothamnoides</i> | Blodgett's silverbush | GNR | S2 | T | E |
| <i>Aristolochia pentandra</i> | Marsh's Dutchman's pipe | G4G5 | S1 | N | E |
| <i>Arnica acaulis</i> | leopard's bane | G4 | S2 | N | E |
| <i>Arnoglossum album</i> | chalky Indian-plantain | G1 | S1 | N | E |
| <i>Arnoglossum diversifolium</i> | variable-leaved Indian-plantain | G2 | S3 | N | T |
| <i>Asarum arifolium</i> | little brown jug | G5 | S3 | N | T |
| <i>Asclepias viridiflora</i> | green milkweed | G5 | S1 | N | E |
| <i>Asclepias viridula</i> | southern milkweed | G2 | S2 | N | T |
| <i>Asimina manasota</i> | Manasota pawpaw | G1 | S1 | N | N |
| <i>Asimina tetramera</i> | four-petal pawpaw | G1? | S1? | E | E |
| <i>Asplenium dentatum</i> | American toothed spleenwort | G5 | S1S2 | N | E |
| <i>Asplenium erosum</i> | auricled spleenwort | G5 | S2 | N | E |
| <i>Asplenium monanthes</i> | single-sorus spleenwort | G4 | S1 | N | E |
| <i>Asplenium pumilum</i> | dwarf spleenwort | G5 | S1 | N | E |
| <i>Asplenium serratum</i> | American bird's nest fern | G4 | S1 | N | E |
| <i>Asplenium verecundum</i> | modest spleenwort | G1 | S1 | N | E |
| <i>Asplenium x biscaynianum</i> | Eaton's spleenwort | G1 | S1 | N | N |
| <i>Asplenium x curtissii</i> | Curtiss' spleenwort | G1 | S1 | N | N |
| <i>Asplenium x heteroresiliens</i> | Morzenti's spleenwort | G2 | S1 | N | N |
| <i>Asplenium x plenum</i> | ruffled spleenwort | G1Q | S1 | N | N |
| <i>Astraea lobata</i> | lobed croton | G4G5 | S1 | N | N |
| <i>Balduina atropurpurea</i> | purple honeycomb-head | G2 | S1 | N | E |
| <i>Baptisia calycosa var. calycosa</i> | Canby's wild indigo | G3T1 | S1 | N | E |
| <i>Baptisia calycosa var. villosa</i> | hairy wild indigo | G3T3 | S3 | N | T |
| <i>Baptisia megacarpa</i> | Apalachicola wild indigo | G2 | S1 | N | E |
| <i>Basiphylaea corallicola</i> | rockland orchid | G2G3 | S1 | N | E |

| SCIENTIFIC NAME | COMMON NAME | FNAI GLOBAL RANK | FNAI STATE RANK | FEDERAL STATUS | STATE STATUS |
|---|------------------------------|------------------------|-----------------------|-------------------|-----------------|
| Plants and Lichens | | | | | |
| <i>Beloglottis costaricensis</i> | Costa Rican ladies'-tresses | G3G5 | S1 | N | E |
| <i>Bigelovia nuttallii</i> | Nuttall's rayless goldenrod | G3G4 | S1 | N | E |
| <i>Blechnum occidentale</i> var. <i>minor</i> | hammock fern | G5TNR | S1 | N | E |
| <i>Bletia patula</i> | flor de Pasmo | G4G5 | S1 | N | N |
| <i>Boechera canadensis</i> | sicklepod | G5 | S1 | N | E |
| <i>Bonamia grandiflora</i> | Florida bonamia | G3 | S3 | T | E |
| <i>Botrychium lunarioides</i> | winter grape-fern | G4? | S3 | N | N |
| <i>Bourreria cassinifolia</i> | smooth strongbark | G3? | S1 | N | E |
| <i>Bourreria radula</i> | rough strongbark | G2? | S1 | N | E |
| <i>Brassia caudata</i> | spider orchid | G3G4 | SX | N | E |
| <i>Brickellia cordifolia</i> | Flyr's brickell-bush | G3 | S2 | N | E |
| <i>Brickellia mosieri</i> | Florida brickell-bush | G5T1 | S1 | E | E |
| <i>Bulbophyllum pachyrachis</i> | rat-tail orchid | G3G5 | SX | N | E |
| <i>Burmannia flava</i> | Fakahatchee burmannia | G5 | S1 | N | E |
| <i>Byrsonima lucida</i> | locustberry | G4G5 | S3 | N | T |
| <i>Calamintha ashei</i> | Ashe's savory | G3 | S3 | N | T |
| <i>Calamintha dentata</i> | toothed savory | G3 | S3 | N | T |
| <i>Calamintha georgiana</i> | Georgia savory | G5 | S1 | N | E |
| <i>Calamovilfa curtissii</i> | Curtiss' sandgrass | G4 | S4 | N | T |
| <i>Callirhoe papaver</i> | poppy mallow | G5 | S2 | N | E |
| <i>Calopogon multiflorus</i> | many-flowered grass-pink | G2G3 | S2S3 | N | T |
| <i>Calycanthus floridus</i> | sweet-shrub | G5 | S2 | N | E |
| <i>Calydorea coelestina</i> | Bartram's ixia | G2G3 | S2S3 | N | E |
| <i>Calypttranthes zuzygium</i> | myrtle-of-the-river | G4 | S2 | N | E |
| <i>Calystegia catesbeiana</i> | trailing bindweed | G3 | S1 | N | E |
| <i>Campanula robinsiae</i> | Brooksville bellflower | G1 | S1 | E | E |
| <i>Campylocentrum pachyrrhizum</i> | ribbon orchid | G4? | S1 | N | E |
| <i>Campyloneurum angustifolium</i> | narrow-leaved strap fern | G4G5 | S1 | N | E |
| <i>Campyloneurum costatum</i> | tailed strap fern | G5 | S1 | N | E |
| <i>Canella winterana</i> | wild cinnamon | G5? | S2 | N | E |
| <i>Carex baltzellii</i> | Baltzell's sedge | G3 | S3 | N | T |
| <i>Carex chapmannii</i> | Chapman's sedge | G3 | S3 | N | T |
| <i>Carex lutea</i> | Golden Sedge | G2 | S2 | E* | N |
| <i>Carex microdonta</i> | small-toothed sedge | G4 | S1 | N | E |
| <i>Carex tenax</i> | sandhill sedge | G4 | S3 | N | N |
| <i>Catesbaea parviflora</i> | small-flowered lily thorn | G3? | S1 | N | E |
| <i>Catopsis berteroniana</i> | powdery catopsis | G5? | S1 | N | E |
| <i>Catopsis floribunda</i> | many-flowered catopsis | G3G5 | S1 | N | E |
| <i>Catopsis nutans</i> | nodding catopsis | G5? | S1 | N | E |
| <i>Celtis iguanaea</i> | iguana hackberry | G5 | S1 | N | E |
| <i>Celtis pallida</i> | spiny hackberry | G4 | S1 | N | E |
| <i>Centrosema arenicola</i> | sand butterfly pea | G2Q | S2 | N | E |
| <i>Chamaecrista lineata</i> var. <i>keyensis</i> | Big Pine partridge pea | G5T2 | S2 | E | E |
| <i>Chamaesyce cumulicola</i> | sand-dune spurge | G2 | S2 | N | E |
| <i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i> | deltoid spurge | G2T1 | S1 | E | E |
| <i>Chamaesyce deltoidea</i> ssp. <i>pinetorum</i> | pinelands spurge | G2T1 | S1 | T | E |
| <i>Chamaesyce deltoidea</i> ssp. <i>serpyllum</i> | wedge spurge | G2T1 | S1 | E | E |
| <i>Chamaesyce garberi</i> | Garber's spurge | G1 | S1 | T | E |
| <i>Chamaesyce porteriana</i> | Porter's broad-leaved spurge | G2 | S2 | N | E |
| <i>Chionanthus pygmaeus</i> | pygmy fringe tree | G2G3 | S2S3 | E | E |
| <i>Chromolaena frustrata</i> | Cape Sable thoroughwort | G1 | S1 | E | E |
| <i>Chrysopsis floridana</i> | Florida goldenaster | G3 | S3 | E, PDL | E |

| SCIENTIFIC NAME | COMMON NAME | FNAI GLOBAL RANK | FNAI STATE RANK | FEDERAL STATUS | STATE STATUS |
|---|---------------------------|------------------------|-----------------------|-------------------|-----------------|
| Plants and Lichens | | | | | |
| <i>Chrysopsis godfreyi</i> | Godfrey's goldenaster | G2 | S3 | N | E |
| <i>Chrysopsis gossypina</i> ssp. <i>cruiseana</i> | Cruise's goldenaster | G5T2 | S2 | N | E |
| <i>Chrysopsis highlandsensis</i> | highlands goldenaster | G2 | S2 | N | E |
| <i>Cienfuegosia yucatanensis</i> | Yucatan flymallow | G4? | S1 | N | E |
| <i>Cladium mariscoides</i> | pond rush | G5 | S1 | N | N |
| <i>Cladonia perforata</i> | perforate reindeer lichen | G2G3 | S2S3 | E | E |
| <i>Cleistes divaricata</i> | large rosebud orchid | G4 | S1 | N | E |
| <i>Clitoria fragrans</i> | scrub pigeon-wing | G2G3 | S2S3 | T | E |
| <i>Coelorachis tuberculosa</i> | Piedmont jointgrass | G3 | S3 | N | T |
| <i>Coleataenia abscissa</i> | cutthroatgrass | G3 | S3 | N | E |
| <i>Colubrina cubensis</i> var. <i>floridana</i> | Cuban snake-bark | G2G3T1 | S1 | N | E |
| <i>Conradina brevifolia</i> | short-leaved rosemary | G2Q | S2 | E | E |
| <i>Conradina etonia</i> | Etonia rosemary | G1 | S1 | E | E |
| <i>Conradina glabra</i> | Apalachicola rosemary | G1 | S1 | E | E |
| <i>Conradina grandiflora</i> | large-flowered rosemary | G3 | S3 | N | T |
| <i>Consolea corallicola</i> | semaphore pricklypear | G1 | S1 | E | E |
| <i>Corallorhiza odontorhiza</i> | autumn coralroot | G5 | S1 | N | E |
| <i>Coreopsis bakeri</i> | Baker's coreopsis | G1 | S1 | N | N |
| <i>Coreopsis integrifolia</i> | ciliate-leaf tickseed | G1G2 | S1 | N | E |
| <i>Cornus alternifolia</i> | alternate-leaf dogwood | G5 | S2 | N | E |
| <i>Cranichis muscosa</i> | moss orchid | G4G5 | S1 | N | E |
| <i>Crataegus phaenopyrum</i> | Washington hawthorn | G4? | S1 | N | E |
| <i>Croomia pauciflora</i> | croomia | G3 | S2 | N | E |
| <i>Crossopetalum ilicifolium</i> | Christmas berry | G3 | S3 | N | T |
| <i>Crossopetalum rhacoma</i> | rhacoma | G5 | S3 | N | T |
| <i>Crotalaria avonensis</i> | Avon Park rabbit-bells | G1 | S1 | E | E |
| <i>Croton elliotii</i> | Elliott's croton | G3 | SH | N | N |
| <i>Croton humilis</i> | pepperbush | G5 | S1 | N | E |
| <i>Cryptotaenia canadensis</i> | Canada honewort | G5 | S1 | N | E |
| <i>Ctenitis sloanei</i> | Florida tree fern | G5 | S2 | N | E |
| <i>Ctenitis submarginalis</i> | brown-hair comb fern | G5 | S1 | N | E |
| <i>Ctenium floridanum</i> | Florida toothache grass | G2 | S2 | N | E |
| <i>Cucurbita okeechobeensis</i> | Okeechobee gourd | G1 | S1 | E | E |
| <i>Cupania glabra</i> | cupania | G4 | S1 | N | E |
| <i>Cuphea aspera</i> | Florida waxweed | G2 | S2 | N | E |
| <i>Cyclopogon elatus</i> | tall neottia | G4G5 | SH | N | E |
| <i>Cyperus filiformis</i> | wiry flatsedge | G4G5 | S1 | N | E |
| <i>Cyperus fuliginus</i> | limestone flatsedge | G3G5 | S1 | N | E |
| <i>Cyrtopodium punctatum</i> | cowhorn orchid | G5? | S1 | N | E |
| <i>Dalea carthagenensis</i> var. <i>floridana</i> | Florida prairie clover | G5T1 | S1 | E | E |
| <i>Deeringothamnus pulchellus</i> | beautiful pawpaw | G2 | S2 | E | E |
| <i>Deeringothamnus rugelii</i> | Rugel's pawpaw | G1 | S1 | E | E |
| <i>Delphinium carolinianum</i> | Carolina larkspur | G5 | S1 | N | E |
| <i>Dendrophylax lindenii</i> | ghost orchid | G1 | S1 | N | E |
| <i>Denisophytum pauciflorum</i> | fewflower holdback | G2G4 | S1 | N | E |
| <i>Dennstaedtia bipinnata</i> | hay scented fern | G4 | S1 | N | E |
| <i>Desmodium ochroleucum</i> | creamflower tick-trefoil | G2G3 | S1 | N | E |
| <i>Dicerandra christmanii</i> | Garrett's scrub balm | G1 | S1 | E | E |
| <i>Dicerandra cornutissima</i> | longspurred mint | G2 | S2 | E | E |
| <i>Dicerandra frutescens</i> | scrub mint | G1 | S1 | E | E |
| <i>Dicerandra immaculata</i> var. <i>immaculata</i> | Lakela's balm | G1T1 | S1 | E | E |
| <i>Dicerandra immaculata</i> var. <i>savannarum</i> | savanna balm | G1T1 | S1 | E | E |

| SCIENTIFIC NAME | COMMON NAME | FNAI GLOBAL RANK | FNAI STATE RANK | FEDERAL STATUS | STATE STATUS |
|---|----------------------------------|------------------------|-----------------------|-------------------|-----------------|
| Plants and Lichens | | | | | |
| <i>Dicerandra modesta</i> | blushing scrub balm | G1 | S1 | E | E |
| <i>Dicerandra thinicola</i> | Titusville balm | G1Q | S1 | N | E |
| <i>Dichantherium nudicaule</i> | naked-stemmed panic grass | G3Q | S3 | N | T |
| <i>Digitaria floridana</i> | Florida fingergrass | G1 | S1 | N | N |
| <i>Digitaria gracillima</i> | longleaf fingergrass | G1 | S1 | N | N |
| <i>Digitaria pauciflora</i> | few-flowered fingergrass | G1 | S1 | T | E |
| <i>Dirca palustris</i> | eastern leatherwood | G4 | S2 | N | E |
| <i>Dodonaea elaeagnoides</i> | small-fruited varnishleaf | G4Q | S1 | N | E |
| <i>Drosera filiformis</i> | thread-leaf sundew | G4 | S1 | N | E |
| <i>Drypetes diversifolia</i> | milkbark | G4 | S2 | N | E |
| <i>Echinacea purpurea</i> | eastern purple coneflower | G4 | S1 | N | E |
| <i>Eleocharis rostellata</i> | beaked spikerush | G5 | S1 | N | E |
| <i>Eltroplectris calcarata</i> | spurred neottia | G4? | S1 | N | E |
| <i>Elytraria caroliniensis</i> var. <i>angustifolia</i> | narrow-leaved Carolina scalystem | G4T2 | S2 | N | N |
| <i>Enemion biternatum</i> | false rue-anemone | G5 | S1 | N | E |
| <i>Epidendrum blancheanum</i> | Acuna's star orchid | G3G5 | SX | N | E |
| <i>Epidendrum nocturnum</i> | night-scented orchid | G4G5 | S2 | N | E |
| <i>Epidendrum strobiliferum</i> | pendant epidendrum | G4 | S1 | N | E |
| <i>Epigaea repens</i> | trailing arbutus | G5 | S2 | N | E |
| <i>Eragrostis pectinacea</i> var. <i>tracyi</i> | Sanibel lovegrass | G5T1 | S1 | N | E |
| <i>Eriocaulon nigrobacteatum</i> | dark-headed hatpins | G1 | S1 | N | E |
| <i>Eriochloa michauxii</i> var. <i>simpsonii</i> | cupgrass | G3G4TH | SH | N | N |
| <i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i> | scrub buckwheat | G4T3 | S3 | T | E |
| <i>Ernodea cokeri</i> | Coker's beach creeper | G4Q | S1 | N | E |
| <i>Eryngium cuneifolium</i> | wedge-leaved button-snakeroot | G1 | S1 | E | E |
| <i>Erythronium umbilicatum</i> | trout lily | G5 | S2 | N | E |
| <i>Eugenia confusa</i> | tropical ironwood | G4G5 | S2S3 | N | E |
| <i>Eugenia rhombea</i> | red stopper | G5 | S1 | N | E |
| <i>Euonymus atropurpureus</i> | burningbush | G5 | S2 | N | E |
| <i>Euphorbia commutata</i> | wood spurge | G5 | S2 | N | E |
| <i>Euphorbia rorescens</i> | scrub spurge | G1 | S1 | N | E |
| <i>Euphorbia telephioides</i> | telephus spurge | G2 | S2 | T | E |
| <i>Eurybia hemispherica</i> | southern pine aster | G4 | S1 | N | E |
| <i>Eurybia spinulosa</i> | pinewoods aster | G1? | S1? | N | E |
| <i>Evolvulus grisebachii</i> | Grisebach's false-morning-glory | G2G3 | S1 | N | E |
| <i>Exostema caribaeum</i> | princewood | G5 | S2 | N | E |
| <i>Forestiera godfreyi</i> | Godfrey's swampprivet | G2 | S2 | N | E |
| <i>Fothergilla gardenii</i> | dwarf witch-alder | G3G4 | S1 | N | E |
| <i>Galactia pinetorum</i> | pineland milkpea | G2Q | S2 | N | N |
| <i>Galactia smallii</i> | Small's milkpea | G1Q | S1 | E | E |
| <i>Galeandra bicarinata</i> | two-keeled helmet orchid | G1 | S1 | N | E |
| <i>Gentiana pennelliana</i> | wiregrass gentian | G3 | S3 | N | E |
| <i>Glandularia maritima</i> | coastal vervain | G3 | S3 | N | E |
| <i>Glandularia tampensis</i> | Tampa vervain | G2 | S2 | N | E |
| <i>Goodyera pubescens</i> | downy rattlesnake plantain | G5 | S1 | N | E |
| <i>Govenia floridana</i> | sheathing govenia | GX | SX | N | E |
| <i>Guaiacum sanctum</i> | lignum-vitae | G2G3 | S1 | N | E |
| <i>Guilandina major</i> | Hawaii pearls | G4G5 | S1 | N | E |
| <i>Guzmania monostachia</i> | Fakahatchee guzmania | G4G5 | S1S2 | N | E |
| <i>Gyminda latifolia</i> | false boxwood | G4 | S2 | N | E |
| <i>Gymnopogon chapmanianus</i> | Chapman's skeletongrass | G3 | S3 | N | N |
| <i>Habenaria distans</i> | hammock rein orchid | G5 | S1 | N | E |

| SCIENTIFIC NAME | COMMON NAME | FNAI GLOBAL RANK | FNAI STATE RANK | FEDERAL STATUS | STATE STATUS |
|--|--------------------------------|------------------------|-----------------------|-------------------|-----------------|
| Plants and Lichens | | | | | |
| <i>Halophila johnsonii</i> | Johnson's seagrass | G2Q | S2 | DL | E |
| <i>Hamamelis ovalis</i> | Leonard's witch hazel | G2G3 | SNR | N | N |
| <i>Harperocallis flava</i> | Harper's beauty | G2 | S2 | E | E |
| <i>Harrisia aboriginum</i> | aboriginal prickly apple | G1 | S1 | E | E |
| <i>Harrisia fragrans</i> | fragrant prickly apple | G1 | S1 | E | E |
| <i>Harrisia simpsonii</i> | Simpson's prickly apple | G2 | S2 | N | N |
| <i>Hartwrightia floridana</i> | hartwrightia | G2 | S2 | N | T |
| <i>Hasteola robertiorum</i> | Florida hasteola | G1 | S1 | N | E |
| <i>Helianthus carnosus</i> | lake-side sunflower | G1G2 | S1S2 | N | E |
| <i>Helianthus debilis</i> ssp. <i>cucumerifolius</i> | cucumberleaf dune sunflower | G5T5 | S3 | N | N |
| <i>Helianthus debilis</i> ssp. <i>vestitus</i> | hairy beach sunflower | G5T2 | S2 | N | N |
| <i>Heliotropium gnaphalodes</i> | sea rosemary | G4 | S3 | N | E |
| <i>Heterosavia bahamensis</i> | Bahama maidenbush | G4 | S2 | N | E |
| <i>Hippomane mancinella</i> | manchineel | G5 | S2 | N | E |
| <i>Hybanthus concolor</i> | green violet | G5 | S1 | N | E |
| <i>Hydrangea arborescens</i> | wild hydrangea | G5 | S1 | N | E |
| <i>Hymenocallis gholsonii</i> | Gholson's spiderlily | G1 | S1 | N | N |
| <i>Hymenocallis godfreyi</i> | Godfrey's spiderlily | G1 | S1 | N | E |
| <i>Hymenocallis henryae</i> var. <i>glaucofolia</i> | Liberty spiderlily | G2T2 | S2 | N | E |
| <i>Hymenocallis henryae</i> var. <i>henryae</i> | Henry's spiderlily | G2T2T3 | S2S3 | N | E |
| <i>Hypelate trifoliata</i> | white ironwood | G4 | S1 | N | E |
| <i>Hypericum cumulicola</i> | Highlands Scrub hypericum | G2 | S2 | E | E |
| <i>Hypericum edisonianum</i> | Edison's ascyrum | G2G3 | S2S3 | N | E |
| <i>Hypericum lissophloeus</i> | smoothbark St. John's wort | G2 | S2 | N | E |
| <i>Ilex amelanchier</i> | serviceberry holly | G4 | S2 | N | T |
| <i>Ilex krugiana</i> | Krug's holly | G3? | S3 | N | T |
| <i>Illicium parviflorum</i> | star anise | G2 | S2 | N | E |
| <i>Indigofera trita</i> ssp. <i>scabra</i> | Florida Keys indigo | GNRTNR | S1 | N | E |
| <i>Ionopsis utricularioides</i> | delicate ionopsis | G4G5 | S1 | N | E |
| <i>Ipomoea microdactyla</i> | wild potato morning glory | G2 | S2 | N | E |
| <i>Ipomoea tenuissima</i> | rocklands morning glory | G3 | S1 | N | E |
| <i>Isotria verticillata</i> | large whorled pogonia | G5 | S1 | N | E |
| <i>Jacquemontia curtissii</i> | pineland jacquemontia | G2 | S2 | N | T |
| <i>Jacquemontia havanensis</i> | Havana jacquemontia | G5 | S1 | N | E |
| <i>Jacquemontia pentanthos</i> | skyblue clustervine | G4G5 | S2 | N | E |
| <i>Jacquemontia reclinata</i> | beach jacquemontia | G1 | S1 | E | E |
| <i>Juncus gymnocarpus</i> | Coville's rush | G4 | S2 | N | E |
| <i>Justicia cooleyi</i> | Cooley's water-willow | G2Q | S2 | E | E |
| <i>Justicia crassifolia</i> | thick-leaved water-willow | G3 | S3 | N | E |
| <i>Kalmia latifolia</i> | mountain laurel | G5 | S3 | N | T |
| <i>Koanophyllon villosum</i> | Florida shrub thoroughwort | G4G5 | S2 | N | E |
| <i>Kosteletzkya depressa</i> | white fen-rose | G5 | S1 | N | E |
| <i>Lachnocaulon digynum</i> | pineland bogbutton | G3G4 | S3 | N | T |
| <i>Lantana canescens</i> | small-headed lantana | G4 | S1 | N | E |
| <i>Lantana depressa</i> var. <i>depressa</i> | Florida lantana | G2T1 | S1 | N | E |
| <i>Lantana depressa</i> var. <i>floridana</i> | Atlantic Coast Florida lantana | G2T1 | S1 | N | E |
| <i>Lantana depressa</i> var. <i>sanibelensis</i> | Gulf Coast Florida lantana | G2T1 | S1 | N | E |
| <i>Lechea cernua</i> | nodding pinweed | G3 | S3 | N | T |
| <i>Lechea divaricata</i> | pine pinweed | G2 | S2 | N | E |
| <i>Lechea lakelae</i> | Lakela's pinweed | GX | SX | N | E |
| <i>Leitneria floridana</i> | corkwood | G3 | S3 | N | T |
| <i>Lepanthopsis melanantha</i> | tiny orchid | G3G4 | SH | N | E |

| SCIENTIFIC NAME | COMMON NAME | FNAI GLOBAL RANK | FNAI STATE RANK | FEDERAL STATUS | STATE STATUS |
|--|------------------------------|------------------------|-----------------------|-------------------|-----------------|
| Plants and Lichens | | | | | |
| <i>Lepuropetalon spathulatum</i> | little-people | G4G5 | S1 | N | E |
| <i>Liatris gholsonii</i> | Gholson's blazing star | G1 | S1 | N | E |
| <i>Liatris ohlingerae</i> | Florida blazing star | G2 | S2 | E | E |
| <i>Liatris provincialis</i> | Godfrey's blazing star | G2 | S2 | N | E |
| <i>Licaria triandra</i> | Gulf licaria | G4 | S1 | N | E |
| <i>Lilium iridollae</i> | Panhandle lily | G3 | S3 | N | E |
| <i>Lilium michauxii</i> | Carolina lily | G4G5 | S2 | N | E |
| <i>Lilium superbum</i> | Turk's cap lily | G5 | S1 | N | E |
| <i>Lindera subcoriacea</i> | bog spicebush | G3 | S1 | N | E |
| <i>Linum arenicola</i> | sand flax | G1G2 | S1S2 | E | E |
| <i>Linum carteri</i> var. <i>carteri</i> | Carter's small-flowered flax | G2T1 | S1 | E | E |
| <i>Linum carteri</i> var. <i>smallii</i> | Small's flax | G2T2 | S2 | N | E |
| <i>Linum macrocarpum</i> | spring hill flax | G2 | S2 | N | E |
| <i>Linum sulcatum</i> | grooved flax | G5 | SH | N | N |
| <i>Linum westii</i> | West's flax | G1G2 | S1S2 | N | E |
| <i>Litsea aestivalis</i> | pondspice | G3? | S2 | N | E |
| <i>Lobelia apalachicolensis</i> | Apalachicola lobelia | G3 | S3 | N | N |
| <i>Lobelia boykinii</i> | Boykin's lobelia | G2G3 | SH | N | E |
| <i>Lomariopsis kunzeana</i> | holly vine fern | G2G4 | S1 | N | E |
| <i>Lupinus aridorum</i> | scrub lupine | G3T1 | S1 | E | E |
| <i>Lupinus westianus</i> | Gulf Coast lupine | G3T3 | S3 | N | T |
| <i>Lythrum curtissii</i> | Curtiss' loosestrife | G2 | S2 | N | E |
| <i>Lythrum flagellare</i> | lowland loosestrife | G3 | S3 | N | E |
| <i>Macbridea alba</i> | white birds-in-a-nest | G2 | S2 | T | E |
| <i>Macradenia lutescens</i> | trinidad macradenia | G4G5 | SH | N | E |
| <i>Macranthera flammea</i> | hummingbird flower | G3 | S2 | N | E |
| <i>Magnolia acuminata</i> | cucumber magnolia | G5 | S1 | N | E |
| <i>Magnolia ashei</i> | Ashe's magnolia | G3 | S3 | N | E |
| <i>Magnolia pyramidata</i> | pyramid magnolia | G4 | S3 | N | E |
| <i>Magnolia tripetala</i> | umbrella magnolia | G5 | S1 | N | E |
| <i>Malaxis unifolia</i> | green adder's-mouth orchid | G5 | S3 | N | E |
| <i>Marshallia obovata</i> | Barbara's buttons | G4G5 | S1 | N | E |
| <i>Marshallia ramosa</i> | southern marshallia | G2G3 | S1 | N | E |
| <i>Matelea alabamensis</i> | Alabama spiny-pod | G2 | S2 | N | E |
| <i>Matelea baldwyniana</i> | Baldwyn's spiny-pod | G3 | S1 | N | E |
| <i>Matelea flavidula</i> | Carolina milkvine | G3? | S1 | N | E |
| <i>Matelea floridana</i> | Florida spiny-pod | G2 | S2 | N | E |
| <i>Maxillaria crassifolia</i> | hidden orchid | G4 | S1 | N | E |
| <i>Medeola virginiana</i> | Indian cucumber-root | G5 | S1 | N | E |
| <i>Mesadenus lucayanus</i> | Florida Keys ladies'-tresses | G4G5 | S1S2 | N | E |
| <i>Microgramma heterophylla</i> | climbing vine fern | G4G5 | S2 | N | E |
| <i>Mononeuria paludicola</i> | Godfrey's stitchwort | G1 | S1 | N | E |
| <i>Monotropa hypopithys</i> | pinemap | G5 | S1 | N | E |
| <i>Monotropis reynoldsiae</i> | pygmy pipes | G2 | S2 | N | E |
| <i>Mosiera longipes</i> | mangroveberry | G3G4 | S2 | N | T |
| <i>Myriophyllum laxum</i> | Piedmont water milfoil | G3 | S3 | N | N |
| <i>Myriopteris microphylla</i> | southern lip fern | G5 | S3 | N | E |
| <i>Najas filifolia</i> | Narrowleaf Naiad | G3 | S2 | N | T |
| <i>Nemastylis floridana</i> | celestial lily | G2 | S2 | N | E |
| <i>Nolina atopocarpa</i> | Florida beargrass | G3 | S3 | N | T |
| <i>Nolina brittoniana</i> | Britton's beargrass | G3 | S3 | E | E |
| <i>Nuphar advena</i> ssp. <i>ulvacea</i> | West Florida cowliily | G5T2 | S2 | N | N |

| SCIENTIFIC NAME | COMMON NAME | FNAI GLOBAL RANK | FNAI STATE RANK | FEDERAL STATUS | STATE STATUS |
|---|---------------------------------|------------------------|-----------------------|-------------------|-----------------|
| Plants and Lichens | | | | | |
| <i>Nymphaea jamesoniana</i> | sleeping beauty waterlily | G5 | S2S3 | N | E |
| <i>Nyssa ursina</i> | bog tupelo | G3 | S3 | N | N |
| <i>Odontosoria clavata</i> | wedgelet fern | G4 | S2 | N | E |
| <i>Okenia hypogaea</i> | burrowing four-o'clock | G3? | S2 | N | E |
| <i>Oncidium ensatum</i> | Florida dancing-lady orchid | G4 | S1 | N | E |
| <i>Ophioglossum palmatum</i> | hand fern | G4 | S2 | N | E |
| <i>Opuntia triacantha</i> | three-spined pricklypear | G2G4 | S1 | N | E |
| <i>Orbexilum virgatum</i> | pineland scurfpea | G1 | S1 | N | E |
| <i>Pachysandra procumbens</i> | Allegheny spurge | G4G5 | S1 | N | E |
| <i>Parnassia caroliniana</i> | Carolina grass-of-parnassus | G3 | S2 | N | E |
| <i>Parnassia grandifolia</i> | large-leaved grass-of-parnassus | G3 | S2 | N | E |
| <i>Paronychia chartacea</i> var. <i>chartacea</i> | paper-like nailwort | G3T3 | S3 | T | E |
| <i>Paronychia chartacea</i> var. <i>minima</i> | Crystal Lake nailwort | G3T1 | S1 | T | E |
| <i>Passiflora multiflora</i> | white passion-flower | G4 | S1 | N | E |
| <i>Passiflora pallens</i> | pineland passion-flower | G3G4 | S2 | N | E |
| <i>Passiflora sexflora</i> | Everglades Key passion-flower | G5 | S1 | N | E |
| <i>Pavonia paludicola</i> | mangrove mallow | G5? | S1 | N | E |
| <i>Pavonia spinifex</i> | yellow hibiscus | G4G5 | S2 | N | N |
| <i>Pecluma dispersa</i> | widespread polypody | G5 | S2 | N | E |
| <i>Pecluma plumula</i> | plume polypody | G5 | S2 | N | E |
| <i>Pecluma ptilota</i> var. <i>bourgeauana</i> | comb polypody | G5?TNR | S2 | N | E |
| <i>Pellaea atropurpurea</i> | purple cliff brake | G5 | S1 | N | E |
| <i>Peperomia glabella</i> | cypress peperomia | G4G5 | SH | N | E |
| <i>Peperomia humilis</i> | terrestrial peperomia | G5 | S2 | N | E |
| <i>Peperomia obtusifolia</i> | blunt-leaved peperomia | G5 | S2 | N | E |
| <i>Persicaria meisneriana</i> var. <i>beyrichiana</i> | branched tearthumb | G5?T5? | S1 | N | E |
| <i>Phlegmariurus dichotomus</i> | hanging club-moss | G5 | S1 | N | E |
| <i>Phoebanthus tenuifolius</i> | narrow-leaved phoebanthus | G3 | S3 | N | T |
| <i>Phoradendron rubrum</i> | mahogany mistletoe | G4 | S1 | N | E |
| <i>Phyllanthus liebmannianus</i> ssp. <i>platylepis</i> | pinewoods dainties | G4T2 | S2 | N | E |
| <i>Physocarpus opulifolius</i> | ninebark | G5 | S1 | N | E |
| <i>Physostegia godfreyi</i> | Apalachicola dragon-head | G3 | S3 | N | T |
| <i>Picramnia pentandra</i> | bitter bush | G4G5 | S1 | N | E |
| <i>Pilosocereus polygonus</i> | key tree cactus | GNR | S1 | N | E |
| <i>Pilosocereus robinii</i> | tree cactus | G1 | S1 | E | E |
| <i>Pinguicula ionantha</i> | Godfrey's butterwort | G2 | S2 | T | E |
| <i>Pinguicula primuliflora</i> | primrose-flowered butterwort | G3G4 | S3 | N | E |
| <i>Pisonia rotundata</i> | devil's smooth-claw | G1G3 | S1 | N | E |
| <i>Pityopsis flexuosa</i> | zigzag silkgrass | G3 | S3 | N | E |
| <i>Platanthera chapmanii</i> | Chapman's fringed orchid | G2 | S2 | N | E |
| <i>Platanthera clavellata</i> | little club-spur orchid | G5 | S1 | N | E |
| <i>Platanthera integra</i> | yellow fringeless orchid | G3G4 | S3 | N | E |
| <i>Pleopeltis astrolepis</i> | star-scale fern | G5 | S1 | N | E |
| <i>Pleopeltis marginata</i> | ribbon fern | G4 | SX | N | E |
| <i>Pleurothallis gelida</i> | frost-flower orchid | G5 | S1 | N | E |
| <i>Podophyllum peltatum</i> | May apple | G5 | S1 | N | E |
| <i>Poinsettia pinetorum</i> | pineland spurge | G2 | S2 | N | E |
| <i>Polygala lewtonii</i> | Lewton's polygala | G2 | S2 | E | E |
| <i>Polygala smallii</i> | tiny polygala | G1 | S1 | E | E |
| <i>Polygonella basiramia</i> | Florida jointweed | G3 | S3 | E | E |
| <i>Polygonella macrophylla</i> | large-leaved jointweed | G3 | S3 | N | T |
| <i>Polygonella myriophylla</i> | Small's jointweed | G3 | S3 | E | E |

| SCIENTIFIC NAME | COMMON NAME | FNAI GLOBAL RANK | FNAI STATE RANK | FEDERAL STATUS | STATE STATUS |
|---|-----------------------------------|------------------------|-----------------------|-------------------|-----------------|
| Plants and Lichens | | | | | |
| <i>Polymnia laevigata</i> | Tennessee leafcup | G3 | S1 | N | E |
| <i>Ponthieva brittoniae</i> | Britton's shadow-witch | G2G4 | S1 | N | E |
| <i>Portulaca minuta</i> | Tiny Purslane | G2 | S2 | N | N |
| <i>Potamogeton floridanus</i> | Florida pondweed | G1 | S1 | N | E |
| <i>Prescottia oligantha</i> | small prescott orchid | G4G5 | S1 | N | E |
| <i>Primula meadia</i> | shootingstar | G5 | S1 | N | E |
| <i>Prosthechea boothiana</i> var. <i>erythronioides</i> | dollar orchid | G4?T4?Q | S1 | N | E |
| <i>Prosthechea cochleata</i> | clamshell orchid | G4G5 | S2 | N | E |
| <i>Prosthechea pygmaea</i> | dwarf butterfly orchid | G4G5 | S1 | N | E |
| <i>Prunus geniculata</i> | scrub plum | G3 | S3 | E | E |
| <i>Prunus myrtifolia</i> | West Indian cherry | G4 | S2 | N | T |
| <i>Pseudophoenix sargentii</i> | Florida cherry-palm | G3G4 | S1 | N | E |
| <i>Psychotria ligustrifolia</i> | Bahama wild coffee | G4 | S1 | N | E |
| <i>Pteris bahamensis</i> | Bahama brake | G4 | S3 | N | T |
| <i>Pteroglossaspis ecrinata</i> | giant orchid | G2G3 | S2 | N | T |
| <i>Pycnanthemum floridanum</i> | Florida mountain-mint | G3 | S3 | N | T |
| <i>Quercus arkansana</i> | Arkansas oak | G3 | S3 | N | T |
| <i>Rhexia parviflora</i> | small-flowered meadowbeauty | G2G3 | S2 | N | E |
| <i>Rhexia salicifolia</i> | Panhandle meadowbeauty | G3 | S3 | N | T |
| <i>Rhipsalis baccifera</i> | mistletoe cactus | G4 | S1 | N | E |
| <i>Rhododendron alabamense</i> | Alabama rhododendron | G4 | S2 | N | E |
| <i>Rhododendron austrinum</i> | Florida flame azalea | G3 | S3 | N | E |
| <i>Rhododendron chapmanii</i> | Chapman's rhododendron | G1 | S1 | E | E |
| <i>Rhynchosia swartzii</i> | Swartz's snoutbean | G3 | S1 | N | E |
| <i>Rhynchospora crinipes</i> | hairy-peduncled beaksedge | G3 | S3 | N | E |
| <i>Rhynchospora megaplumosa</i> | large-plumed beaksedge | G2 | S2 | N | E |
| <i>Rhynchospora punctata</i> | dotted beaksedge | G1? | SH | N | N |
| <i>Rhynchospora thornei</i> | Thorne's beaksedge | G3 | S1S2 | N | N |
| <i>Ribes echinellum</i> | Miccosukee gooseberry | G1 | S1 | T | E |
| <i>Roystonea regia</i> | Florida royal palm | G2G3 | S2 | N | E |
| <i>Rudbeckia auriculata</i> | eared coneflower | G2 | S1 | N | E |
| <i>Rudbeckia nitida</i> | St. John's blackeyed susan | G3 | S2 | N | E |
| <i>Rudbeckia triloba</i> | browneyed susan | G5 | S2 | N | E |
| <i>Ruellia noctiflora</i> | nightflowering wild petunia | G3? | S2 | N | E |
| <i>Ruellia pedunculata</i> ssp. <i>pinetorum</i> | pinewoods wild petunia | G5T3T4 | S1 | N | N |
| <i>Sachsia polycephala</i> | Bahama sachsia | G2 | S2 | N | T |
| <i>Sacoila lanceolata</i> var. <i>paludicola</i> | Fakahatchee ladies'-tresses | G4T1 | S1 | N | N |
| <i>Salix eriocephala</i> | heart-leaved willow | G5 | S1 | N | E |
| <i>Salix floridana</i> | Florida willow | G2G3 | S2S3 | N | E |
| <i>Salvia micrantha</i> | Yucatan sage | G5? | SX | N | N |
| <i>Salvia urticifolia</i> | nettle-leaved sage | G5 | S1 | N | E |
| <i>Sarracenia rubra</i> ssp. <i>gulfensis</i> | Gulf Coast redflower pitcherplant | G3G4T2T3 | S2S3 | N | T |
| <i>Sarracenia rubra</i> ssp. <i>wherryi</i> | Wherry's redflower pitcherplant | G3T3 | S3 | N | T |
| <i>Schaefferia frutescens</i> | yellowwood | G5 | S2 | N | E |
| <i>Schisandra glabra</i> | bay star-vine | G3 | S2 | N | E |
| <i>Schizachyrium niveum</i> | scrub bluestem | G1G2 | S1S2 | N | E |
| <i>Schizachyrium sericatum</i> | silky bluestem | G1Q | S1 | N | E |
| <i>Schizaea pennula</i> | ray fern | G5 | S1 | N | E |
| <i>Schoenolirion croceum</i> | yellow sunnybell | G4 | S2 | N | E |
| <i>Schwalbea americana</i> | chaffseed | G2 | S1 | E | E |
| <i>Scutellaria floridana</i> | Florida skullcap | G2 | S2 | T | E |
| <i>Scutellaria havanensis</i> | Havana skullcap | G3G4 | S2 | N | E |

| SCIENTIFIC NAME | COMMON NAME | FNAI GLOBAL RANK | FNAI STATE RANK | FEDERAL STATUS | STATE STATUS |
|--|--------------------------------|------------------------|-----------------------|-------------------|-----------------|
| Plants and Lichens | | | | | |
| <i>Selaginella armata</i> var. <i>eatonii</i> | pygmy spike moss | G2G3 | S2 | N | E |
| <i>Sideroxylon alachuense</i> | silver buckthorn | G1 | S1 | N | E |
| <i>Sideroxylon lycioides</i> | buckthorn | G5 | S2 | N | E |
| <i>Sideroxylon reclinatum</i> ssp. <i>austrofloridense</i> | Everglades bully | G4G5T3 | S3 | T | E |
| <i>Sideroxylon thomei</i> | Thorne's buckthorn | G3 | S1 | N | E |
| <i>Silene caroliniana</i> | wild pink | G5 | S1 | N | E |
| <i>Silene polypetala</i> | fringed campion | G2 | S1? | E | E |
| <i>Silene virginica</i> | fire pink | G5 | S1 | N | E |
| <i>Spigelia gentianoides</i> | gentian pinkroot | G2 | S2 | E | E |
| <i>Spigelia loganioides</i> | pinkroot | G2 | S2 | N | E |
| <i>Spiranthes brevilabris</i> | small ladies'-tresses | G1G2 | S1 | N | E |
| <i>Spiranthes floridana</i> | Florida ladies'-tresses | G1 | S1 | N | N |
| <i>Spiranthes igniorchis</i> | Fire Ladies'-tresses | G1? | S1? | N | N |
| <i>Spiranthes torta</i> | southern ladies'-tresses | G5 | S1 | N | E |
| <i>Stachydeoma graveolens</i> | mock pennyroyal | G2G3 | S2S3 | N | E |
| <i>Stachys crenata</i> | shade betony | G5 | S1 | N | N |
| <i>Stachys lythroides</i> | hyssopleaf hedgenettle | G5T1Q | S1 | N | E |
| <i>Staphylea trifolia</i> | American bladdernut | G5 | S1 | N | E |
| <i>Stewartia malacodendron</i> | silky camellia | G4 | S3 | N | E |
| <i>Strumpfia maritima</i> | pride-of-big-pine | G4 | S1 | N | E |
| <i>Stylisma abditia</i> | scrub stylisma | G3 | S3 | N | E |
| <i>Stylosanthes calcicola</i> | pineland pencil flower | G3G4 | S2 | N | E |
| <i>Swietenia mahagoni</i> | West Indies mahogany | G3G4 | S3 | N | T |
| <i>Symphoricarpos orbiculatus</i> | Indian currant | G5 | S1 | N | E |
| <i>Symphyotrichum concolor</i> var. <i>devestitum</i> | Gulf Coast Silvery Aster | G5T2 | S2 | N | N |
| <i>Symphyotrichum georgianum</i> | Georgia aster | G3 | SU | N | N |
| <i>Symphyotrichum sericeum</i> var. <i>microphyllum</i> | western silver aster | G4? | S1 | N | E |
| <i>Taxus floridana</i> | Florida yew | G2 | S2 | N | E |
| <i>Tectaria coriandrifolia</i> | Hattie Bauer halberd fern | G2G4 | SX | N | N |
| <i>Tectaria fimbriata</i> | least halberd fern | G4 | S2 | N | E |
| <i>Tectaria x amesiana</i> | Ames' halberd fern | GNA | SX | N | N |
| <i>Tephrosia angustissima</i> var. <i>angustissima</i> | devil's shoestring | G1TX | SX | N | E |
| <i>Tephrosia angustissima</i> var. <i>corallicola</i> | rockland hoary-pea | G1T1 | S1 | N | E |
| <i>Tephrosia angustissima</i> var. <i>curtissii</i> | coastal hoary-pea | G1T1 | S1 | N | E |
| <i>Tephrosia mohrii</i> | pineland hoary-pea | G3 | S3 | N | T |
| <i>Thalictrum cooleyi</i> | Cooley's meadowrue | G1 | S1 | E | E |
| <i>Thalictrum thalictroides</i> | rue-anemone | G5 | S1 | N | E |
| <i>Thelypteris grandis</i> | stately maiden fern | G4G5 | S1 | N | E |
| <i>Thelypteris patens</i> | grid-scale maiden fern | G5 | S1 | N | E |
| <i>Thelypteris reptans</i> | creeping maiden fern | G5 | S2 | N | E |
| <i>Thelypteris sclerophylla</i> | stiff-leaved maiden fern | G4 | S1 | N | E |
| <i>Thelypteris serrata</i> | toothed maiden fern | G5 | S1 | N | E |
| <i>Thrinax radiata</i> | Florida thatch palm | G4G5 | S2 | N | E |
| <i>Tiedemannia filiformis</i> ssp. <i>greenmanii</i> | giant water cowbane | G3 | S3 | N | E |
| <i>Tillandsia flexuosa</i> | banded wild-pine | G5 | S3 | N | T |
| <i>Tillandsia pruinosa</i> | fuzzy-wuzzy air-plant | G4 | S1 | N | E |
| <i>Tolumnia bahamensis</i> | dancing-lady orchid | G3 | S1 | N | E |
| <i>Torreya taxifolia</i> | Florida torreya | G1 | S1 | E | E |
| <i>Tragia saxicola</i> | pineland noseburn | G2 | S2 | N | T |
| <i>Trema lamarckiana</i> | pain-in-the-back | G5 | S2 | N | E |
| <i>Trichocentrum undulatum</i> | Cape Sable dancing-lady orchid | G4G5 | S1 | N | E |
| <i>Trichomanes holopterum</i> | entire-winged bristle fern | G4 | S1 | N | E |

| SCIENTIFIC NAME | COMMON NAME | FNAI GLOBAL RANK | FNAI STATE RANK | FEDERAL STATUS | STATE STATUS |
|---|-----------------------------|------------------------|-----------------------|-------------------|-----------------|
| Plants and Lichens | | | | | |
| <i>Trichomanes krausii</i> | Kraus' bristle fern | G5 | S1 | N | E |
| <i>Trichomanes petersii</i> | Peters' bristle fern | G4G5 | S1S2 | N | N |
| <i>Trichomanes punctatum</i> ssp. <i>floridanum</i> | Florida filmy fern | G4G5T1 | S1 | E | E |
| <i>Trichostigma octandrum</i> | hoop vine | G4G5 | S1 | N | E |
| <i>Trillium lancifolium</i> | narrow-leaved trillium | G3 | S2 | N | E |
| <i>Triphora amazonica</i> | broad-leaved nodding-caps | GU | S1 | N | E |
| <i>Triphora craigheadii</i> | Craighead's nodding-caps | G1 | S1 | N | E |
| <i>Triphora rickettii</i> | Rickett's nodding-caps | G1 | S1 | N | N |
| <i>Tripsacum floridanum</i> | Florida gamagrass | G2 | S2 | N | T |
| <i>Tropidia polystachya</i> | young-palm orchid | G3G5 | S1 | N | E |
| <i>Uvularia floridana</i> | Florida merrybells | G3 | S1 | N | E |
| <i>Vachellia tortuosa</i> | poponax | G4G5 | S1 | N | E |
| <i>Vallesia antillana</i> | pearl berry | G4 | S1 | N | E |
| <i>Vanilla barbellata</i> | worm-vine orchid | G4G5 | S2 | N | E |
| <i>Vanilla mexicana</i> | scentless vanilla | G2G4 | S1 | N | E |
| <i>Vanilla phaeantha</i> | leafy vanilla | G4 | S1 | N | E |
| <i>Veratrum woodii</i> | false hellebore | G5 | S2 | N | E |
| <i>Verbesina heterophylla</i> | variable-leaf crownbeard | G2 | S2 | N | E |
| <i>Vicia ocalensis</i> | Ocala vetch | G2 | S2 | N | E |
| <i>Viola tripartita</i> | threepart violet | G5 | S1 | N | E |
| <i>Voyria parasitica</i> | parasitic ghostplant | G4 | S2 | N | E |
| <i>Warea amplexifolia</i> | clasping warea | G1 | S1 | E | E |
| <i>Warea carteri</i> | Carter's warea | G1 | S1 | E | E |
| <i>Woodsia obtusa</i> | blunt-lobed cliff fern | G5 | S1 | N | N |
| <i>Xanthorhiza simplicissima</i> | yellow-root | G5 | S1 | N | E |
| <i>Xylosma buxifolia</i> | mucha-gente | G5 | S1 | N | E |
| <i>Xyris correlliorum</i> | Correll's yellow-eyed grass | G1 | S1 | N | N |
| <i>Xyris isoetifolia</i> | Quillwort yellow-eyed grass | G2 | S2 | N | E |
| <i>Xyris longisepala</i> | karst pond xyris | G2G3 | S2 | N | E |
| <i>Xyris louisianica</i> | Louisiana yellow-eyed grass | G2G3 | S1 | N | N |
| <i>Xyris panacea</i> | St. Marks yellow-eyed grass | G1 | S1 | N | E |
| <i>Xyris scabrifolia</i> | Harper's yellow-eyed grass | G3 | S3 | N | T |
| <i>Zanthoxylum americanum</i> | northern prickly ash | G5 | S1 | N | E |
| <i>Zanthoxylum coriaceum</i> | Biscayne prickly ash | G3 | S1 | N | E |
| <i>Zanthoxylum flavum</i> | satinwood | G3 | S1 | N | E |
| <i>Zephyranthes simpsonii</i> | redmargin zephyrilly | G2G3 | S2S3 | N | T |
| <i>Ziziphus celata</i> | scrub ziziphus | G1 | S1 | E | E |
| Sponges | | | | | |
| <i>Dosilia palmeri</i> | Oklawaha Sponge | G1G3 | S1S3 | N | N |
| <i>Ephydatia subtilis</i> | Kissimmee Sponge | GH | SH | N | N |
| Corals and Allies | | | | | |
| <i>Acropora cervicornis</i> | Staghorn Coral | G1G2 | S1S2 | T | FT |
| <i>Acropora palmata</i> | Elkhorn Coral | G1G2 | S1 | T | FT |
| <i>Acropora prolifera</i> | Fused Staghorn Coral | G2G3 | S1 | N | N |
| <i>Agaricia lamarcki</i> | Lamarck's Sheet Coral | G3 | S1S2 | N | N |
| <i>Dendrogyra cylindrus</i> | Pillar Coral | G3 | S1 | T | ST |
| <i>Dichocoenia stokesi</i> | Elliptical Star Coral | G3? | S1S2 | N | N |
| <i>Mussa angulosa</i> | Large Flower Coral | G3G4 | S2S3 | N | N |
| <i>Mycetophyllia ferox</i> | Rough Cactus Coral | G3 | S1S2 | T | N |
| <i>Oculina robusta</i> | Robust Ivory Tree Coral | G1G2 | S1S2 | N | N |

| SCIENTIFIC NAME | COMMON NAME | FNAI GLOBAL RANK | FNAI STATE RANK | FEDERAL STATUS | STATE STATUS |
|----------------------------------|----------------------------|------------------------|-----------------------|-------------------|-----------------|
| Corals and Allies | | | | | |
| <i>Oculina varicosa</i> | Fused Ivory Tree Coral | G3 | S2 | N | N |
| <i>Orbicella annularis</i> | Boulder Star Coral | G2 | S1S2 | T | FT |
| <i>Orbicella faveolata</i> | Mountainous Star Coral | G2 | S1S2 | T | FT |
| <i>Orbicella franksi</i> | Boulder Star Coral | G3 | S1S2 | T | FT |
| Clams and Mussels | | | | | |
| <i>Alasmidonta triangulata</i> | Southern Elktoe | G1 | S1 | N | N |
| <i>Alasmidonta wrightiana</i> | Ochlockonee Arcmussel | GH | SH | N | N |
| <i>Amblema neislerii</i> | Fat Threeridge | G1 | S1 | E | FE |
| <i>Amblema plicata</i> | Threeridge | G5 | S1 | N | N |
| <i>Anodonta hartfieldorum</i> | Cypress Floater | G4 | S1 | N | N |
| <i>Anodonta heardi</i> | Apalachicola Floater | G2 | S1S2 | N | N |
| <i>Elliptio arctata</i> | Delicate Spike | G2G3Q | S2 | N | N |
| <i>Elliptio chipolaensis</i> | Chipola Slabshell | G1 | S1 | T | FT |
| <i>Elliptio fraterna</i> | Brother Spike | G1G2 | S1 | N | N |
| <i>Elliptio mcmichaeli</i> | Fluted Elephant-ear | G2G3 | S1S2 | N | N |
| <i>Elliptio monroensis</i> | St. Johns Elephantear | G1G2 | S1S2 | N | N |
| <i>Elliptio purpurella</i> | Inflated Spike | G2 | S2 | N | N |
| <i>Elliptoideus sloatianus</i> | Purple Bankclimber | G2 | S1S2 | T | FT |
| <i>Fusconaia apalachicola</i> | Apalachicola Ebonyshell | GX | SX | N | N |
| <i>Fusconaia burkei</i> | Tapered Pigtoe | G2G3 | S2 | T | FT |
| <i>Fusconaia escambia</i> | Narrow Pigtoe | G1G2 | S1 | T | FT |
| <i>Glebula rotundata</i> | Round Pearlshell | G4G5 | S2S3 | N | N |
| <i>Hamiota australis</i> | Southern Sandshell | G2G3 | S1 | T | FT |
| <i>Hamiota subangulata</i> | Shiny-rayed Pocketbook | G2 | S1S2 | E | FE |
| <i>Lampsilis ornata</i> | Southern Pocketbook | G5 | S1 | N | N |
| <i>Medionidus acutissimus</i> | Alabama Moccasinshell | G2 | SH | T | FT |
| <i>Medionidus penicillatus</i> | Gulf Moccasinshell | G2 | S1 | E | FE |
| <i>Medionidus simpsonianus</i> | Ochlockonee Moccasinshell | G1 | S1 | E | FE |
| <i>Medionidus walkeri</i> | Suwannee Moccasinshell | G1 | S1 | T | FT |
| <i>Megaloniais nervosa</i> | Washboard | G5 | S3 | N | N |
| <i>Panopea bitruncata</i> | Atlantic Geoduck | G3G4 | S2S3 | N | N |
| <i>Plectomerus dombeyanus</i> | Bankclimber | G5 | SH | N | N |
| <i>Pleurobema pyriforme</i> | Oval Pigtoe | G2 | S1S2 | E | FE |
| <i>Pleurobema strodeanum</i> | Fuzzy Pigtoe | G2G3 | S2 | T | FT |
| <i>Ptychobranthus jonesi</i> | Southern Kidneyshell | G1 | S1 | E | FE |
| <i>Quadrula infucata</i> | Sculptured Pigtoe | G3 | S2S3 | N | N |
| <i>Quadrula kleiniana</i> | Florida Mapleleaf | G2G3 | S2 | N | N |
| <i>Reginaia rotulata</i> | Round Ebonyshell | G1 | S1 | E | FE |
| <i>Strophitus radiatus</i> | Rayed Creekshell | G2G3 | S1 | N | N |
| <i>Strophitus williamsi</i> | Flatwoods Creekshell | G2 | S1 | N | N |
| <i>Toxolasma sp. 1</i> | Gulf Lilliput | G2 | S2 | N | N |
| <i>Utterbackia peggyae</i> | Florida Floater | G3 | S3 | N | N |
| <i>Utterbackia peninsularis</i> | Peninsular Floater | G2G3 | S2S3 | N | N |
| <i>Villosa amygdala</i> | Florida Rainbow | G3 | S3 | N | N |
| <i>Villosa choctawensis</i> | Choctaw Bean | G2G3 | S1S2 | E | FE |
| Snails and Allies | | | | | |
| <i>Amnicola rhombostoma</i> | Squaremouth Amnicola Snail | GH | SH | N | N |
| <i>Aphaostracon asthenes</i> | Blue Spring Hydrobe Snail | G1 | S1 | N | N |
| <i>Aphaostracon chalarogyrus</i> | Freemouth Hydrobe Snail | G1 | S1 | N | N |
| <i>Aphaostracon monas</i> | Wekiwa Hydrobe Snail | G1 | S1 | N | N |

| SCIENTIFIC NAME | COMMON NAME | FNAI GLOBAL RANK | FNAI STATE RANK | FEDERAL STATUS | STATE STATUS |
|---|--------------------------------------|------------------------|-----------------------|-------------------|-----------------|
| Snails and Allies | | | | | |
| <i>Aphaestracon pycnus</i> | Dense Hydrobe Snail | G1 | S1 | N | N |
| <i>Aphaestracon theiocrenetum</i> | Clifton Springs Hydrobe Snail | G1 | S1 | N | N |
| <i>Aphaestracon xynoelictum</i> | Fenney Springs Hydrobe Snail | G1 | S1 | N | N |
| <i>Bothriopupa variolosa</i> | Pitted Birddrop | G1G2 | S1 | N | N |
| <i>Chondropoma dentatum</i> | Crenulate Horn | G2G3 | S2? | N | N |
| <i>Cochlodinella poeyana</i> | Truncate Urocoptid | G1G2 | S1S2 | N | N |
| <i>Dasyscias franzi</i> | Shaggy Ghostsnail | G1 | S1 | N | N |
| <i>Dryachloa dauca</i> | Carrot Glass Snail | G2 | S1? | N | N |
| <i>Drymaeus multilineatus latizonatus</i> | Wide-banded Forest Snail | G5T1 | S1 | N | N |
| <i>Elimia albanyensis</i> | Black-crested Elimia Snail | G3Q | S1 | N | N |
| <i>Elimia clenchi</i> | Slackwater Elimia | G3Q | S1S2 | N | N |
| <i>Floridobia alexander</i> | Alexander Siltsnail | G1 | S1 | N | N |
| <i>Floridobia fraterna</i> | Creek Siltsnail | G2 | S2 | N | N |
| <i>Floridobia helicogyra</i> | Crystal Siltsnail | G1 | S1 | N | N |
| <i>Floridobia leptospira</i> | Flatwood Siltsnail | G1 | S1 | N | N |
| <i>Floridobia mica</i> | Ichetucknee Siltsnail | G1 | S1 | N | N |
| <i>Floridobia monroensis</i> | Enterprise Siltsnail | GH | SH | N | N |
| <i>Floridobia parva</i> | Pygmy Siltsnail | GH | SH | N | N |
| <i>Floridobia petrifons</i> | Rock Springs Siltsnail | G1 | S1 | N | N |
| <i>Floridobia ponderosa</i> | Ponderous Spring Siltsnail | G1 | S1 | N | N |
| <i>Floridobia porterae</i> | Green Cove Springsnail | G1 | S1 | N | N |
| <i>Floridobia vanhyningi</i> | Seminole Spring Siltsnail | G1 | S1 | N | N |
| <i>Floridobia wekiwae</i> | Wekiwa Siltsnail | G1 | S1 | N | N |
| <i>Hojeda inaguensis</i> | Keys Mudcloak | G3G4 | S2 | N | N |
| <i>Liguus fasciatus matecumbensis</i> | Florida Tree Snail | G3T2 | S2 | N | N |
| <i>Liguus fasciatus septentrionalis</i> | Florida Tree Snail | G3TU | SU | N | N |
| <i>Liguus fasciatus solidus</i> | Florida Tree Snail | G3TX | SX | N | N |
| <i>Orthalicus floridensis</i> | Banded Tree Snail | G3 | S3 | N | N |
| <i>Orthalicus reses nesodryas</i> | Florida Keys Tree Snail | G2T2 | S2 | N | N |
| <i>Orthalicus reses reses</i> | Stock Island Tree Snail | G2T1 | S1 | T | FT |
| <i>Praticolella bakeri</i> | Ridge Scrubsnail | G2G3 | S2S3 | N | N |
| <i>Somatogyrus walkerianus</i> | Gulf Coast Pebble Snail | G2G3 | S1S2 | N | N |
| <i>Sterkia eyriesii</i> | Caribbean Birddrop | G3G5 | S1S2 | N | N |
| <i>Vertigo hebardii</i> | Keys Vertigo | G1G2 | S1S2 | N | N |
| Spiders | | | | | |
| <i>Arctosa sanctaerosae</i> | Santa Rosa Wolf Spider | G3 | S2S3 | N | N |
| <i>Centromerus latidens</i> | A Sheetweaver Spider | G5 | S1S3 | N | N |
| <i>Cesonia irvingi</i> | Keys Gnaphosid Spider | GNR | S1 | N | N |
| <i>Chinattus parvulus</i> | Little Mountain Jumping Spider | G5 | S1 | N | N |
| <i>Cyclocosmia torreya</i> | Torreya Trap-door Spider | GNR | S2 | N | N |
| <i>Eustala eleuthera</i> | Eleuthera Orb Weaver | GNR | S1 | N | N |
| <i>Geolycosa escambiensis</i> | Escambia Wolf Spider | G2G3 | S2 | N | N |
| <i>Geolycosa xera</i> | McCrone's Burrowing Wolf Spider | G2G3 | S2S3 | N | N |
| <i>Hogna ericeticola</i> | Rosemary Wolf Spider | G1 | S1 | N | N |
| <i>Islandiana sp. 2</i> | Marianna Cave Sheetweb Weaver Spider | G1 | S1 | N | N |
| <i>Latrodectus bishopi</i> | Red Widow Spider | G2G3 | S2S3 | N | N |
| <i>Myrmekiaphila torreya</i> | A Trapdoor Spider | G2G3 | S2 | N | N |
| <i>Phidippus workmani</i> | Workman's Jumping Spider | G2G3 | S2S3 | N | N |
| <i>Sosippus placidus</i> | Lake Placid Funnel Wolf Spider | G1G2 | S1S2 | N | N |
| <i>Sphodros rufipes</i> | Red-legged Purse-web Spider | G4 | S3 | N | N |

| SCIENTIFIC NAME | COMMON NAME | FNAI GLOBAL RANK | FNAI STATE RANK | FEDERAL STATUS | STATE STATUS |
|---------------------------------------|-------------------------------------|------------------------|-----------------------|-------------------|-----------------|
| Millipedes | | | | | |
| <i>Floridobolus floydi</i> | Floyd's Sandhill Millipede | G1 | S1 | N | N |
| <i>Floridobolus orini</i> | Orin's Scrub Millipede | G1G2 | S1S2 | N | N |
| <i>Floridobolus penneri</i> | Florida Scrub Millipede | G1G2 | S1S2 | N | N |
| Fairy Shrimps | | | | | |
| <i>Dexteria floridana</i> | Florida Fairy Shrimp | GH | SH | N | N |
| Clam Shrimps | | | | | |
| <i>Eulimnadia graniticola</i> | A Clam Shrimp | G1G2 | S1 | N | N |
| Copepods | | | | | |
| <i>Aglaodiaptomus marshianus</i> | Lake Jackson Copepod | G1 | S1 | N | N |
| Amphipods | | | | | |
| <i>Crangonyx apalachee</i> | Lake Jackson Amphipod | G1 | S1 | N | N |
| <i>Crangonyx grandimanus</i> | Florida Cave Amphipod | G2G3 | S2S3 | N | N |
| <i>Crangonyx hobbsi</i> | Hobbs's Cave Amphipod | G2G3 | S2S3 | N | N |
| <i>Crangonyx manubrium</i> | Jackson County Cave Amphipod | G1G2 | S1 | N | N |
| <i>Crangonyx parhobbsi</i> | Florida Big Bend Cave Amphipod | G1G2 | S1S2 | N | N |
| <i>Crangonyx sulphurium</i> | Sulphurous Cave Amphipod | G1 | S1 | N | N |
| <i>Stygobromus doughertyensis</i> | Dougherty Plain Cave Amphipod | G1G2 | S1 | N | N |
| <i>Stygobromus floridanus</i> | Florida Panhandle Cave Amphipod | G1G2 | S1S2 | N | N |
| Isopods | | | | | |
| <i>Caecidotea hobbsi</i> | Florida Cave Isopod | G1G2 | S1S2 | N | N |
| <i>Caecidotea putea</i> | Apalachicolan Cave Isopod | G1G3 | S1S2 | N | N |
| <i>Mexistenasellus floridensis</i> | Marianna Cave Isopod | G1 | S1 | N | N |
| <i>Remasellus parvus</i> | Swimming Little Florida Cave Isopod | G1G2 | S1S2 | N | N |
| Crabs, Crayfishes, and Shrimps | | | | | |
| <i>Cambarellus blacki</i> | Cypress Crayfish | G1 | S1 | N | N |
| <i>Cambarellus schmitti</i> | Fontal Dwarf Crayfish | G2G3 | S2S3 | N | N |
| <i>Cambarellus shufeldtii</i> | Cajun Dwarf Crayfish | G5 | S1 | N | N |
| <i>Cambarus cryptodytes</i> | Dougherty Plain Cave Crayfish | G2G3 | S2 | N | N |
| <i>Cambarus pyronotus</i> | Fireback Crayfish | G2 | S2 | N | N |
| <i>Cardisoma guanhumi</i> | Blue Land Crab | G5 | S3S4 | N | N |
| <i>Creaserinus byersi</i> | Lavender Burrowing Crayfish | G4 | S2 | N | N |
| <i>Goniopsis cruentata</i> | Mangrove Crab | G5 | S3S4 | N | N |
| <i>Lacuniambarus miltus</i> | Rusty Grave Digger | G3 | S3 | N | N |
| <i>Palaemonetes cummingi</i> | Squirrel Chimney Cave Shrimp | GH | SH | T | FT |
| <i>Procambarus acherontis</i> | Orlando Cave Crayfish | G1 | S1 | N | N |
| <i>Procambarus apalachicolae</i> | Coastal Flatwoods Crayfish | G2 | S2 | N | N |
| <i>Procambarus attiguus</i> | Silver Glen Springs Cave Crayfish | G1 | S1 | N | N |
| <i>Procambarus capillatus</i> | Capillaceous Crayfish | G2 | S1 | N | N |
| <i>Procambarus delicatus</i> | Big-cheeked Cave Crayfish | G1 | S1 | N | N |
| <i>Procambarus econfinae</i> | Panama City Crayfish | G1G2 | S1S2 | T | FT |
| <i>Procambarus erythropros</i> | Santa Fe Cave Crayfish | G1 | S1 | N | ST |
| <i>Procambarus escambiensis</i> | Escambia Crayfish | G2 | S2 | N | N |
| <i>Procambarus franzi</i> | Orange Lake Cave Crayfish | G1 | S1 | N | N |
| <i>Procambarus horsti</i> | Big Blue Spring Cave Crayfish | G1 | S1 | N | N |
| <i>Procambarus latipleurum</i> | Wingtail Crayfish | G2 | S2 | N | N |
| <i>Procambarus leitheuseri</i> | Coastal Lowland Cave Crayfish | G1G2 | S1S2 | N | N |

| SCIENTIFIC NAME | COMMON NAME | FNAI GLOBAL RANK | FNAI STATE RANK | FEDERAL STATUS | STATE STATUS |
|---------------------------------------|------------------------------------|------------------------|-----------------------|-------------------|-----------------|
| Crabs, Crayfishes, and Shrimps | | | | | |
| <i>Procambarus lucifugus</i> | Light-fleeing Cave Crayfish | G1G2 | S1S2 | N | N |
| <i>Procambarus milleri</i> | Miami Cave Crayfish | G1 | S1 | N | N |
| <i>Procambarus morrisi</i> | Putnam County Cave Crayfish | G1 | S1 | N | N |
| <i>Procambarus orcinus</i> | Woodville Karst Cave Crayfish | G1 | S1 | N | N |
| <i>Procambarus pallidus</i> | Pallid Cave Crayfish | G2G3 | S2S3 | N | N |
| <i>Procambarus pictus</i> | Black Creek Crayfish | G2 | S2 | N | ST |
| <i>Procambarus rathbunae</i> | Combclaw Crayfish | G1 | S1 | N | N |
| <i>Procambarus rogersi expletus</i> | Perfect Crayfish | G4QT1 | S1 | N | N |
| <i>Procambarus shermani</i> | Gulf Crayfish | G4 | S1 | N | N |
| <i>Procambarus youngi</i> | Florida Longbeak Crayfish | G1G2 | S1S2 | N | N |
| <i>Troglocambarus maclanei</i> | North Florida Spider Cave Crayfish | G1G2 | S1S2 | N | N |
| <i>Troglocambarus sp. 1</i> | Orlando Spider Cave Crayfish | G1 | S1 | N | N |
| Springtails | | | | | |
| <i>Pseudosinella pecki</i> | Peck's Cave Springtail | G2G3 | S1 | N | N |
| <i>Sminthurus floridanus</i> | Florida Sminthurus Springtail | G1 | S1 | N | N |
| Mayflies | | | | | |
| <i>Amercaenis cusabo</i> | Cusabo Brushlegged Caenid Mayfly | G3 | S1 | N | N |
| <i>Asioplax dolani</i> | A Mayfly | G4 | S1S2 | N | N |
| <i>Attenella attenuata</i> | Hirsute Mayfly | G5 | S1S2 | N | N |
| <i>Baetisca becki</i> | A Mayfly | G2G3 | S2 | N | N |
| <i>Baetisca escambiensis</i> | Escambia Mayfly | G2G3 | S1S2 | N | N |
| <i>Baetisca gibbera</i> | Humpback Mayfly | G5 | S1S2 | N | N |
| <i>Baetisca rogersi</i> | A Mayfly | G4 | S3 | N | N |
| <i>Brachycercus beneri</i> | A Mayfly | G4 | S3 | N | N |
| <i>Caenis eglinensis</i> | Eglin Caenis Mayfly | G1 | S1 | N | N |
| <i>Caenis hilaris</i> | A Mayfly | G5 | S1? | N | N |
| <i>Centropilum triangulifer</i> | A Mayfly | G5 | S2 | N | N |
| <i>Cercobrachys etowah</i> | A Mayfly | G4 | S1S2 | N | N |
| <i>Dannella simplex</i> | A Mayfly | G5 | S2 | N | N |
| <i>Dipheter hageni</i> | Hagen's Small Minnow Mayfly | G5 | S1S2 | N | N |
| <i>Dolania americana</i> | American Sand-burrowing Mayfly | G4 | S2 | N | N |
| <i>Ephemerella excrucians</i> | Little Graywinged Red Quill Mayfly | G5 | S1S2 | N | N |
| <i>Ephoron leukon</i> | White Mayfly | G5 | S1? | N | N |
| <i>Habrophlebia vibrans</i> | A Mayfly | G5 | S2S3 | N | N |
| <i>Heptagenia flavescens</i> | A Mayfly | G5 | S1S2 | N | N |
| <i>Hexagenia bilineata</i> | A Mayfly | G5 | S2 | N | N |
| <i>Hexagenia orlando</i> | A Mayfly | G3Q | S3 | N | N |
| <i>Homoeoneuria dolani</i> | Blue Sand-river Mayfly | G3G4 | S1S2 | N | N |
| <i>Isonychia beneri</i> | A Mayfly | G2G3 | S1S2 | N | N |
| <i>Isonychia georgiae</i> | A Mayfly | G4 | S1? | N | N |
| <i>Isonychia sicca</i> | A Mayfly | G5 | S2S3 | N | N |
| <i>Macdunnoa brunnea</i> | A Mayfly | G3G4 | S2S3 | N | N |
| <i>Neophemera compressa</i> | A Mayfly | G1G3 | S2S3 | N | N |
| <i>Proclœon rubropictum</i> | A Mayfly | G5 | S3 | N | N |
| <i>Pseudiron centralis</i> | White Sand-river Mayfly | G5 | S2S3 | N | N |
| <i>Pseudocentropiloides usa</i> | A Mayfly | G4 | S2S3 | N | N |
| <i>Siphloplecton brunneum</i> | A Mayfly | G1G2 | S1S2 | N | N |
| <i>Siphloplecton fuscum</i> | A Mayfly | G1 | S1 | N | N |
| <i>Siphloplecton simile</i> | A Mayfly | G1G2Q | S1S2 | N | N |
| <i>Siphloplecton speciosum</i> | A Mayfly | G4 | S2S3 | N | N |

| SCIENTIFIC NAME | COMMON NAME | FNAI GLOBAL RANK | FNAI STATE RANK | FEDERAL STATUS | STATE STATUS |
|---------------------------------------|-------------------------------------|------------------------|-----------------------|-------------------|-----------------|
| Mayflies | | | | | |
| <i>Sparbarus miccosukee</i> | Miccosukee Mayfly | G1G2 | S1S2 | N | N |
| <i>Sparbarus nasutus</i> | Escambia Small Square-gilled Mayfly | G3G4 | S1? | N | N |
| <i>Stenacron floridense</i> | A Mayfly | G3G4 | S3S4 | N | N |
| <i>Teloganopsis deficiens</i> | A Mayfly | G5 | S3 | N | N |
| <i>Tortopus puella</i> | A Mayfly | G5 | S2S3 | N | N |
| Dragonflies and Damselflies | | | | | |
| <i>Anax amazili</i> | Amazon Darner | G5 | S2 | N | N |
| <i>Cordulegaster obliqua fasciata</i> | Banded Spiketail | G4T3Q | S3 | N | N |
| <i>Cordulegaster sayi</i> | Say's Spiketail | G3 | S3 | N | N |
| <i>Didymops floridensis</i> | Maidencane Cruiser | G4 | S4 | N | N |
| <i>Dromogomphus armatus</i> | Southeastern Spinyleg | G4 | S3 | N | N |
| <i>Epitheca spinosa</i> | Robust Tongtail | G4 | S2 | N | N |
| <i>Erpetogomphus designatus</i> | Eastern Ringtail | G5 | S1 | N | N |
| <i>Gomphaeschna antilope</i> | Taper-tailed Darner | G4 | S4 | N | N |
| <i>Gomphurus hybridus</i> | Cocoa Clubtail | G4 | S1 | N | N |
| <i>Gomphurus modestus</i> | Gulf Coast Clubtail | G3G4 | S1 | N | N |
| <i>Gomphurus vastus</i> | Cobra Clubtail | G5 | S1 | N | N |
| <i>Helocordulia selysii</i> | Selys' Sunfly | G4 | S4 | N | N |
| <i>Hetaerina americana</i> | American Rubyspot | G5 | S2 | N | N |
| <i>Hylogomphus geminatus</i> | Twin-striped Clubtail | G3G4 | S3 | N | N |
| <i>Leptobasis lucifer</i> | Lucifer Swampdamselfly | G4G5 | S2 | N | N |
| <i>Lestes inaequalis</i> | Elegant Spreadwing | G5 | S2 | N | N |
| <i>Lestes spumarius</i> | Antillean Spreadwing | G4 | S1 | N | N |
| <i>Lestes tenuatus</i> | Blue-striped Spreadwing | G5 | S3 | N | N |
| <i>Libellula jesseana</i> | Purple Skimmer | G1G2 | S1S2 | N | N |
| <i>Nannothemis bella</i> | Elfin Skimmer | G4G5 | S2 | N | N |
| <i>Nehalennia minuta</i> | Tropical Sprite | G3 | SH | N | N |
| <i>Nehalennia pallidula</i> | Everglades Sprite | G3 | S3 | N | N |
| <i>Neurocordulia molesta</i> | Smoky Shadowfly | G4 | S2S3 | N | N |
| <i>Neurocordulia obsoleta</i> | Umber Shadowfly | G5 | S2 | N | N |
| <i>Ophiogomphus australis</i> | Southern Snaketail | G1G2 | S1S2 | N | N |
| <i>Phanogomphus hodgesi</i> | Hodges' Clubtail | G3 | S3 | N | N |
| <i>Phanogomphus westfalli</i> | Westfall's Clubtail | G2 | S2 | N | N |
| <i>Progomphus alachuensis</i> | Tawny Sanddragon | G3 | S3 | N | N |
| <i>Progomphus bellei</i> | Belle's Sanddragon | G3 | S3 | N | N |
| <i>Somatochlora calverti</i> | Calvert's Emerald | G3 | S2S3 | N | N |
| <i>Somatochlora georgiana</i> | Coppery Emerald | G3G4 | S2 | N | N |
| <i>Somatochlora provocans</i> | Treetop Emerald | G4 | S3 | N | N |
| <i>Stylurus laurae</i> | Laura's Clubtail | G4 | S3 | N | N |
| <i>Stylurus potulentus</i> | Yellow-sided Clubtail | G2 | S2 | N | N |
| <i>Stylurus townesi</i> | Bronze Clubtail | G3 | S2 | N | N |
| <i>Tachopteryx thoreyi</i> | Gray Petaltail | G4 | S3 | N | N |
| Grasshoppers and Allies | | | | | |
| <i>Belocephalus micanopy</i> | Big Pine Key Conehead Katydid | G1 | S1 | N | N |
| <i>Belocephalus sleighti</i> | Keys Short-winged Conehead Katydid | G1G2 | S1S2 | N | N |
| <i>Cycloptilum irregularis</i> | Keys Scaly Cricket | G1G2 | S1S2 | N | N |
| <i>Gryllus cayensis</i> | South Florida Taciturn Wood Cricket | G1 | S1 | N | N |
| <i>Gymnoscirtetes morsei</i> | Morse's Wingless Grasshopper | G2G3 | S2 | N | N |
| <i>Melanoplus adelogyrus</i> | Volusia Grasshopper | G1G2 | S1S2 | N | N |
| <i>Melanoplus apalachicola</i> | Apalachicola Grasshopper | G1 | S1 | N | N |

| SCIENTIFIC NAME | COMMON NAME | FNAI GLOBAL RANK | FNAI STATE RANK | FEDERAL STATUS | STATE STATUS |
|---|---|------------------------|-----------------------|-------------------|-----------------|
| Grasshoppers and Allies | | | | | |
| <i>Melanoplus forcipatus</i> | Broad Cercus Scrub Grasshopper | G2 | S2 | N | N |
| <i>Melanoplus gurneyi</i> | Gurney's Spurthroat Grasshopper | G1G2 | S1S2 | N | N |
| <i>Melanoplus indicifer</i> | East Coast Scrub Grasshopper | G2G3 | S2S3 | N | N |
| <i>Melanoplus nanciae</i> | Ocala Claw-Cercus Grasshopper | G1? | S1? | N | N |
| <i>Melanoplus ordwayae</i> | Ordway Melanoplus Grasshopper | G1G2 | S1S2 | N | N |
| <i>Melanoplus pygmaeus</i> | Pygmy Sandhill Grasshopper | G1G3 | S1S3 | N | N |
| <i>Melanoplus querneus</i> | Larger Sandhill Grasshopper | G2G3 | S2S3 | N | N |
| <i>Melanoplus scapularis</i> | Lesser Fork-Tailed Grasshopper | G2G4 | S2S4 | N | N |
| <i>Melanoplus tequestae</i> | Tequesta Grasshopper | G2G3 | S2S3 | N | N |
| <i>Melanoplus withlacoocheensis</i> | Withlacoochee Melanoplus Grasshopper | G1G3 | S1S3 | N | N |
| <i>Schistocerca ceratiola</i> | Rosemary Grasshopper | G2G3 | S2S3 | N | N |
| <i>Tettigidea empedonepia</i> | Torreya Pygmy Grasshopper | G1 | S1 | N | N |
| <i>Typhloceuthophilus floridanus</i> | Blind Pocket Gopher Cave Cricket | G2 | S2 | N | N |
| Stoneflies | | | | | |
| <i>Acroneuria evoluta</i> | A Stonefly | G5 | S1 | N | N |
| <i>Allocapnia starki</i> | Mississippi Snowfly | G4 | S1 | N | N |
| <i>Amphinemura nigritta</i> | A Stonefly | G5 | S2 | N | N |
| <i>Eccopectura xanthenes</i> | A Stonefly | G5 | S2 | N | N |
| <i>Helopicus subvarians</i> | A Stonefly | G5 | S3 | N | N |
| <i>Hydroperla phormidia</i> | A Stonefly | G3 | S2 | N | N |
| <i>Isogenoides varians</i> | Rock Island Springfly Stonefly | G3G4 | S1 | N | N |
| <i>Leuctra cottaquilla</i> | A Stonefly | G2 | S2 | N | N |
| <i>Leuctra ferruginea</i> | A Stonefly | G5 | S2 | N | N |
| <i>Leuctra triloba</i> | A Stonefly | G5 | S1 | N | N |
| <i>Perlina zwicki</i> | A Stonefly | G4 | S2 | N | N |
| <i>Taeniopteryx burksi</i> | Eastern Willowfly | G5 | S2 | N | N |
| <i>Tallaperla cornelia</i> | Southeastern Roachfly | G4 | S1 | N | N |
| True Bugs and Allies | | | | | |
| <i>Keltonia robusta</i> | Conradina Mirid Bug | G2 | S2 | N | N |
| <i>Keltonia rubrofemorata</i> | Scrub Wireweed Mirid Bug | G2 | S2 | N | N |
| <i>Telamona archboldi</i> | Archbold's Treehopper | G1 | S1 | N | N |
| Beetles | | | | | |
| <i>Aethecerinus hornii</i> | Horn's Aethecerinus Long-Horned Beetle | G2 | S2 | N | N |
| <i>Aneflomorpha delongi</i> | Delong's Aneflomorpha Long-Horned Beetle | G2 | S1S2 | N | N |
| <i>Anomala exigua</i> | Pygmy Anomala Scarab Beetle | G1 | S1 | N | N |
| <i>Anomala eximia</i> | Archbold Anomala Scarab Beetle | G2 | S2 | N | N |
| <i>Anomala flavipennis okaloosensis</i> | Panhandle Dune Anomala Scarab Beetle | G3TU | SU | N | N |
| <i>Anomala robinsoni</i> | Robinson's Anomala Scarab Beetle | G1? | S1? | N | N |
| <i>Aphodius aegrotus</i> | Small Pocket Gopher Aphodius Beetle | G3G4 | S3? | N | N |
| <i>Aphodius baileyi</i> | Bailey's Pocket Gopher Aphodius Beetle | G2G3 | S2 | N | N |
| <i>Aphodius bakeri</i> | Baker's Pocket Gopher Aphodius Beetle | G2G3 | S2 | N | N |
| <i>Aphodius dyspistus</i> | Surprising Pocket Gopher Aphodius Beetle | G3G4 | S3? | N | N |
| <i>Aphodius gambrius</i> | Amber Pocket Gopher Aphodius Beetle | G2 | S1S2 | N | N |
| <i>Aphodius hubbelli</i> | Hubbell's Pocket Gopher Aphodius Beetle | GNR | S3? | N | N |
| <i>Aphodius laevigatus</i> | Large Pocket Gopher Aphodius Beetle | G3G4 | S3? | N | N |
| <i>Aphodius pholetus</i> | Rare Pocket Gopher Aphodius Beetle | G1G2 | S1 | N | N |
| <i>Aphodius platypleurus</i> | Broad-Sided Pocket Gopher Aphodius Beetle | G2G3 | S2 | N | N |
| <i>Aphodius tanytarsus</i> | Long-Clawed Pocket Gopher Aphodius Beetle | G2G3 | S2S3 | N | N |
| <i>Aphodius troglodytes</i> | Gopher Tortoise Aphodius Beetle | G2G3 | S2 | N | N |

| SCIENTIFIC NAME | COMMON NAME | FNAI GLOBAL RANK | FNAI STATE RANK | FEDERAL STATUS | STATE STATUS |
|--|---|------------------------|-----------------------|-------------------|-----------------|
| Beetles | | | | | |
| <i>Aphotaenius carolinus</i> | Carolina Forest Scarab | G3G5 | S1 | N | N |
| <i>Ataenius brevicollis</i> | An Ataenius Beetle | G3G5 | S1 | N | N |
| <i>Ataenius peregrinator</i> | An Ataenius Beetle | G5 | SH | N | N |
| <i>Ataenius scabrelloides</i> | An Ataenius Beetle | G5 | S1? | N | N |
| <i>Ataenius scabrellus</i> | An Ataenius Beetle | G5 | S1? | N | N |
| <i>Ataenius wenzelii</i> | An Ataenius Beetle | G3G5 | S2S3 | N | N |
| <i>Bolbocerosoma hamatum</i> | Bicolored Burrowing Scarab Beetle | G3G4 | S3 | N | N |
| <i>Branchus floridanus</i> | South Florida Beach Darkling Beetle | G1G2 | S1S2 | N | N |
| <i>Ceratocanthus aeneus</i> | Shining Ball Scarab Beetle | G2G3 | S2 | N | N |
| <i>Chelyoxenus xerobatis</i> | Gopher Tortoise Hister Beetle | G2G3 | S2 | N | N |
| <i>Cicindela blanda</i> | Sandbar Tiger Beetle | G3G4 | S2S3 | N | N |
| <i>Cicindela dorsalis media</i> | White Tiger Beetle | G3G4T3T4 | S1S2 | N | N |
| <i>Cicindela highlandensis</i> | Highlands Tiger Beetle | G2G3 | S2S3 | N | N |
| <i>Cicindela hirticollis</i> | Hairy-necked Tiger Beetle | G5 | S1 | N | N |
| <i>Cicindela nigror</i> | Autumn Tiger Beetle | G2G3 | S1S2 | N | N |
| <i>Cicindela olivacea</i> | Olive Tiger Beetle | G3 | S1 | N | N |
| <i>Cicindela rufiventris rufiventris</i> | Eastern Red-bellied Tiger Beetle | G5T5 | S1 | N | N |
| <i>Cicindela scabrosa</i> | Scrub Tiger Beetle | G3 | S3 | N | N |
| <i>Cicindela severa</i> | Saltmarsh Tiger Beetle | G4 | S2S3 | N | N |
| <i>Cicindela striga</i> | Elusive Tiger Beetle | G3G4 | S2S3 | N | N |
| <i>Cicindela togata togata</i> | White-cloaked Tiger Beetle | G5T5 | S1 | N | N |
| <i>Cicindela waplery</i> | White-sand Tiger Beetle | G3G4 | S2 | N | N |
| <i>Cicindelidia floridana</i> | Miami Tiger Beetle | G1 | S1 | E | FE |
| <i>Coccinella novemnotata</i> | Nine-spotted Lady Beetle | G5 | SH | N | N |
| <i>Colaspis thomasi</i> | Scrub Oak Colaspis | G1 | S1 | N | N |
| <i>Copris gopheri</i> | Gopher Tortoise Copris Beetle | G2 | S2 | N | N |
| <i>Copris howdeni</i> | Howden's Copris Beetle | G3? | S1S2 | N | N |
| <i>Cotinis aliena</i> | Keys Green June Beetle | G1 | S1 | N | N |
| <i>Cremastocheilus squamulosus</i> | Scaly Anteater Scarab Beetle | G2G3 | S1S2 | N | N |
| <i>Cyclocephala miamiensis</i> | Miami Chafer Beetle | G2 | S2 | N | N |
| <i>Desmopachria cenchramis</i> | Fig Seed Diving Beetle | G2? | S1S2 | N | N |
| <i>Diplotaxis rufa</i> | Red Diplotaxis Beetle | G2G3 | S2S3 | N | N |
| <i>Eburia stroheckeri</i> | Strohecker's Ivory-Spotted Long-Horned Beetle | G1G2 | S1S2 | N | N |
| <i>Enaphalodes archboldi</i> | Archbold Scrub Oak Long-horned Beetle | G1G2 | S1S2 | N | N |
| <i>Eucanthus alutaceus</i> | Mat Red Globe Scarab Beetle | G2G3 | S1S2 | N | N |
| <i>Euphoria discicollis</i> | Pocket Gopher Flower Beetle | G2 | S1S2 | N | N |
| <i>Geomysaprinus floridae</i> | Equal-clawed Gopher Tortoise Hister Beetle | G2 | S2 | N | N |
| <i>Geopsammodius fuscus</i> | Dark Tiny Sand-loving Scarab | G1 | S1 | N | N |
| <i>Geopsammodius hydropticus</i> | Atlantic Dune Tiny Sand-loving Scarab | G2G3 | S1S2 | N | N |
| <i>Geopsammodius morrissi</i> | Morris' Tiny Sand-loving Scarab | G1 | S1 | N | N |
| <i>Geopsammodius relictillus</i> | Relictual Tiny Sand-loving Scarab | G2G3 | S2S3 | N | N |
| <i>Geopsammodius subpedalis</i> | Underfoot Tiny Sand-loving Scarab | G2G3 | S2 | N | N |
| <i>Geopsammodius withlacoochee</i> | Withlacoochee Tiny Sand-loving Scarab | G1 | S1 | N | N |
| <i>Gronocarus autumnalis</i> | Lobed Spiny Burrowing Beetle | G2G3 | S2 | N | N |
| <i>Gronocarus inornatus</i> | Lobeless Spiny Burrowing Beetle | G1G2 | S1S2 | N | N |
| <i>Haroldiataenius saramari</i> | Sand Pine Scrub Ataenius Beetle | G3G4 | S3S4 | N | N |
| <i>Heterachthes sablensis</i> | Mangrove Long-Horned Beetle | G4G5 | S1 | N | N |
| <i>Hypotrachia spissipes</i> | Florida Hypotrachia Scarab Beetle | G3G4 | S3S4 | N | N |
| <i>Ischyrys dunedinensis</i> | Three Spotted Pleasing Fungus Beetle | G2G3 | S2S3 | N | N |
| <i>Leiopsammodius deyrupe</i> | Scrub Little Mole Scarab | G1G2 | S1S2 | N | N |
| <i>Linsleyonides albomaculatus</i> | Tropical White-Spotted Long-Horned Beetle | G2G4 | S1 | N | N |
| <i>Liopinus sp. 1</i> | Scrub Hickory Longhorn Beetle | G1 | S1 | N | N |

| SCIENTIFIC NAME | COMMON NAME | FNAI GLOBAL RANK | FNAI STATE RANK | FEDERAL STATUS | STATE STATUS |
|--|---|------------------------|-----------------------|-------------------|-----------------|
| Beetles | | | | | |
| <i>Micronaspis floridana</i> | Florida Intertidal Firefly | G1G2 | S1S2 | N | N |
| <i>Mycotrupes cartwrighti</i> | Cartwright's Mycotrupes Beetle | G3 | S2 | N | N |
| <i>Mycotrupes gaigei</i> | North Peninsular Mycotrupes Beetle | G2G3 | S2S3 | N | N |
| <i>Mycotrupes pedester</i> | Southwest Florida Mycotrupes Beetle | G1G2 | S1S2 | N | N |
| <i>Mycterus marmoratus</i> | Marbled Mycterus Beetle | G1 | S1 | N | N |
| <i>Odontotaenius floridanus</i> | Archbold Bess Beetle | G1G2 | S1S2 | N | N |
| <i>Onthophagus aciculatulus</i> | Sandyland Onthophagus Beetle | G2 | S2 | N | N |
| <i>Onthophagus polyphemi polyphemi</i> | Punctate Gopher Tortoise Onthophagus Beetle | G2G3T2T3 | S2 | N | N |
| <i>Onthophagus polyphemi sparsisetosus</i> | Smooth Gopher Tortoise Onthophagus Beetle | G2G3T2 | S1S2 | N | N |
| <i>Onychomira floridensis</i> | A Comb-Clawed Beetle | G1 | S1 | N | N |
| <i>Peltotrupes profundus</i> | Florida Deepdigger Scarab Beetle | G3 | S3 | N | N |
| <i>Peltotrupes youngi</i> | Ocala Deepdigger Scarab Beetle | G2 | S2 | N | N |
| <i>Phanaeus triangularis</i> | Floodplain Phanaeus Scarab Beetle | G5 | S1S2 | N | N |
| <i>Philonthus gopheri</i> | Gopher Tortoise Rove Beetle | G1G2 | S1S2 | N | N |
| <i>Philonthus testudo</i> | Western Gopher Tortoise Rove Beetle | G2 | S1 | N | N |
| <i>Photuris floridana</i> | Everglades Brownwing Firefly | GH | SH | N | N |
| <i>Phyllophaga clemens</i> | Clemens' June Beetle | G2 | S1 | N | N |
| <i>Phyllophaga elizoria</i> | Elizoria June Beetle | G2 | S2 | N | N |
| <i>Phyllophaga elongata</i> | Elongate June Beetle | G3 | S3 | N | N |
| <i>Phyllophaga okeechobeae</i> | Diurnal Scrub June Beetle | G2 | S2 | N | N |
| <i>Phyllophaga ovalis</i> | Oval June Beetle | G1G2 | S1S2 | N | N |
| <i>Phyllophaga panorpa</i> | Southern Lake Wales Ridge June Beetle | G1 | S1 | N | N |
| <i>Phyllophaga skelleyi</i> | Skelley's June Beetle | G2 | S2 | N | N |
| <i>Phyllophaga yemasseei</i> | Yemassee June Beetle | G1G2 | S1 | N | N |
| <i>Phyllophaga youngi</i> | Young's June Beetle | G2G4 | S1? | N | N |
| <i>Pleotomodes needhami</i> | Ant-loving Scrub Firefly | G1G2 | S1S2 | N | N |
| <i>Plesioclytus relictus</i> | Florida Relictual Long-horned Beetle | G1 | S1 | N | N |
| <i>Polyphylla gracilis</i> | Slender Polyphyllan Scarab Beetle | G2G3 | S2 | N | N |
| <i>Polyphylla pubescens</i> | Eglin Uplands Scarab Beetle | G1G2 | S1S2 | N | N |
| <i>Polyphylla starkae</i> | Auburndale Scrub Scarab Beetle | G1 | S1 | N | N |
| <i>Polyphylla woodruffi</i> | Woodruff's Polyphyllan Scarab Beetle | G1 | S1 | N | N |
| <i>Ptomaphagus geomysi</i> | Elongate Pocket Gopher Ptomaphagus Beetle | G2G3 | S2 | N | N |
| <i>Ptomaphagus schwarzi</i> | Schwarz' Pocket Gopher Ptomaphagus Beetle | G3 | S3 | N | N |
| <i>Romulus globosus</i> | Round-Necked Romulus Long-Horned Beetle | G1G2 | S1S2 | N | N |
| <i>Rutela formosa</i> | Handsome Flower Scarab Beetle | G3G4 | S1S2 | N | N |
| <i>Selonodon archboldi</i> | Archbold Cebrioid Beetle | G1G2 | S1S2 | N | N |
| <i>Selonodon ferrugineus</i> | Rusty Cebrioid Beetle | G2 | S1S2 | N | N |
| <i>Selonodon floridensis</i> | Florida Cebrioid Beetle | G2G4 | S2S4 | N | N |
| <i>Selonodon mandibularis</i> | Large-Jawed Cebrioid Beetle | G2G4 | S2S4 | N | N |
| <i>Selonodon santarosae</i> | Santa Rosa Cebrioid Beetle | G1 | S1 | N | N |
| <i>Selonodon similis</i> | Similar Cebrioid Beetle | G1 | S1 | N | N |
| <i>Selonodon simplex</i> | Simple Cebrioid Beetle | G1 | S1 | N | N |
| <i>Serica delicata</i> | Delicate Silky June Beetle | G2 | S2 | N | N |
| <i>Serica frosti</i> | Frost's Silky June Beetle | G1G2 | S1S2 | N | N |
| <i>Serica pusilla</i> | Pygmy Silky June Beetle | G2G3 | S2S3 | N | N |
| <i>Serica rhypha</i> | Crooked Silky June Beetle | GU | SU | N | N |
| <i>Serica tantula</i> | Little Silky June Beetle | GH | SH | N | N |
| <i>Spanglerogyrus albiventris</i> | Red Hills Unique Whirligig Beetle | G1G3 | SH | N | N |
| <i>Stenodontes chevrolati</i> | Chevrolat's Tropical Long-Horned Beetle | G3G5 | S1S2 | N | N |
| <i>Stizocera floridana</i> | Florida Privet Long-Horned Beetle | G1 | S1 | N | N |
| <i>Tetracha floridana</i> | Florida Big-headed Tiger Beetle | G2G3 | S2S3 | N | N |
| <i>Trigonopeltastes floridana</i> | Scrub Palmetto Flower Scarab Beetle | G2G3 | S2S3 | N | N |

| SCIENTIFIC NAME | COMMON NAME | FNAI GLOBAL RANK | FNAI STATE RANK | FEDERAL STATUS | STATE STATUS |
|----------------------------------|---|------------------------|-----------------------|-------------------|-----------------|
| Beetles | | | | | |
| <i>Triplax alachuae</i> | Alachua Pleasing Fungus Beetle | G2G4 | S2S4 | N | N |
| <i>Triplax frontalis</i> | Black-Headed Pleasing Fungus Beetle | G4G5 | S1S2 | N | N |
| <i>Tritoma sanguinipennis</i> | Red-Winged Pleasing Fungus Beetle | G4G5 | S1S2 | N | N |
| <i>Trox howelli</i> | Caracara Commensal Scarab Beetle | GU | S1 | N | N |
| <i>Typocerus fulvocinctus</i> | Yellow-banded Typocerus Long-horned Beetle | G2G3 | S2S3 | N | N |
| Scorpionflies | | | | | |
| <i>Merope tuber</i> | Earwig Scorpionfly | G3G5 | S1 | N | N |
| <i>Panorpa floridana</i> | Florida Scorpionfly | G1 | S1 | N | N |
| <i>Panorpa rufa</i> | Red Scorpionfly | G2G3 | S2 | N | N |
| Caddisflies | | | | | |
| <i>Agarodes libalis</i> | Spring-loving Psiloneuran Caddisfly | G3 | S3 | N | N |
| <i>Agarodes logani</i> | Logan's Agarodes Caddisfly | G1 | S1 | N | N |
| <i>Agarodes ziczac</i> | Zigzag Blackwater River Caddisfly | G2 | S2 | N | N |
| <i>Agrypnia vestita</i> | Unbanded Agrypnia Caddisfly | G5 | S2 | N | N |
| <i>Ceraclea floridana</i> | Florida Ceraclea Caddisfly | GHQ | SH | N | N |
| <i>Ceraclea limnetes</i> | Sandhill Lake Caddisfly | G2 | S2 | N | N |
| <i>Cernotina truncona</i> | Florida Cernotina Caddisfly | G4 | S3 | N | N |
| <i>Cheumatopsyche gordonae</i> | Gordon's Little Sister Sedge Caddisfly | G1G2 | S1S2 | N | N |
| <i>Cheumatopsyche petersi</i> | Peters' Cheumatopsyche Caddisfly | G3 | S2 | N | N |
| <i>Chimarra falculata</i> | Little Sickie Chimarra Caddisfly | G3G4 | S1 | N | N |
| <i>Chimarra florida</i> | Floridian Finger-net Caddisfly | G4 | S3S4 | N | N |
| <i>Heteroplectron americanum</i> | A Caddisfly | G5 | S2 | N | N |
| <i>Hydroptila alabama</i> | A Caddisfly | G4 | S2 | N | N |
| <i>Hydroptila apalachicola</i> | Apalachicola Hydroptila Caddisfly | G1 | S1 | N | N |
| <i>Hydroptila berneri</i> | Berner's Microcaddisfly | G4G5 | S3 | N | N |
| <i>Hydroptila bribriae</i> | Kriebel's Hydroptila Caddisfly | G1 | S1 | N | N |
| <i>Hydroptila eglinensis</i> | Saberlike Hydroptila Caddisfly | G1 | S1 | N | N |
| <i>Hydroptila hamiltoni</i> | Hamilton's Hydroptila Caddisfly | G1 | S1 | N | N |
| <i>Hydroptila molsonae</i> | Molson's Microcaddisfly | G2 | S2 | N | N |
| <i>Hydroptila okaloosa</i> | Rogue Creek Hydroptila Caddisfly | G1 | S1 | N | N |
| <i>Hydroptila sarahae</i> | Sarah's Hydroptila Caddisfly | G1G2 | S1S2 | N | N |
| <i>Hydroptila sykora</i> | Sykora's Hydroptila Caddisfly | G1 | S1 | N | N |
| <i>Hydroptila wakulla</i> | Wakulla Springs Vari-colored Microcaddisfly | G2 | S2 | N | N |
| <i>Lepidostoma morsei</i> | Morse's Little Plain Brown Sedge | G2G3 | S1 | N | N |
| <i>Nectopsyche tavana</i> | Tavares White Miller Caddisfly | G3 | S3 | N | N |
| <i>Neotrichia rasmusseni</i> | Rasmussen's Neotrichia Caddisfly | G1 | S1 | N | N |
| <i>Nyctiophylax morsei</i> | Morse's Dinky Light Summer Sedge | G2 | S2 | N | N |
| <i>Ochrotrichia apalachicola</i> | Apalachicola Ochrotrichian Caddisfly | GH | SH | N | N |
| <i>Ochrotrichia okaloosa</i> | Okaloosa Somber Microcaddisfly | GH | SH | N | N |
| <i>Ochrotrichia provosti</i> | Provost's Somber Caddisfly | GH | SH | N | N |
| <i>Oecetis daytona</i> | Daytona Long-horned Caddisfly | G3 | S2S3 | N | N |
| <i>Oecetis morsei</i> | Morse's Long-horn Sedge | G3 | SH | N | N |
| <i>Oecetis parva</i> | Little Oecetis Longhorned Caddisfly | G2 | S2 | N | N |
| <i>Oecetis porteri</i> | Porter's Long-horn Caddisfly | G3G4 | S2S3 | N | N |
| <i>Oecetis pratelia</i> | Little Meadow Long-horned Caddisfly | GHQ | SH | N | N |
| <i>Orthotrichia curta</i> | Short Orthotrichian Microcaddisfly | G4 | S2S3 | N | N |
| <i>Orthotrichia dentata</i> | Dentate Orthotrichian Microcaddisfly | G2G3 | S2 | N | N |
| <i>Oxyethira chrysocara</i> | Gold Head Branch Caddisfly | G1 | S1 | N | N |
| <i>Oxyethira elerobi</i> | Elerob's Microcaddisfly | G3G4 | S2S3 | N | N |
| <i>Oxyethira florida</i> | Florida Cream and Brown Microcaddisfly | G2 | S2 | N | N |

| SCIENTIFIC NAME | COMMON NAME | FNAI GLOBAL RANK | FNAI STATE RANK | FEDERAL STATUS | STATE STATUS |
|--|--|------------------------|-----------------------|-------------------|-----------------|
| Caddisflies | | | | | |
| <i>Oxyethira kelleyi</i> | Kelly's Cream and Brown Mottled Microcaddisfly | G1 | S1 | N | N |
| <i>Oxyethira kingi</i> | King's Cream and Brown Mottled Microcaddisfly | GH | SH | N | N |
| <i>Oxyethira novasota</i> | Novasota Oxyethiran Microcaddisfly | G4G5 | S2 | N | N |
| <i>Oxyethira pescadori</i> | Pescador's Bottle-Cased Caddisfly | G3G4 | S3 | N | N |
| <i>Oxyethira setosa</i> | Setose Cream and Brown Mottled Microcaddisfly | G2G3 | S2 | N | N |
| <i>Polycentropus floridensis</i> | Florida Brown Checkered Summer Sedge | G2 | S2 | N | N |
| <i>Psilotreta frontalis</i> | A Caddisfly | G5 | S1S2 | N | N |
| <i>Setodes chipolanus</i> | Chipola River Caddisfly | G1G2 | S1S2 | N | N |
| <i>Trienodes florida</i> | Floridian Trienode Caddisfly | G3 | S2 | N | N |
| <i>Trienodes furcellus</i> | Little-fork Trienode Caddisfly | G3 | S3 | N | N |
| Butterflies and Moths | | | | | |
| <i>Achalarus lyciades</i> | Hoary Edge | G5 | S2 | N | N |
| <i>Acrolophus pholeter</i> | Gopher Tortoise Acrolophus Moth | G1 | S1 | N | N |
| <i>Amblyscirtes aesculapius</i> | Lace-winged Roadside Skipper | G3G4 | S3S4 | N | N |
| <i>Amblyscirtes alternata</i> | Dusky Roadside-Skipper | G2G3 | S2 | N | N |
| <i>Amblyscirtes hegon</i> | Pepper and Salt Skipper | G5 | S1 | N | N |
| <i>Amblyscirtes reversa</i> | Reversed Roadside-Skipper | G3G4 | S1 | N | N |
| <i>Amblyscirtes vialis</i> | Common Roadside-Skipper | G5 | S1 | N | N |
| <i>Anaea troglodyta floralis</i> | Florida Leafwing | G4?T1 | S1 | E | FE |
| <i>Anthanassa frisia</i> | Cuban Crescent | G5 | S3 | N | N |
| <i>Anthanassa texana seminole</i> | Seminole Crescent | G5T3T4 | S2S3 | N | N |
| <i>Anthocharis midea</i> | Falcate Orangetip | G5? | SH | N | N |
| <i>Aphrissa neleis</i> | Pink-spot Sulphur | GU | S2 | N | N |
| <i>Aphrissa statira</i> | Statira | G5 | S2S3 | N | N |
| <i>Appias drusilla</i> | Florida White | G4G5 | S1 | N | N |
| <i>Atrytone arogos arogos</i> | Arogos Skipper | G2G3T1T2 | S2 | N | N |
| <i>Atrytonopsis loammi</i> | Loammi Skipper | G2 | S2? | N | N |
| <i>Autochton cellus</i> | Golden-banded Skipper | G4 | S1 | N | N |
| <i>Callophrys augustinus</i> | Brown Elfin | G5 | S2 | N | N |
| <i>Callophrys gryneus sweadneri</i> | Florida Olive Hairstreak | G5T2 | S2 | N | N |
| <i>Callophrys hesseli</i> | Hessel's Hairstreak | G3 | S2 | N | N |
| <i>Callophrys irus</i> | Frosted Elfin | G2G3 | S2 | N | N |
| <i>Callophrys niphon</i> | Eastern Pine Elfin | G5 | S2 | N | N |
| <i>Catocala grisatra</i> | Grisatra Underwing Moth | G2 | S2 | N | N |
| <i>Celastrina ladon</i> | Spring Azure | G4G5 | S2? | N | N |
| <i>Ceratophaga vicinella</i> | Gopher Tortoise Shell Moth | G1G3 | S1S2 | N | N |
| <i>Chlorostrymon maesites</i> | Amethyst Hairstreak | G4 | S1S2 | N | N |
| <i>Chlorostrymon simaethis</i> | Silver-banded Hairstreak | G5 | S3 | N | N |
| <i>Chlosyne nycteis</i> | Silvery Checkerspot | G5 | S1 | N | N |
| <i>Cupido comyntas</i> | Eastern Tailed Blue | G5 | S2 | N | N |
| <i>Cyclargus ammon</i> | Nickerbean Blue | G4G5 | S1 | SAT | FT(S/A) |
| <i>Cyclargus thomasi bethunebakeri</i> | Miami Blue | G4T1 | S1 | E | FE |
| <i>Enodia creola</i> | Creole Pearly Eye | G4 | S1 | N | N |
| <i>Enodia portlandia floralae</i> | Florida Pearly Eye | G4TU | SU | N | N |
| <i>Epargyreus zestos</i> | Zestos Skipper | GU | SX | N | N |
| <i>Ephyriades brunnea floridensis</i> | Florida Duskywing | G4T2 | S2 | N | N |
| <i>Erynnis baptisiae</i> | Wild Indigo Duskywing | G5 | S2S3 | N | N |
| <i>Erynnis martialis</i> | Mottled Duskywing | G3 | SH | N | N |
| <i>Eumaeus atala</i> | Atala | G4 | S2 | N | N |
| <i>Eunica monima</i> | Dingy Purplewing | G5 | S1 | N | N |
| <i>Eunica tatila tatillista</i> | Florida Purplewing | G5T4T5 | S1S2 | N | N |

| SCIENTIFIC NAME | COMMON NAME | FNAI GLOBAL RANK | FNAI STATE RANK | FEDERAL STATUS | STATE STATUS |
|--------------------------------------|----------------------------------|------------------------|-----------------------|-------------------|-----------------|
| Butterflies and Moths | | | | | |
| <i>Euphyes berryi</i> | Berry's Skipper | G2 | S2 | N | N |
| <i>Euphyes dion</i> | Dion Skipper | G5 | S2S3 | N | N |
| <i>Euphyes dukesi calhouni</i> | Calhoun's Skipper | G3G4T1 | S1 | N | N |
| <i>Euphyes pilatka klotsi</i> | Klots' Skipper | G3T2 | S2 | N | N |
| <i>Hesperia attalus slossonae</i> | Seminole Skipper | G3G4T3 | S3 | N | N |
| <i>Hesperia meskei pinocayo</i> | Rockland Grass Skipper | G3G4TX | SX | N | N |
| <i>Hesperia meskei straton</i> | Eastern Meske's Skipper | G3G4T3 | S2S3 | N | N |
| <i>Idia gopheri</i> | Gopher Tortoise Noctuid Moth | G2G3 | S2S3 | N | N |
| <i>Junonia neildi</i> | Tropical Buckeye | G5 | S1 | N | N |
| <i>Kricogonia lyside</i> | Lyside Sulphur | G5 | S2S3 | N | N |
| <i>Megathymus cofaqui cofaqui</i> | Cofaqui Giant-Skipper | G3G4T3 | S2S4 | N | N |
| <i>Ministrymon azia</i> | Gray Ministreak | G5 | S2S3 | N | N |
| <i>Nastra neamathla</i> | Neamathla Skipper | G4 | S2S3 | N | N |
| <i>Neonympha helicta dadeensis</i> | Helicta Satyr | G3G4T1T3Q | S1S3 | N | N |
| <i>Nymphalis antiopa</i> | Mourning Cloak | G5 | S2 | N | N |
| <i>Papilio andraemon bonhotei</i> | Bahamian Swallowtail | G4G5T3 | S1 | DL | N |
| <i>Papilio aristodemus ponceanus</i> | Schaus' Swallowtail | G3G4T1 | S1 | E | FE |
| <i>Pholisora catullus</i> | Common Sootywing | G5 | SH | N | N |
| <i>Poanes viator zizaniae</i> | Broad-winged Skipper | G5T5 | S2 | N | N |
| <i>Poanes yehl</i> | Yehl Skipper | G4 | S2S3 | N | N |
| <i>Polites origenes</i> | Crossline Skipper | G5? | S3 | N | N |
| <i>Proserpinus gaurae</i> | Proud Sphinx Moth | GU | SU | N | N |
| <i>Pseudocharis minima</i> | Lesser Wasp Moth | G3 | S2S3 | N | N |
| <i>Pyreferra ceromatica</i> | Anointed Sallow Moth | GU | SU | N | N |
| <i>Pyrisitia dina</i> | Dina Yellow | G5 | S1 | N | N |
| <i>Pyrisitia nise</i> | Mimosa Yellow | G5 | S1 | N | N |
| <i>Satyrium kingi</i> | King's Hairstreak | G3G4 | S2 | N | N |
| <i>Satyrium liparops floridensis</i> | Sparkleberry Hairstreak | G5T1T2 | S1S2 | N | N |
| <i>Satyrium titus</i> | Coral Hairstreak | G5 | S1 | N | N |
| <i>Satyrodes appalachia</i> | Appalachian Brown | G4 | S2S3 | N | N |
| <i>Siproeta stelenes</i> | Malachite | G5 | S2 | N | N |
| <i>Staphylus hayhurstii</i> | Scalloped Sooty Wing | G5 | S2 | N | N |
| <i>Strymon acis bartrami</i> | Bartram's Scrub-Hairstreak | G4?T1 | S1 | E | FE |
| <i>Strymon martialis</i> | Martial Scrub-Hairstreak | G3G4 | S2S3 | N | N |
| <i>Zale perculata</i> | Okefenokee Zale Moth | G2? | S2 | N | N |
| Flies | | | | | |
| <i>Asaphomyia floridensis</i> | Florida Asaphomyian Tabanid Fly | G1 | S1 | N | N |
| <i>Drapetis sp. 1</i> | Gopher Tortoise Burrow Dance Fly | G1G2 | S1S2 | N | N |
| <i>Eurosta lateralis</i> | A fruit fly | G1 | S1 | N | N |
| <i>Eutrichota gopheri</i> | Gopher Tortoise Burrow Fly | G2G3 | S2S3 | N | N |
| <i>Machimus polyphemi</i> | Gopher Tortoise Robber Fly | G2 | S1S2 | N | N |
| <i>Merycomyia microcera</i> | Brown Merycomyian Tabanid Fly | G1G3 | S1S3 | N | N |
| <i>Mixogaster delongi</i> | Delong's Mixogaster Flower Fly | G2 | S2 | N | N |
| <i>Nemopalpus nearcticus</i> | Sugarfoot Moth Fly | G2 | S2 | N | N |
| <i>Pieza rhea</i> | Scrub Pygmy Bee Fly | G1G2 | S1S2 | N | N |
| Ants, Bees, and Wasps | | | | | |
| <i>Ashmeadiella floridana</i> | Southeastern Ashmeadiella Bee | G2G4 | S2S3 | N | N |
| <i>Bombus fraternus</i> | Southern Plains Bumble Bee | G2G4 | S3 | N | N |
| <i>Bombus variabilis</i> | Variable Cuckoo Bumble Bee | G1G2 | S1S2 | N | N |
| <i>Caupolicana electa</i> | A Plasterer Bee | G2 | S1S2 | N | N |

| SCIENTIFIC NAME | COMMON NAME | FNAI GLOBAL RANK | FNAI STATE RANK | FEDERAL STATUS | STATE STATUS |
|--|---|------------------------|-----------------------|-------------------|-----------------|
| Ants, Bees, and Wasps | | | | | |
| <i>Caupolicana floridana</i> | Giant Scrub Plasterer Bee | G1 | S1 | N | N |
| <i>Centris errans</i> | Florida Locust-berry Oil-collecting Bee | G3 | S2 | N | N |
| <i>Colletes francesae</i> | Tough Buckthorn Bee | G1G2 | S1S2 | N | N |
| <i>Colletes longifacies</i> | A Cellophane Bee | G1G2 | S1S2 | N | N |
| <i>Colletes titusensis</i> | A Cellophane Bee | G2G3 | S2S3 | N | N |
| <i>Colletes ultravalidus</i> | Sandhill Cellophane Bee | G2G3 | S2? | N | N |
| <i>Dasymutilla archboldi</i> | Lake Wales Ridge Velvet Ant | G2G3 | S2S3 | N | N |
| <i>Dorymyrmex flavopectus</i> | Bi-colored Scrub Cone Ant | G2 | S2 | N | N |
| <i>Hesperapis oraria</i> | Gulf Coast Solitary Bee | G1G2 | S1S2 | N | N |
| <i>Hylaeus formosus</i> | A Yellow-masked Bee | G2G4 | S1S2 | N | N |
| <i>Hylaeus volusiensis</i> | A Yellow-masked Bee | G1G2 | S1S2 | N | N |
| <i>Lasioglossum flaveriae</i> | A Sweat Bee | G1G2 | S2 | N | N |
| <i>Lasioglossum surianae</i> | Florida Keys Sweat Bee | G2 | S2 | N | N |
| <i>Lomachaeta hicksi</i> | A Velvet Ant | GNR | S2S3 | N | N |
| <i>Melissodes manipularis</i> | A Long-horned Bee | G2G3 | S2 | N | N |
| <i>Osmia calaminthae</i> | Blue Calamintha Bee | G1 | S1 | N | N |
| <i>Perdita blatchleyi</i> | Blatchley's Perdita bee | G2 | S2 | N | N |
| <i>Perdita graenicheri</i> | A Mining Bee | G1 | S1 | N | N |
| <i>Photomorphus archboldi</i> | Nocturnal Scrub Velvet Ant | G2 | S2 | N | N |
| <i>Stelis ater</i> | Southwest Florida Stelis Bee | G2 | S2 | N | N |
| <i>Triepeolus monardae</i> | Large Monarda Cuckoo Bee | G1 | S1 | N | N |
| <i>Triepeolus rugosus</i> | Punctate Central Florida Cuckoo Bee | G1 | SH | N | N |
| Fishes | | | | | |
| <i>Acantharchus pomotis</i> | Mud Sunfish | G4G5 | S3 | N | N |
| <i>Acipenser brevirostrum</i> | Shortnose Sturgeon | G3 | S1 | E | FE |
| <i>Acipenser oxyrinchus desotoi</i> | Gulf Sturgeon | G3T2T3 | S2? | T | FT |
| <i>Acipenser oxyrinchus oxyrinchus</i> | Atlantic Sturgeon | G3T3 | S1 | E | FE |
| <i>Alosa alabamae</i> | Alabama Shad | G2G3 | S2 | N | N |
| <i>Ameiurus brunneus</i> | Snail Bullhead | G4 | S4? | N | N |
| <i>Ameiurus serracanthus</i> | Spotted Bullhead | G3 | S3 | N | N |
| <i>Atractosteus spatula</i> | Alligator Gar | G3G4 | S3 | N | N |
| <i>Awaous banana</i> | River Goby | G5 | S1S2 | N | N |
| <i>Bairdiella sanctaeluciaie</i> | Striped Croaker | G5 | S2 | N | N |
| <i>Crystallaria asprella</i> | Crystal Darter | G3 | S1 | N | ST |
| <i>Ctenogobius pseudofasciatus</i> | Slashcheek Goby | G3G5 | S1 | N | N |
| <i>Ctenogobius stigmaturus</i> | Spottail Goby | G2 | S2 | N | N |
| <i>Cyprinella callitaenia</i> | Bluestripe Shiner | G2G3 | S2 | N | N |
| <i>Cyprinella leedsi</i> | Bannerfin Shiner | G4 | S3 | N | N |
| <i>Cyprinodon variegatus hubbsi</i> | Lake Eustis Pupfish | G5T2Q | S2 | N | N |
| <i>Enneacanthus chaetodon</i> | Blackbanded Sunfish | G3G4 | S1S3 | N | N |
| <i>Etheostoma histrio</i> | Harlequin Darter | G5 | S1 | N | N |
| <i>Etheostoma okaloosae</i> | Okaloosa Darter | G2G3 | S2S3 | T, PDL | FT |
| <i>Etheostoma olmstedii</i> | Tessellated Darter | G5 | S1 | N | ST |
| <i>Etheostoma parvipinne</i> | Goldstripe Darter | G4G5 | S2 | N | N |
| <i>Etheostoma proeliare</i> | Cypress Darter | G5 | S2 | N | N |
| <i>Fundulus blairae</i> | Lowland Topminnow | G4 | S1S2 | N | N |
| <i>Fundulus jenkinsi</i> | Saltmarsh Topminnow | G3 | S2 | N | ST |
| <i>Gambusia rhizophorae</i> | Mangrove Gambusia | G3 | S3 | N | N |
| <i>Gobiomorus dormitor</i> | Bigmouth Sleeper | G4 | S2 | N | N |
| <i>Hybognathus hayi</i> | Cypress Minnow | G4G5 | S1S2 | N | N |
| <i>Luxilus zonistius</i> | Bandfin Shiner | G4 | S1S2 | N | N |

| SCIENTIFIC NAME | COMMON NAME | FNAI GLOBAL RANK | FNAI STATE RANK | FEDERAL STATUS | STATE STATUS |
|---|--------------------------------------|------------------------|-----------------------|-------------------|-----------------|
| Fishes | | | | | |
| <i>Lythrurus atrapiculus</i> | Blacktip Shiner | G4 | S2 | N | N |
| <i>Macrhybopsis pallida</i> | Florida Chub | G3 | S2 | N | N |
| <i>Menidia conchorum</i> | Key Silverside | G1Q | S1 | SC | ST |
| <i>Microphis brachyurus</i> | Opossum Pipefish | G4G5 | S2 | SC | N |
| <i>Micropterus cataractae</i> | Shoal Bass | G3 | S1 | N | N |
| <i>Micropterus notius</i> | Suwannee Bass | G3 | S3 | N | N |
| <i>Moxostoma carinatum</i> | River Redhorse | G4 | S1S2 | N | N |
| <i>Moxostoma sp. 1</i> | Apalachicola Redhorse | G3 | S2 | N | N |
| <i>Notropis melanostomus</i> | Blackmouth Shiner | G2 | S1 | N | ST |
| <i>Percina austroperca</i> | Southern Logperch | G3 | S2 | N | N |
| <i>Percina vigil</i> | Saddleback Darter | G5 | S1 | N | N |
| <i>Pristis pectinata</i> | Smalltooth Sawfish | G1G3 | S1S2 | E | FE |
| <i>Pteronotropsis welaka</i> | Bluenose Shiner | G3G4 | S3S4 | N | ST |
| <i>Rivulus marmoratus</i> | Mangrove Rivulus | G4G5 | S3 | SC | N |
| <i>Starksia starcki</i> | Key Blenny | G1G3 | S1 | N | N |
| <i>Umbra pygmaea</i> | Eastern Mudminnow | G5 | S3 | N | N |
| Amphibians | | | | | |
| <i>Ambystoma bishopi</i> | Reticulated Flatwoods Salamander | G2 | S1 | E | FE |
| <i>Ambystoma cingulatum</i> | Frosted Flatwoods Salamander | G2 | S1 | T | FT |
| <i>Ambystoma tigrinum</i> | Eastern Tiger Salamander | G5 | S3 | N | N |
| <i>Amphiuma pholeter</i> | One-toed Amphiuma | G3 | S3 | N | N |
| <i>Desmognathus apalachicola</i> | Apalachicola Dusky Salamander | G4 | S2S3 | N | N |
| <i>Desmognathus auriculatus</i> | Holbrook's Southern Dusky Salamander | G3 | S1 | N | N |
| <i>Desmognathus monticola</i> | Seal Salamander | G5 | SH | N | N |
| <i>Desmognathus sp. 1</i> | Eglin Ravine Dusky Salamander | G2G3Q | S2 | N | N |
| <i>Eurycea hillisi</i> | Hillis's Dwarf Salamander | G3 | S1S2 | N | N |
| <i>Eurycea sphagnicola</i> | Bog Dwarf Salamander | G1G2 | S1S2 | N | N |
| <i>Eurycea wallacei</i> | Georgia Blind Salamander | G2 | S2 | N | ST |
| <i>Hemidactylium scutatum</i> | Four-toed Salamander | G5 | S2 | N | N |
| <i>Hyla andersonii</i> | Pine Barrens Treefrog | G4 | S3 | DL | N |
| <i>Lithobates capito</i> | Gopher Frog | G2G3 | S3 | N | N |
| <i>Lithobates okaloosae</i> | Florida Bog Frog | G2 | S2 | N | ST |
| <i>Lithobates virgatipes</i> | Carpenter Frog | G4 | S1 | N | N |
| <i>Necturus moleri</i> | Apalachicola Waterdog | GNR | S2S3 | N | N |
| <i>Necturus mounti</i> | Escambia Waterdog | GNR | S2 | N | N |
| <i>Notophthalmus perstriatus</i> | Striped Newt | G2G3 | S2 | N | C |
| <i>Pseudobranchius striatus lustricolus</i> | Gulf Hammock Dwarf Siren | G5T1Q | S1 | N | N |
| <i>Stereochilus marginatus</i> | Many-lined Salamander | G5 | S1 | N | N |
| Reptiles | | | | | |
| <i>Agkistrodon contortrix</i> | Eastern Copperhead | G5 | S2 | N | N |
| <i>Alligator mississippiensis</i> | American Alligator | G5 | S4 | SAT | FT(S/A) |
| <i>Apalone mutica</i> | Smooth Softshell | G5 | S1 | N | N |
| <i>Apalone spinifera</i> | Spiny Softshell | G5 | S3 | N | N |
| <i>Caretta caretta</i> | Loggerhead Sea Turtle | G3 | S3 | T | FT |
| <i>Chelonia mydas</i> | Green Sea Turtle | G3 | S2S3 | T | FT |
| <i>Clemmys guttata</i> | Spotted Turtle | G5 | S2S3 | N | N |
| <i>Crocodylus acutus</i> | American Crocodile | G2 | S2 | T | FT |
| <i>Crotalus adamanteus</i> | Eastern Diamondback Rattlesnake | G3 | S3 | N | N |
| <i>Crotalus horridus</i> | Timber Rattlesnake | G4 | S3 | N | N |
| <i>Dermodochelys coriacea</i> | Leatherback Sea Turtle | G2 | S2 | E | FE |

| SCIENTIFIC NAME | COMMON NAME | FNAI GLOBAL RANK | FNAI STATE RANK | FEDERAL STATUS | STATE STATUS |
|--|--|------------------------|-----------------------|-------------------|-----------------|
| Reptiles | | | | | |
| <i>Diadophis punctatus acricus</i> | Key Ringneck Snake | G5T1 | S1 | N | ST |
| <i>Drymarchon couperi</i> | Eastern Indigo Snake | G3 | S2? | T | FT |
| <i>Eretmochelys imbricata</i> | Hawksbill Sea Turtle | G3 | S1 | E | FE |
| <i>Farancia erythrogramma seminola</i> | South Florida Rainbow Snake | G4TH | SH | N | N |
| <i>Gopherus polyphemus</i> | Gopher Tortoise | G3 | S3 | N | ST |
| <i>Graptemys barbouri</i> | Barbour's Map Turtle | G2 | S2 | N | ST |
| <i>Graptemys ernsti</i> | Escambia Map Turtle | G2 | S2 | N | N |
| <i>Heterodon simus</i> | Southern Hognose Snake | G2 | S2S3 | N | N |
| <i>Kinosternon baurii pop. 1</i> | Striped Mud Turtle, Lower Keys Population | G4G5T1Q | S1 | N | N |
| <i>Lampropeltis extenuata</i> | Short-tailed Snake | G3 | S3 | N | ST |
| <i>Lampropeltis floridana</i> | Florida Kingsnake | G2 | S2 | N | N |
| <i>Lampropeltis getula</i> | Eastern Kingsnake | G5 | S1S2 | N | N |
| <i>Lampropeltis meansi</i> | Apalachicola Kingsnake | G2 | S2 | N | N |
| <i>Lampropeltis occipitolineata</i> | South Florida Mole Kingsnake | G2 | S2 | N | N |
| <i>Lampropeltis rhombomaculata</i> | Northern Mole Kingsnake | G5 | S2 | N | N |
| <i>Lepidochelys kempii</i> | Kemp's Ridley Sea Turtle | G1 | S1 | E | FE |
| <i>Macrochelys suwanniensis</i> | Suwannee Alligator Snapping Turtle | G2 | S2 | PT | ST |
| <i>Macrochelys temminckii</i> | Alligator Snapping Turtle | G3 | S3 | PT | N |
| <i>Malaclemys terrapin rhizophorarum</i> | Mangrove Terrapin | G4T2 | S2 | N | N |
| <i>Nerodia clarkii clarkii</i> | Gulf Salt Marsh Snake | G4T3 | S2 | N | N |
| <i>Nerodia clarkii taeniata</i> | Atlantic Salt Marsh Snake | G4T1Q | S1 | T | FT |
| <i>Nerodia cyclopion</i> | Mississippi Green Watersnake | G5 | S1 | N | N |
| <i>Pantherophis guttatus pop. 1</i> | Red Rat Snake, Lower Keys Population | G5T2Q | S2 | N | N |
| <i>Pituophis melanoleucus</i> | Pine Snake | G4 | S3 | N | ST |
| <i>Plestiodon anthracinus</i> | Coal Skink | G5 | S3 | N | N |
| <i>Plestiodon egregius egregius</i> | Florida Keys Mole Skink | G5T1 | S1 | PT | ST |
| <i>Plestiodon egregius insularis</i> | Cedar Key Mole Skink | G5T1 | S1 | N | N |
| <i>Plestiodon egregius lividus</i> | Blue-tailed Mole Skink | G5T2 | S2 | T | FT |
| <i>Plestiodon egregius pop. 1</i> | Mole Skink, Egmont Key population | G5T1Q | S1 | N | N |
| <i>Plestiodon reynoldsi</i> | Sand Skink | G3 | S3 | T | FT |
| <i>Pseudemys concinna concinna</i> | Eastern River Cooter | G5T5 | S3 | N | N |
| <i>Pseudemys concinna suwanniensis</i> | Suwannee Cooter | G5T3 | S3 | N | N |
| <i>Pseudemys nelsoni pop. 1</i> | Florida Red-bellied Turtle, Panhandle Population | G5T2Q | S2 | N | N |
| <i>Sceloporus woodi</i> | Florida Scrub Lizard | G2G3 | S2S3 | N | N |
| <i>Storeria victa pop. 1</i> | Florida Brown Snake, Lower Keys Population | G5T1Q | S1 | N | ST |
| <i>Tantilla coronata</i> | Southeastern Crowned Snake | G5 | S2S3 | N | N |
| <i>Tantilla oolitica</i> | Rim Rock Crowned Snake | G1G2 | S1S2 | N | ST |
| <i>Thamnophis sauritus pop. 1</i> | Eastern Ribbon Snake, Lower Keys Population | G5T1Q | S1 | N | N |
| <i>Virginia valeriae pop. 1</i> | Smooth Earth Snake, Highlands County Population | G5T1Q | S1 | N | N |
| Birds | | | | | |
| <i>Ammodramus savannarum floridanus</i> | Florida Grasshopper Sparrow | G5T1 | S1 | E | FE |
| <i>Ammospiza caudacuta</i> | Saltmarsh Sparrow | G2 | S1S2N | N | N |
| <i>Ammospiza maritima fisheri</i> | Louisiana Seaside Sparrow | G4T4 | S1 | N | N |
| <i>Ammospiza maritima macgillivrayi</i> | Macgillivray's Seaside Sparrow | G4T3 | S2 | N | N |
| <i>Ammospiza maritima mirabilis</i> | Cape Sable Seaside Sparrow | G4T1 | S1 | E | FE |
| <i>Ammospiza maritima nigrescens</i> | Dusky Seaside Sparrow | G4TX | SX | DL | N |
| <i>Ammospiza maritima peninsulæ</i> | Scott's Seaside Sparrow | G4T3 | S3 | N | ST |
| <i>Anous stolidus</i> | Brown Noddy | G5 | S1 | N | N |
| <i>Antigone canadensis pratensis</i> | Florida Sandhill Crane | G5T2 | S2 | N | ST |
| <i>Aphelocoma coerulescens</i> | Florida Scrub-Jay | G1G2 | S1S2 | T | FT |
| <i>Aramus guarauna</i> | Limpkin | G5 | S3 | N | N |

| SCIENTIFIC NAME | COMMON NAME | FNAI GLOBAL RANK | FNAI STATE RANK | FEDERAL STATUS | STATE STATUS |
|---------------------------------------|-------------------------------------|------------------------|-----------------------|-------------------|-----------------|
| Birds | | | | | |
| <i>Ardea herodias occidentalis</i> | Great White Heron | G5T2 | S2 | N | N |
| <i>Athene cunicularia floridana</i> | Florida Burrowing Owl | G4T3 | S3 | N | ST |
| <i>Buteo brachyurus</i> | Short-tailed Hawk | G4G5 | S1 | N | N |
| <i>Calidris canutus rufa</i> | Red Knot - rufa subspecies | G4T2 | S2N | T | FT |
| <i>Campephilus principalis</i> | Ivory-billed Woodpecker | GX | SX | N | FE |
| <i>Caracara plancus</i> | Crested Caracara | G5 | S2 | T | FT |
| <i>Charadrius melodus</i> | Piping Plover | G3 | S2 | T | FT |
| <i>Charadrius nivosus</i> | Snowy Plover | G3 | S1 | N | ST |
| <i>Charadrius wilsonia</i> | Wilson's Plover | G5 | S2 | N | N |
| <i>Chordeiles gundlachi</i> | Antillean Nighthawk | G4 | S2 | N | N |
| <i>Cistothorus palustris griseus</i> | Worthington's Marsh Wren | G5T3 | S2 | N | ST |
| <i>Cistothorus palustris marianae</i> | Marian's Marsh Wren | G5T3 | S3 | N | ST |
| <i>Coccyzus minor</i> | Mangrove Cuckoo | G5 | S3 | N | N |
| <i>Conuropsis carolinensis</i> | Carolina Parakeet | GX | SX | N | N |
| <i>Dryobates borealis</i> | Red-cockaded Woodpecker | G3 | S2 | E, PT | FE |
| <i>Dryobates villosus</i> | Hairy Woodpecker | G5 | S3 | N | N |
| <i>Ectopistes migratorius</i> | Passenger Pigeon | GX | SX | N | N |
| <i>Egretta caerulea</i> | Little Blue Heron | G5 | S4 | N | ST |
| <i>Egretta rufescens</i> | Reddish Egret | G4 | S2 | N | ST |
| <i>Egretta thula</i> | Snowy Egret | G5 | S3 | N | N |
| <i>Egretta tricolor</i> | Tricolored Heron | G5 | S4 | N | ST |
| <i>Elanoides forficatus</i> | Swallow-tailed Kite | G5 | S2 | N | N |
| <i>Elanus leucurus</i> | White-tailed Kite | G5 | S1 | N | N |
| <i>Eudocimus albus</i> | White Ibis | G5 | S4 | N | N |
| <i>Falco columbarius</i> | Merlin | G5 | S2 | N | N |
| <i>Falco peregrinus</i> | Peregrine Falcon | G4 | S2 | N | N |
| <i>Falco sparverius paulus</i> | Southeastern American Kestrel | G5T4 | S3 | N | ST |
| <i>Fregata magnificens</i> | Magnificent Frigatebird | G5 | S1 | N | N |
| <i>Gelochelidon nilotica</i> | Gull-billed Tern | G5 | S2 | N | N |
| <i>Geotrygon chrysis</i> | Key West Quail-dove | G4 | SH | N | N |
| <i>Grus americana</i> | Whooping Crane | G1 | SNR | XN | FXN |
| <i>Haematopus palliatus</i> | American Oystercatcher | G5 | S2 | N | ST |
| <i>Haliaeetus leucocephalus</i> | Bald Eagle | G5 | S3 | N | N |
| <i>Helminthos vermivorum</i> | Worm-eating Warbler | G5 | S1 | N | N |
| <i>Hydroprogne caspia</i> | Caspian Tern | G5 | S2 | N | N |
| <i>Laterallus jamaicensis</i> | Black Rail | G3 | S2 | T | N |
| <i>Mycteria americana</i> | Wood Stork | G4 | S2 | T | FT |
| <i>Nyctanassa violacea</i> | Yellow-crowned Night-heron | G5 | S3 | N | N |
| <i>Nycticorax nycticorax</i> | Black-crowned Night-heron | G5 | S3 | N | N |
| <i>Onychoprion fuscatus</i> | Sooty Tern | G5 | S1 | N | N |
| <i>Pandion haliaetus</i> | Osprey | G5 | S3S4 | N | N |
| <i>Parkesia motacilla</i> | Louisiana Waterthrush | G5 | S2 | N | N |
| <i>Passerina ciris pop. 1</i> | Painted Bunting, eastern population | G5T3Q | S1S2 | N | N |
| <i>Patagioenas leucocephala</i> | White-crowned Pigeon | G3 | S3 | N | ST |
| <i>Peucaea aestivalis</i> | Bachman's Sparrow | G3 | S3 | N | N |
| <i>Phoenicopterus ruber</i> | American Flamingo | G4 | SNRN | N | N |
| <i>Platalea ajaja</i> | Roseate Spoonbill | G5 | S2 | N | ST |
| <i>Plegadis falcinellus</i> | Glossy Ibis | G5 | S3 | N | N |
| <i>Rallus longirostris insularum</i> | Mangrove Clapper Rail | G5T3 | S3 | N | N |
| <i>Rallus longirostris scottii</i> | Florida Clapper Rail | G5T3? | S3? | N | N |
| <i>Recurvirostra americana</i> | American Avocet | G5 | S2 | N | N |
| <i>Rostrhamus sociabilis</i> | Snail Kite | G4G5 | S2 | E | FE |

| SCIENTIFIC NAME | COMMON NAME | FNAI GLOBAL RANK | FNAI STATE RANK | FEDERAL STATUS | STATE STATUS |
|--|--|------------------------|-----------------------|-------------------|-----------------|
| Birds | | | | | |
| <i>Rynchops niger</i> | Black Skimmer | G5 | S3 | N | ST |
| <i>Setophaga discolor paludicola</i> | Florida Prairie Warbler | G5T3 | S3 | N | N |
| <i>Setophaga kirtlandii</i> | Kirtland's Warbler | G3G4 | S1 | N | N |
| <i>Setophaga petechia gundlachi</i> | Cuban Yellow Warbler | G5T4 | S3 | N | N |
| <i>Setophaga ruticilla</i> | American Redstart | G5 | S2 | N | N |
| <i>Sitta carolinensis</i> | White-breasted Nuthatch | G5 | S2 | N | N |
| <i>Sterna dougallii</i> | Roseate Tern | G4 | S1 | T | FT |
| <i>Sternula antillarum</i> | Least Tern | G4 | S3 | N | ST |
| <i>Thalasseus maximus</i> | Royal Tern | G5 | S3 | N | N |
| <i>Thalasseus sandvicensis</i> | Sandwich Tern | G5 | S2 | N | N |
| <i>Vermivora bachmanii</i> | Bachman's Warbler | GX | SX | N | FE |
| <i>Vireo altiloquus</i> | Black-whiskered Vireo | G5 | S3 | N | N |
| <i>Zenaida aurita</i> | Zenaida Dove | G5 | SH | N | N |
| Mammals | | | | | |
| <i>Blarina shermani</i> | Sherman's Short-tailed Shrew | GH | SH | N | ST |
| <i>Bos bison</i> | American Bison | G4 | SX | N | N |
| <i>Canis rufus</i> | Red Wolf | G1Q | SX | N | FE |
| <i>Corynorhinus rafinesquii</i> | Rafinesque's Big-eared Bat | G3G4 | S1 | N | N |
| <i>Eptesicus fuscus</i> | Big Brown Bat | G5 | S3 | N | N |
| <i>Eubalaena glacialis</i> | North Atlantic Right Whale | G1 | S1 | E | FE |
| <i>Eumops floridanus</i> | Florida bonneted bat | G1 | S1 | E | FE |
| <i>Microtus pennsylvanicus dukecampbelli</i> | Florida Salt Marsh Vole | G5T1 | S1 | E | FE |
| <i>Monachus tropicalis</i> | West Indian Monk Seal | GX | SX | DL | FE |
| <i>Mustela frenata olivacea</i> | Southeastern Weasel | G5T4 | S3? | N | N |
| <i>Mustela frenata peninsulæ</i> | Florida Long-tailed Weasel | G5T3? | S3? | N | N |
| <i>Myotis austroriparius</i> | Southeastern Myotis | G4 | S3 | N | N |
| <i>Myotis grisescens</i> | Gray Bat | G3G4 | S1 | E | FE |
| <i>Neofiber alleni</i> | Round-tailed Muskrat | G2 | S2 | N | N |
| <i>Neotoma floridana smalli</i> | Key Largo Woodrat | G5T1 | S1 | E | FE |
| <i>Neovison vison halilimnetes</i> | Gulf Salt Marsh Mink | G5T2 | S2 | N | N |
| <i>Neovison vison lutensis</i> | Atlantic Salt Marsh Mink | G5T3 | S3 | N | N |
| <i>Neovison vison pop. 1</i> | American Mink, Southern Florida population | G5T2Q | S2 | N | ST |
| <i>Odocoileus virginianus clavium</i> | Key Deer | G5T1 | S1 | E | FE |
| <i>Oryzomys palustris argentatus</i> | Key Rice Rat | G5T2Q | S2 | E | FE |
| <i>Oryzomys palustris sanibeli</i> | Sanibel Island Marsh Rice Rat | G5T1Q | S1 | N | ST |
| <i>Peromyscus gossypinus allapaticola</i> | Key Largo Cotton Mouse | G5T1Q | S1 | E | FE |
| <i>Peromyscus gossypinus restrictus</i> | Chadwick Beach Cotton Mouse | G5TX | SX | N | N |
| <i>Peromyscus polionotus allophrys</i> | Choctawhatchee Beach Mouse | G5T1 | S1 | E | FE |
| <i>Peromyscus polionotus decoloratus</i> | Pallid Beach Mouse | G5TX | SX | N | N |
| <i>Peromyscus polionotus leucocephalus</i> | Santa Rosa Beach Mouse | G5T1 | S1 | N | N |
| <i>Peromyscus polionotus niveiventris</i> | Southeastern Beach Mouse | G5T1 | S1 | T | FT |
| <i>Peromyscus polionotus peninsularis</i> | St. Andrews Beach Mouse | G5T1 | S1 | E | FE |
| <i>Peromyscus polionotus phasma</i> | Anastasia Island Beach Mouse | G5T1 | S1 | E | FE |
| <i>Peromyscus polionotus trissyllepsis</i> | Perdido Key Beach Mouse | G5T1 | S1 | E | FE |
| <i>Podomys floridanus</i> | Florida Mouse | G3 | S3 | N | N |
| <i>Procyon lotor auspicatus</i> | Key Vaca Raccoon | G5T2 | S2 | N | N |
| <i>Procyon lotor incautus</i> | Key West Raccoon | G5T2Q | S2 | N | N |
| <i>Puma concolor coryi</i> | Florida Panther | G5T1 | S1 | E | FE |
| <i>Sciurus niger avicennia</i> | Big Cypress Fox Squirrel | G5T2 | S2 | N | ST |
| <i>Sciurus niger niger</i> | Southeastern Fox Squirrel | G5T5 | S3 | N | N |
| <i>Sigmodon hispidus exsputus</i> | Lower Keys Cotton Rat | G5T2 | S2 | N | N |

| SCIENTIFIC NAME | COMMON NAME | FNAI GLOBAL RANK | FNAI STATE RANK | FEDERAL STATUS | STATE STATUS |
|---------------------------------------|-------------------------|------------------------|-----------------------|-------------------|-----------------|
| Mammals | | | | | |
| <i>Sigmodon hispidus insulicola</i> | Insular Cotton Rat | G5T1T2 | S1S2 | N | N |
| <i>Sorex longirostris eionis</i> | Homosassa Shrew | G5T3 | S3 | N | N |
| <i>Sylvilagus palustris hefneri</i> | Lower Keys Marsh Rabbit | G5T1 | S1 | E | FE |
| <i>Tamias striatus</i> | Eastern Chipmunk | G5 | S3 | N | N |
| <i>Trichechus manatus latirostris</i> | Florida Manatee | G2G3T2 | S2S3 | T | N |
| <i>Ursus americanus floridanus</i> | Florida Black Bear | G5T4 | S4 | N | N |
| Natural Communities | | | | | |
| Alluvial forest | | G4 | S3 | N | N |
| Alluvial stream | | G4 | S2 | N | N |
| Aquatic cave | | G3 | S3 | N | N |
| Basin marsh | | G4 | S3 | N | N |
| Basin swamp | | G4 | S3 | N | N |
| Baygall | | G4 | S4 | N | N |
| Beach dune | | G3 | S2 | N | N |
| Blackwater stream | | G4 | S3 | N | N |
| Bottomland forest | | G4 | S3 | N | N |
| Clastic upland lake | | G3 | S2 | N | N |
| Coastal berm | | G3 | S2 | N | N |
| Coastal dune lake | | G2 | S1 | N | N |
| Coastal grassland | | G3 | S2 | N | N |
| Coastal interdunal swale | | G3 | S2 | N | N |
| Coastal rockland lake | | G2 | S1 | N | N |
| Coastal strand | | G3 | S2 | N | N |
| Depression marsh | | G4 | S4 | N | N |
| Dome swamp | | G4 | S4 | N | N |
| Dry prairie | | G2 | S2 | N | N |
| Estuarine algal bed | | G3 | S2 | N | N |
| Estuarine composite substrate | | G3 | S3 | N | N |
| Estuarine consolidated substrate | | G3 | S3 | N | N |
| Estuarine coral reef | | G2 | S1 | N | N |
| Estuarine mollusk reef | | G3 | S3 | N | N |
| Estuarine octocoral bed | | G2 | S1 | N | N |
| Estuarine seagrass bed | | G3 | S2 | N | N |
| Estuarine sponge bed | | G2 | S2 | N | N |
| Estuarine unconsolidated substrate | | G5 | S5 | N | N |
| Estuarine worm reef | | G1 | S1 | N | N |
| Flatwoods/prairie lake | | G4 | S3 | N | N |
| Floodplain marsh | | G3 | S3 | N | N |
| Floodplain swamp | | G4 | S4 | N | N |
| Glades marsh | | G3 | S3 | N | N |
| Hydric hammock | | G4 | S4 | N | N |
| Keys cactus barren | | G1 | S1 | N | N |
| Keys tidal rock barren | | G3 | S3? | N | N |
| Limestone outcrop | | G2 | S2 | N | N |
| Mangrove swamp | | G5 | S4 | N | N |
| Marine algal bed | | G3 | S2 | N | N |
| Marine composite substrate | | G3 | S3 | N | N |
| Marine consolidated substrate | | G3 | S3 | N | N |
| Marine coral reef | | G2 | S1 | N | N |
| Marine mollusk reef | | G3 | S3 | N | N |
| Marine octocoral bed | | G2 | S1 | N | N |

| SCIENTIFIC NAME | COMMON NAME | FNAI GLOBAL RANK | FNAI STATE RANK | FEDERAL STATUS | STATE STATUS |
|--|-------------|------------------------|-----------------------|-------------------|-----------------|
| Natural Communities | | | | | |
| <i>Marine seagrass bed</i> | | G3 | S2 | N | N |
| <i>Marine sponge bed</i> | | G2 | S2 | N | N |
| <i>Marine unconsolidated substrate</i> | | G5 | S5 | N | N |
| <i>Marine worm reef</i> | | G1 | S1 | N | N |
| <i>Maritime hammock</i> | | G3 | S2 | N | N |
| <i>Marl prairie</i> | | G3 | S3 | N | N |
| <i>Marsh lake</i> | | G4 | S4 | N | N |
| <i>Mesic flatwoods</i> | | G4 | S4 | N | N |
| <i>Mesic hammock</i> | | G3 | S3? | N | N |
| <i>Pine rockland</i> | | G1 | S1 | N | N |
| <i>River floodplain lake</i> | | G4 | S2 | N | N |
| <i>Rockland hammock</i> | | G2 | S2 | N | N |
| <i>Salt marsh</i> | | G5 | S4 | N | N |
| <i>Sandhill</i> | | G3 | S2 | N | N |
| <i>Sandhill upland lake</i> | | G3 | S2 | N | N |
| <i>Scrub</i> | | G2 | S2 | N | N |
| <i>Scrubby flatwoods</i> | | G2 | S2? | N | N |
| <i>Seepage slope</i> | | G2 | S2 | N | N |
| <i>Seepage stream</i> | | G3 | S2 | N | N |
| <i>Shell mound</i> | | G2 | S2 | N | N |
| <i>Shrub bog</i> | | G4 | S3 | N | N |
| <i>Sinkhole</i> | | G2 | S2 | N | N |
| <i>Sinkhole lake</i> | | G3 | S3 | N | N |
| <i>Slope forest</i> | | G2? | S1 | N | N |
| <i>Slough</i> | | G3 | S3 | N | N |
| <i>Slough marsh</i> | | G3? | S3? | N | N |
| <i>Spring-run stream</i> | | G2 | S2 | N | N |
| <i>Strand swamp</i> | | G2 | S2 | N | N |
| <i>Swamp lake</i> | | G4 | S3 | N | N |
| <i>Terrestrial cave</i> | | G3 | S2 | N | N |
| <i>Upland glade</i> | | G1 | S1 | N | N |
| <i>Upland hardwood forest</i> | | G5 | S3 | N | N |
| <i>Upland mixed woodland</i> | | G2 | S2 | N | N |
| <i>Upland pine</i> | | G3 | S2 | N | N |
| <i>Wet flatwoods</i> | | G4 | S4 | N | N |
| <i>Wet prairie</i> | | G2 | S2 | N | N |
| <i>Xeric hammock</i> | | G3 | S3 | N | N |
| Other Elements | | | | | |
| <i>Bird Rookery</i> | | G5 | SNRB | N | N |
| <i>Geological feature</i> | | GNR | SNR | N | N |
| <i>Migratory Bird Concentration Area</i> | | G3 | SNR | N | N |

Using a ranking system developed by NatureServe and the Natural Heritage Program Network, the Florida Natural Areas Inventory assigns two ranks for each element. The global rank is based on an element's worldwide status; the state rank is based on the status of the element in Florida. Element ranks are based on many factors, the most important ones being estimated number of Element Occurrences (EOs), estimated abundance (number of individuals for species; area for natural communities), geographic range, estimated number of adequately protected EOs, relative threat of destruction, and ecological fragility.

FNAI GLOBAL ELEMENT RANK

- G1** = Critically imperiled globally because of extreme rarity (5 or fewer occurrences or less than 1000 individuals) or because of extreme vulnerability to extinction due to some natural or man-made factor.
- G2** = Imperiled globally because of rarity (6 to 20 occurrences or less than 3000 individuals) or because of vulnerability to extinction due to some natural or man-made factor.
- G3** = Either very rare and local throughout its range (21-100 occurrences or less than 10,000 individuals) or found locally in a restricted range or vulnerable to extinction from other factors.
- G4** = Apparently secure globally (may be rare in parts of range).
- G5** = Demonstrably secure globally.
- GH** = Of historical occurrence throughout its range, may be rediscovered (e.g., ivory-billed woodpecker).
- GX** = Believed to be extinct throughout range.
- GXC** = Extirpated from the wild but still known from captivity or cultivation.
- G#?** = Tentative rank (e.g., G2?).
- G#G#** = Range of rank; insufficient data to assign specific global rank (e.g., G2G3).
- G#T#** = Rank of a taxonomic subgroup such as a subspecies or variety; the G portion of the rank refers to the entire species and the T portion refers to the specific subgroup; numbers have same definition as above (e.g., G3T1).
- G#Q** = Rank of questionable species - ranked as species but questionable whether it is species or subspecies; numbers have same definition as above (e.g., G2Q).
- G#T#Q** = Same as above, but validity as subspecies or variety is questioned.
- GU** = Unrankable; due to a lack of information no rank or range can be assigned (e.g., GUT2).
- GNA** = Ranking is not applicable because the element is not a suitable target for conservation (e.g. a hybrid species).
- GNR** = Element not yet ranked (temporary).
- GNRNTNR** = Neither the element nor the taxonomic subgroup has yet been ranked.

FNAI STATE ELEMENT RANK

- S1** = Critically imperiled in Florida because of extreme rarity (5 or fewer occurrences or less than 1000 individuals) or because of extreme vulnerability to extinction due to some natural or man-made factor.
- S2** = Imperiled in Florida because of rarity (6 to 20 occurrences or less than 3000 individuals) or because of vulnerability to extinction due to some natural or man-made factor.
- S3** = Either very rare and local in Florida (21-100 occurrences or less than 10,000 individuals) or found locally in a restricted range or vulnerable to extinction from other factors.
- S4** = Apparently secure in Florida (may be rare in parts of range).
- S5** = Demonstrably secure in Florida.
- SH** = Of historical occurrence in Florida, possibly extirpated, but may be rediscovered (e.g., ivory-billed woodpecker).
- SX** = Believed to be extirpated throughout Florida.
- SU** = Unrankable; due to a lack of information no rank or range can be assigned.
- SNA** = State ranking is not applicable because the element is not a suitable target for conservation (e.g. a hybrid species).
- SNR** = Element not yet ranked (temporary).

FEDERAL LEGAL STATUS

Legal status information provided by FNAI for information only. For official definitions and lists of protected species, consult the relevant federal agency.

Definitions derived from U.S. Endangered Species Act of 1973, Sec. 3. Note that the federal status given by FNAI refers only to Florida

populations and that federal status may differ elsewhere.

- C** = Candidate species for which federal listing agencies have sufficient information on biological vulnerability and threats to support proposing to list the species as Endangered or Threatened.
- E** = Endangered: species in danger of extinction throughout all or a significant portion of its range.
- E, T** = Species currently listed endangered in a portion of its range but only listed as threatened in other areas
- E, PDL** = Species currently listed endangered but has been proposed for delisting.
- E, PT** = Species currently listed endangered but has been proposed for listing as threatened.
- E, XN** = Species currently listed endangered but tracked population is a non-essential experimental population.
- T** = Threatened: species likely to become Endangered within the foreseeable future throughout all or a significant portion of its range.
- PE** = Species proposed for listing as endangered
- PS** = Partial status: some but not all of the species' infraspecific taxa have federal
- PT** = Species proposed for listing as threatened
- SAT** = Treated as threatened due to similarity of appearance to a species which is federally listed such that enforcement personnel have difficulty in attempting to differentiate between the listed and unlisted species.
- SC** = Not currently listed, but considered a "species of concern" to USFWS.

STATE LEGAL STATUS

Provided by FNAI for information only. For official definitions and lists of protected species, consult the relevant state agency.

Animals: Definitions derived from "Florida's Endangered Species and Species of Special Concern, Official Lists" published by Florida Fish and Wildlife Conservation Commission, 1 August 1997, and subsequent updates.

- C** = Candidate for listing at the Federal level by the U. S. Fish and Wildlife Service
- FE** = Listed as Endangered Species at the Federal level by the U. S. Fish and Wildlife Service
- FT** = Listed as Threatened Species at the Federal level by the U. S. Fish and Wildlife Service
- FXN** = Federal listed as an experimental population in Florida
- FT(S/A)** = Federal Threatened due to similarity of appearance
- ST** = State population listed as Threatened by the FFWCC. Defined as a species, subspecies, or isolated population which is acutely vulnerable to environmental alteration, declining in number at a rapid rate, or whose range or habitat is decreasing in area at a rapid rate and as a consequence is destined or very likely to become an endangered species within the foreseeable future.
- SSC** = Listed as Species of Special Concern by the FFWCC. Defined as a population which warrants special protection, recognition, or consideration because it has an inherent significant vulnerability to habitat modification, environmental alteration, human disturbance, or substantial human exploitation which, in the foreseeable future, may result in its becoming a threatened species. (SSC* for Pandion haliaetus (Osprey) indicates that this status applies in Monroe county only.)
- N** = Not currently listed, nor currently being considered for listing.

Plants: Definitions derived from Sections 581.011 and 581.185(2), Florida Statutes, and the Preservation of Native Flora of Florida Act, 5B-40.001. FNAI does not track all state-regulated plant species; for a complete list of state-regulated plant species, call Florida Division of Plant Industry, 352-372-3505 or see: <<http://www.doacs.state.fl.us/pi/>>.

- E** = Endangered: species of plants native to Florida that are in imminent danger of extinction within the state, the survival of which is unlikely if the causes of a decline in the number of plants continue; includes all species determined to be endangered or threatened pursuant to the U.S. Endangered Species Act.
- T** = Threatened: species native to the state that are in rapid decline in the number of plants within the state, but which have not so decreased in number as to cause them to be Endangered.
- N** = Not currently listed, nor currently being considered for listing.